



THINK ACCESSORIES

2023/2024

wintersteiger-shop.com



Valid until Fall 2024

WINTERSTEIGER
Thinking about tomorrow.





A trusted partner for 70 years

Since 1953, Wintersteiger has been more than just a ski industry supplier. We are your trusted ally with a time-tested reputation for delivering exceptional products and solutions. We are deeply rooted in the ski industry and driven by a passion for delivering unmatched quality and performance. Our legacy is built on a foundation of innovation, reliability, and trust. Over the years, we have continuously evolved to meet the changing needs and demands of ski shops worldwide. After all, your success is our success. As we enter the next chapter, we are more committed than ever to providing comprehensive solutions that help ski shops thrive and succeed in today's dynamic landscape.

Our Wintersteiger Accessory Catalog offers a wide array of proven products that have earned the trust of respected professionals and are known for their exceptional performance and durability. Each of the 1800+ products are selected with you, the ski service professional, in mind. Whether it's replenishing crucial consumables, implementing new sanitization procedures, or ensuring operational safety, Wintersteiger is your reliable partner, empowering your business to run seamlessly.

Thank you for your business. We look forward to serving you for another 70 years and beyond!



Contents

1	WINTERSTEIGER TUNING TOOLS	6
	The WINTERSTEIGER Retail Program	6
2	WORKSHOP ACCESSORIES	14
	Work Benches and Accessories	14
	WINTERSTEIGER Quickfix universal	20
	Wearing parts for Adjustable Rests art. 7070-02-00	21
	Safety Material	22
	Binding, Mounting and Repair	26
	Base Repair	35
	Baseman Base Repair Machine	47
	Smogjet Air Filter System	47
	Base Repair	48
	Edge Care	52
	Structuring Tools	58
	Waxing Machines and Accessories	59
	WINTERSTEIGER Waxes	66
	WEND Waxes	68
	WEND Speciality Products	76
	Waxing Accessories	81
	Pole Accessories	89
	Ultracam	91
	ZELUP® Blaster Ecofriendly high-speed cleaner	95
	Boot Repair	97
	Tools and Accessories	102
	Disinfection and Deodorization	110
3	MACHINERY	115
4	MACHINE UPGRADES	117
5	MACHINE ACCESSORIES	119
	Base Repair	119
	Grinding Belts	119
	Grinding Stones	124
	Diamond Technology	130
	Diamond Dressers Racing	133
	Racing Accessories	136
	Grinding Stones Racing	136
	Ceramic Disc Finish	138
	Binding Bridges	143
	Wearing Parts	148
	General Workshop Accessories	149
	Fluid Management	151
	Filter Accessories	156
	Accessories for Waxing Machines	157
	Accessories for Binding Adjusting Machines	159
6	ACCESSORIES FOR EASYRENT RENTAL SOFTWARE	161
	Barcode- / QR-Code - Labels	161
7	STORAGE SYSTEMS/STORAGE LOCKERS	163
8	DRYTECH PRODUCT OVERVIEW	164
9	RENTAL, STORAGE AND DRYING SYSTEMS	166
	Accessories for Easystore	170
10	PROMOTIONAL MATERIAL	171
	Clothing	171
	Accessoires	174
11	PRODUCT INDEX	176
12	ORDER FORMS	177
13	GENERAL INFORMATION	181

WINTERSTEIGER TUNING TOOLS

The WINTERSTEIGER Retail Program

1



The WINTERSTEIGER Retail Program

The WINTERSTEIGER retail program features tools and information for the consumer to maintain their equipment between shop visits.

The more the consumer is educated about properly tuned equipment, the more shop visits they will make during the season. WINTERSTEIGER Ski and Snowboard Tuning Tools are the perfect solution for the do-it-yourselfer who wants to keep their skis and snowboards in top notch condition between visits to your WINTERSTEIGER repair shop. Not only are we offering the highest quality tools, we also offer displays and packaging that tie the product line back to your repair shop. Our complete line of hand tools allow your customers to wax, repair minor base damage and keep their edges sharp and smooth. Detailed product use and consumer information about the need for tuning is available online at our consumer based web site www.tuneyourskisandboards.com. All retail products have EAN-codes on the packaging.



Ski Vise SPORT PLUS

Sturdy, high-tensile aluminium vise for tuning all types and shapes of skis. The Vise SPORT PLUS is a very easy to use for tuning all types and shapes of skis. Features sturdy high tensile aluminum and is light and easy to transport. The holding system keeps the ski secure for base and side edge work. Includes 2 brake retainers (packaged for retail). NEW: this vise allows also a 60° positioning of the skis for fast and simple edge tuning.

57-401-014	Ski vise	pcs.
57-401-012	Spare Binding Retainer	pcs.



Ski Vise PRO

For use when maximum holding power is needed. The Ski Vise Pro Wide Opening has jaws with 90 mm of holding surface and is built to withstand heavy use. The holding frame includes shelfless jaws that will hold any shape sidewall and can accommodate riser plates. The adjustable guide blocks include the locking spindle. This feature allows the ski to be held sideways for edge and sidewall work without interference from the holding vise. This vise allows a positioning of 60° when tuning the side edge for faster and simpler tuning. Opening up to 155 mm.

57-401-225		pcs.
------------	--	------



Ski Vise RACING

Heavy duty, high-tensile aluminium vise for tuning skis. The Ski Vise RACING has jaws with 70 mm of holding surface and is built to withstand heavy use. The holding frame includes shelfless jaws that will hold any shape sidewall and can accommodate riser plates. The adjustable guide blocks include the locking spindle. This vise allows a positioning of 60° when tuning the side edge for faster and simpler tuning. Opening from 40 to 100 mm.

57-401-020		pcs.
------------	--	------



Board/Freeride Stopper

Sturdy universal vise for tuning snowboards and wide skis. This vise comes with a high-impact plastic body and a special rubber grip top that holds the snowboard extremely well for flat filing and waxing. For two side edge positions: standard 90° and easy 60°. Suitable for all kinds and shapes of skis and snowboards. Binding clearance: 160 mm.

57-401-025		pcs.
------------	--	------

WINTERSTEIGER TUNING TOOLS

The WINTERSTEIGER Retail Program

1



RACING SHARP File Guide

Ergonomic design side and base edge sharpener is easy to use and allows your customers to maintain their edges between visits to your repair facility. Allows for 89° to 86° side edge bevel and 0.5° and 1° base edge bevel. (packaged for retail)

57-401-145	+ Finn File 80 mm	pcs.
57-401-174	Spare File 80 mm	pcs.



QUICK SHARP File Guide

Side edge sharpener for 89 - 88 degrees. Great for the customer who is new to maintaining their own equipment, WINTERSTEIGER offers this entry level tool. The plastic molded tools are easy to use and carry on the hill. The Quick Sharp tools are available with zirconium, file and diamond abrasive tools (packaged for retail).

57-401-163	+ Zircon, Finn, Diamond File	pcs.
57-401-161	+ Finn File 40 mm	pcs.
55-500-106	Spare Finn File 40mm	pcs.
55-500-108	Spare Diamond File	pcs.
57-401-173	Spare Zirconium File	pcs.



MILL BASTARD File

These are not the low quality files traditionally associated with retail sales. Guaranteed for their quality and straightness, these are the best files you will find for the money (packaged for retail).

55-500-135	Hard Chrome File 150 mm	pcs.
55-500-155	Non Chrome File 150 mm	pcs.



ICECUT Professional File

Used by World Cup technicians because of the precision cut teeth and comfortable tangless design. ICECUT files are also the straightest file available for accurate beveling and have one of the highest Rockwell hardness for extended life. (packaged for retail)

55-500-046	150 mm	pcs.
55-500-047	200 mm	pcs.

WINTERSTEIGER TUNING TOOLS

The WINTERSTEIGER Retail Program



Diamond File SPORT

The latest in diamond stone technology, this is the best diamond stone we have ever used. The rigid composite body resist flex during use. The unique diamond design with ultra high quality diamonds means a long life. Best used with water. Comes in two lengths 70 and 100 mm. (packaged for retail)

57-401-210	Grit 600, fine, 70 mm	pcs.
57-401-211	Grit 400, medium, 70 mm	pcs.
57-401-212	Grit 200, coarse, 70 mm	pcs.
57-401-220	Grit 600, fine, 100 mm	pcs.
57-401-221	Grit 400, medium, 100 mm	pcs.
57-401-222	Grit 200, coarse, 100 mm	pcs.



File Brush/Card

To clean debris from the teeth of files. Proper cleaning helps to prolong the life of a file and ensures better overall tuning results (packaged for retail).

57-200-050		pcs.
------------	--	------



Pocket Stone

For quickly removing minor burrs and imperfections on edges. Use the pocket stone mounted in the file guide to remove any striations left by the file to further polish the edge (packaged for retail).

57-200-102	100 x 18 x 8 mm	pcs.
------------	-----------------	------



Vanilla Ski Base Cleaner / Wax Remover

Our base cleaner is positively the best available; featuring a quick evaporation rate, in a non toxic formula, and a lighter "aroma" than other base cleaners. Available in 1 gallon industrial size and 16 ounce retail sizes.

57-202-602	16 oz.	pcs.
------------	--------	------



Drip Candles

Drip candles provide base repair material for repairing scratches and damage to the base on skis and snowboards (packaged for retail).

57-440-001	Black, 3 pcs.	pk.
57-440-002	Clear, 3 pcs.	pk.

WINTERSTEIGER TUNING TOOLS

The WINTERSTEIGER Retail Program

1



WINTERSTEIGER Personal Repair Pistol

For long lasting repairs to larger scratches and damaged areas. The Personal Repair Pistol allows for longer lasting, more abrasionresistant repairs than those done with just drip candles. This consumerbased repair gun is perfect for casual use and gives great results.(packaged for retail, 90 day warranty)

57-440-051	Repair Pistol 110 V	pcs.
57-440-055	Repair sticks black, 3 pcs.	pk.
57-440-056	Repair sticks clear, 3 pcs.	pk.



Metal Scraper

To remove excess repair material from the base. After the repair material has cooled completely, use the metal scraper to remove the excess material and blend the repair into the base. (packaged for retail)

55-240-457	130 x 60 x 0,7 mm	pcs.
------------	-------------------	------



WINTERSTEIGER Wax Iron

High quality wax iron for skis and snowboards. Fine tuned thermostat reduces temperature fluctuations and a thick metal base holds heat to prevent damage during waxing (packaged for retail, 30 day warranty).

57-100-299	110 V / 60 Hz, 800 W	pcs.
------------	----------------------	------



WINTERSTEIGER Digital Wax Iron

Precise temperature settings with digital control combine with a highly accurate thermostat to ensure a correct, constant temperature. Adjustable from 50° to 180° C. 15 mm thick heating plate with innovative dimpled surface which allows the wax iron to easily move across the base by reducing suction. The beveled edges let melted wax flow over the entire base evenly for consistent results (packaged for retail, 90 days warranty).

57-100-315	110 V, 60 Hz, 800 W	pcs.
------------	---------------------	------



WINTERSTEIGER Easy Wax Liquid 60 ml

Liquid Wax for easy and fast application. You and your customers will love this easy to use liquid wax from WINTERSTEIGER. Application is as easy as rub-on, buff off, GO! 60 ml bottle with built-in sponge applicator.

57-440-112	with sponge applicator, 60 ml	pcs.
------------	-------------------------------	------

NEW

WINTERSTEIGER All Condition RUB-ON or IRON-ON WAX

WINTERSTEIGER WAX is made in the USA using environmentally friendly techniques by global market leader, Wax Research. Each eco-friendly bar is hand-crafted to offer the performance of chemically infused waxes, without any hazardous chemicals. Our non-fluoro ski and snowboard waxes utilize sustainable non-GMO, plant-based oils. Designed for high performance with a responsibility to the mountains we love. Boxed for retail in 100g bars.



57-440-140	All Conditions 5-39°F/-15to4°C	pcs.
57-440-141	Above 4 +39°F / +4° C above	pcs.
57-440-142	- 15 Below Cold <-5°F/-15°C	pcs.



Plexi Scraper Alpine

To remove cooled wax from the base. After the wax has cooled to room temperature, any excess must be scraped off and the structure must be brushed. Always allow the wax and the ski or snowboard to cool to room temperature before scraping, otherwise the warm wax will be pulled from the pores, leaving the base dry.

55-200-013	130 x 60 x 3 mm	pcs.
------------	-----------------	------



Plexi Scraper Snowboard

55-200-015	320 x 70 x 5 mm	pcs.
------------	-----------------	------



Race Service Plastic Scraper Sharpener

Designed to meet the needs of race service personal and service techs alike. The tall sides hold the plastic scraper in the perfect upright position while the large base provide a stable platform to hold the tool. The plastic is removed by a replaceable 100 mm panzer file and requires no adjustment to the blade.

57-203-430	Scraper Sharpener	pcs.
57-203-432	Replacement Blade 100 mm	pcs.

WINTERSTEIGER TUNING TOOLS

The WINTERSTEIGER Retail Program

1



Scraper Sharpener WINTERSTEIGER, 100-240 V / 50-60 Hz US

Manual resharpening of plexi scrapers can be a nerve-racking challenge after hot waxing with the wax iron. This electronic scraper sharpener sharpens scrapers quickly and conveniently, making your work more comfortable and efficient. An absolute must-have, especially for frequent waxers.

55-200-021 100 - 240 V / 50 - 60 Hz pcs.



Wax Buffing Pad (Scotchbrite)

Pad to remove excess wax and buffing in of Rub On Waxes. Scotch Brite nylon wax buffing pads are a great tool for removing excess wax from the base and sidewalls of skis and snowboards. Used with light pressure after the wax has been scraped off the base, helps to expose the structure.

57-440-010 220 x 150 mm pcs.



Wax Brush Bronze

This stiff, all-bronze base brush is perfect for cleaning out wax in a coarse structure on the base before applying hot wax. Comes with a hang tag and sticker, packaged for retail.

55-500-077 with euro hole hanger pcs.

Wax Brush Nylon

General purpose stiff nylon bristle brush. Perfect for wax texturing. Comes with a hang tag and sticker, packaged for retail.

55-500-016 with euro hole hanger pcs.

Wax Brush Horsehair

This is a high quality brush used for cross-country, alpine and snowboard tuning. An essential tool for the serious tuner to expose the base texture. Comes with a hang tag and sticker, packaged for retail.

55-500-078 with euro hole hanger pcs.



Soft Red Gummi Stone

For fine buffing and polishing on the edge. Starting at the tip of the ski/board, the gummi stone should be run at a 45 degree angle for up to 10 to 20 cm past the contact point. Making multiple passes, reducing the length of the stroke each time, feather the edge from the tip to the set levels. Run the gummi stone from tip to tail to deburr and repeat the detune process in the tail (packaged for retail).

57-420-242 very fine, 40 x 20 x 65 mm pcs.

The WINTERSTEIGER Webshop

Order accessories comfortably on the Internet.

The WINTERSTEIGER webshop provides a platform where you place orders, gain information about WINTERSTEIGER Products along with information from past orders, deliveries, and invoices. Ordering online offers you the ability to place orders when it is convenient for you, 24 hours a day, every day.

Registered users can download Safety Data sheets and user manuals as they shop at the site. You will also find all of the latest products available at the webshop, new products are listed on the webshop before the printed catalog.

You can easily search and compare product as well as see availability and delivery times. You can also shop stones, belts and diamond bits by your machine type, helping to ensure you are buying the correct sized materials.

Your way to registration!

- To register at the new site simply go to wintersteiger-shop.com
- Choose the Accessories Ski Service Rental US/Canada shop
- At the top of the next page click Logon and then Registration
- Follow the registration process, filling out all the needed information and click CONFIRM at the summary of the entered information.
- After we review your information you will receive a you will receive an email, usually within 24 hours, with your user name and initial password.
- You may now login and start shopping!



WORKSHOP ACCESSORIES

Work Benches and Accessories

Work Benches and Accessories



Extra Large Bench Brush

A clean bench reflects professional work.

57-225-120

pcs.



12" Metal Dust

Heavy 20 gauge steel one piece dust pan, 12" wide, 7 1/2 " deep. Baked on black enamel finish keeps dust pan looking good for a long time. Great for keeping the work bench and shop clean and tidy.

57-225-121

pcs.



Angle Broom

11.1/2" Broom with 48" handle, washable black PET flagged bristles for getting the most debris with each sweep. Great for cleaning around the mounting and wax bench.

57-225-122

pcs.



Balancer with Plastic Case

Competitive priced balancer with plastic housing, easily adjustable.

55-100-248

1 – 2 kg

pcs.



WB-Magnetic Tool Holder 350 mm

For fastening small metal parts to the workbench.

55-100-180 W = 350 mm pcs.



Work Bench

Complete Bench which includes one of each of the following: Work Bench 30" x 60" with 1 3/4" hardwood top, Frame Assembly, Tool Tray, Bin Rail, 8" tiltable shelf, 6" x 3" x 2" Bin 6 pk. All items shipped directly from manufacturer. Allow 4 to 6 weeks for delivery. A nice, sturdy workbench with hardwood top, ships in gray.

57-225-101 Complete Bench 30" x 60" pcs.



Rubber Workshop Mat 800 x 600 mm, closed

Help prevent accidents. Use these floor mats on both sides of your grinding machines and around the repair benches. Anti slip, anti fatigue material.

56-300-100 800 x 600 mm, Closed pcs.



Service/Tuning Bench

Height adjustable up to 900 mm, length = 1200 mm - extendable up to 2000 mm, width = 440 mm; including wooden worktop; fully galvanized design, best stability; vise sold separately; NEW: with foldable frame!

55-100-604 Servicebench 120x56x61-108cm pcs.
55-100-605 optional upper frame pcs.



Zarges K420 Aluminum Case, 24" x 16" x 13"

Race Service box for securely transporting tools and supplies.

57-225-119 Aluminium Box Only pcs.

WORKSHOP ACCESSORIES

Work Benches and Accessories

2



SSPV Mounting Vice

The fastest vise for mounting bindings. Designed for wide skis up to 190 mm wide in tip and tail section, improved edge protection. Each ski rest measures 1300 mm long x 50 mm wide.

7080-402 Complete Vise pcs.



Replacement Guide Wheels

55-100-145 pcs.



The Double Wide

Snowboard or double wide ski EGGBAR Vise, with machined aluminum tracks, Laser cut steel, powder coated. The double wide ski / snowboard vise works on the same principle as the ski vise just dimensionally wider. A snowboard or skis can be put in horizontally or vertically without adjusting or tightening anything. Shops and individuals that work on snowboards and skis love the double wide ski/ snowboard vise because a pair of skis or a snowboard can be worked on in the same vise.

57-402-110 Vise pcs.
57-402-112 Replacement Rubber pcs.



World Cup Vise

The New "World Cup" clamp Style Eggbar Vise has the same great patented design as the Original / Race Vise in a clamp style version. Simple yet works great for holding the ski while tuning in the vertical or horizontal position. There is more surface area and more stability built into the design, verses other vises on the market. The vise can be mounted/clamped on a table, counter top, bench or anywhere a "C" clamp could be attached. CNC Laser cut 6061, powder coated aircraft aluminum. Replaceable BUNA rubber. Made in USA.

57-401-114 Ø 6", 11.5" High, 4 lbs. pcs.



Ski Mounting System

Two whale-tails and tracks makes it easy to balance the dance between getting the flex out of the ski while making room for the tabs on the binding jig. You will love it!

57-402-111 pcs.



Ski Vise PRO

For use when maximum holding power is needed. The Ski Vise Pro Wide Opening has jaws with 90 mm of holding surface and is built to withstand heavy use. The holding frame includes shelfless jaws that will hold any shape sidewall and can accommodate riser plates. The adjustable guide blocks include the locking spindle. This feature allows the ski to be held sideways for edge and sidewall work without interference from the holding vise. This vise allows a positioning of 60° when tuning the side edge for faster and simpler tuning. Opening up to 155 mm.

57-401-225

pcs.



Ski Vise RACING

Heavy duty, high-tensile aluminium vise for tuning skis. The Ski Vise RACING has jaws with 70 mm of holding surface and is built to withstand heavy use. The holding frame includes shelfless jaws that will hold any shape sidewall and can accommodate riser plates. The adjustable guide blocks includes the locking spindle. This vise allows a positioning of 60° when tuning the side edge for faster and simpler tuning. Opening from 40 to 100 mm.

57-401-020

pcs.



Ski Vise SPORT PLUS

Sturdy, high-tensile aluminium vise for tuning all types and shapes of skis. The Vise SPORT PLUS is a very easy to use for tuning all types and shapes of skis. Features sturdy high tensile aluminum and is light and easy to transport. The holding system keeps the ski secure for base and side edge work. Includes 2 brake retainers (packaged for retail). This vise allows also a 60° positioning of the skis for fast and simple edge tuning.

57-401-014

Ski vise

pcs.



Board/Freeride Stopper

Sturdy universal vise for tuning snowboards and wide skis. This vise comes with a high-impact plastic body and a special rubber grip top that holds the snowboard extremely well for flat filing and waxing. For two side edge positions: standard 90° and easy 60°. Suitable for all kinds and shapes of skis and snowboards. Binding clearance: 160 mm.

57-401-025

pcs.

WORKSHOP ACCESSORIES

Work Benches and Accessories

2



Holding Vise

Holding vise used for mounting and tuning all types of skis including fat skis and side edge tuning of snowboards. High tensile aluminum body; rubber lined jaws.

57-401-003 Width 70 mm, opening to 100 mm pcs.



Ski Vise XXL

The XXL ski vise is ideal for binding, mounting and tuning of all types of skis including fat skis. The jaw width is 50 mm adding extra strength to ensure a strong hold. Use this vise when tuning skis with coupling or suspension connectors between heel and toe pieces (radial, standard, monocoque, and cross-county). High tensile aluminum body, rubber lined jaws.

57-401-008 Width 70 mm, opens to 40/155mm pcs.



Universal Support

The Universal Support attaches to the adjustable guide block of the ski vise RACING. It gives more support to cross country skis and snowboards during tuning.

55-500-054 pair



Ski Vise Cross-Country

The toe piece is attached to a cross bar on the center section and is held securely. High tensile aluminum body ensures years of use yet it is light and compact for easy travel. The best cross country vise we have seen by far. Updated design.

57-401-331 pcs.



Ski Vise QUICK

Light weight high-tensile aluminum vise for tuning alpine skis. The angled design accepts race and carving skis with plates without touching the bench when working on side or base edges. The support tops are covered with special rubber grips containing small suction cups to grip the ski during base work.

57-401-006

pcs.



Double Ski Vise SUPER PRO PLUS

Double Ski Vise SUPER PRO PLUS is the next evolution in ski and board tuning and mounting vises. The vise now bolts to the work surface making it more secure for working on the base or mounting bindings. The supports include a vise to hold both skis and boards tightly while working on side edges. Great shop vise for alpine and cross country skis as well as snowboards. Max jaw opening for skis 70 mm, snowboards 270 mm.

55-500-057
57-401-010

Vise Set
End supports only


pcs.
pair



WINTERSTEIGER Quickfix universal

Fast, universal, flexible



The WINTERSTEIGER Quickfix backshop vise allows for quick and secure clamping of all types of alpine, touring, cross-country skis and snowboards in one universal clamping system. This backshop vise also features a vertical clamp on the optional adjustable rests. That allows skis to be clamped vertically so that side edges can be tuned quickly and easily.



wintersteiger.com/quickfix

Your Benefits:

- The clamping jaws allow for extremely quick adjustments to accommodate skis and snowboards.
- The clamping force can be adjusted precisely using the new handwheel so that only the appropriated amount of force is used.
- A pair of skis, up to 120 mm in width in the binding area, can be securely clamped in place. By using the included SNB clamping jaws, a pair of skis up to 140 mm width at the binding area can also be secured.
- Single or pairs of cross-country skis can be clamped for service using the optional XC ski rests.
- The optional clamping jaws for snowboards allows boards up to 320 mm width at the binding area to be secured.
- Vertical clamping of single skis for side edge tuning is done at a 30° angle for a more ergonomic side edge tuning.



Clamping system Quickfix



7050-401-10	Quickfix vise + clamp jaws ski	pcs.
7050-401-11	Quickfix adjust.rests, W=400mm	pair
7050-401-00-V1	Complete Quickfix Vise	pcs.

NEW



Quickfix Extreme Carver Extension 65mm

This product can be used to increase the distance of two extreme carver skis by 65 mm, therewith skis with an extreme waist can also be clamped pairwise at the Quickfix clamping system.

7050-1211-M04		pair
---------------	--	------

Quickfix XC- Rests, 1 pair

Cross-country skis are built to be extremely weight-saving. We therefore recommend using the optional Nordic ski rests for cross- country ski services, to provide even better support for the ski. 2 pairs of Nordic rests are required to clamp one pair of cross-country skis.



7050-1211-M01	Quickfix XC- rests	pair
---------------	--------------------	------

Quickfix Spare clamping Jaws Ski, 1 pair

These replacement clamping jaws are supplied as standard with the Quickfix clamping system (7050-401-10), and constitute the perfect spare part.



7050-1211-M02	Quickfix Spare clamp jaws ski	pair
---------------	-------------------------------	------

Quickfix SNB-Jaws, steplike, 1 pair

Snowboards can of course also be clamped with the standard clamping jaws included with the Quickfix clamping system (7050-401-10). To make it easier to work with snowboards, however, we still recommend these optional snowboard clamping jaws.



7050-1211-M03	Quickfix SNB-jaws, steplike	pair
---------------	-----------------------------	------

WORKSHOP ACCESSORIES

Safety Material

Wearing parts for Adjustable Rests art. 7070-02-00



Spare Clamp Lever black M10 x 40 for 7070-02-00 Adjustable Rests

M10 x 40, black, for adjustable rests. Handle used to secure adjustable rest (male end).

43-100-460

pcs.

Spare Sliding Clamp Bolt for 7070-02-00 Adjustable Rests

For adjustable rests. Screw plate that the handle threads into (female end).

7070-0111-003

pcs.

Safety Material



WINTERSTEIGER Face Covering

Designed for the CDC's recently modified its stance on wearing a fabric face covering where other social distancing measures are difficult to maintain. This fabric face mask cover is made out of 2 layers of 4.3oz 100% polyester knit jersey material. It features an internal pocket that can be accessed by both sides to accommodate a PM2.5 filter insert or surgical mask. This mask can be utilized by itself in casual environments such as retail settings to block large particulates such as a random cough or sneeze. Can be used multiple times, and should be sterilized (laundered) after each use to minimize risk. All our masks are made right here in Salt Lake City. Medium is designed to fits most average people, large for large heads and larger humans. Top ban loops overhead, bottom bands ties behind head. Designed for snug fit, face covering are not returnable.

57-100-410

Face Covering Large

pcs.

57-100-411

Face Covering Medium

pcs.



Safety Stripe Tape Black/Yellow, 2 in x 36 yd, 5.4 mil.

Mark and identify safety hazards with our black and yellow 3M™ Safety Stripe Tape. Designed with unique stretch properties, this tape conforms to irregular, curved and convex surfaces while remaining stretched and without lifting after application. The rubber adhesive has quick stick and excellent holding strength on many surfaces. This combination of the backing and adhesive properties help to prevent edge lifting, keeping the tape in place. The tape removes cleanly in one piece from most surfaces to help reduce clean-up and labor costs. Apply to a clean, dry surface at temperatures between 60°F (16°C) to 80°F (27°C).

57-420-135

2 in x 36 yd

pcs.



Respirator

Another quality 3M product designed to help protect against the fumes created while doing base repair and waxing. Soft Mask forms for a comfort fit. NIOSH-approved, filters sold separately.

57-100-404	Respirator	pcs.
57-100-406	1 set filters	pair



Disposable Foam Earplugs

World's most popular ear protection. Corded for convenience and comfort. Noise reduction rating of 29 db.

57-420-121	Pack of 10	pk.
------------	------------	-----



3M Ear Muff

The 3M Ear Muff features multiple positions, large ear cup and soft sealing cushions. Allowing for greater comfort and fit, this lightweight (7.5 oz) design, features a wide forked headband. Creates a noise reduction rating of 23 dB.

57-420-122		pcs.
------------	--	------



Industrial First Aid Kit 118 pieces

Ideal for back shop use, this kit contains a large assortment of basic first aid products needed for minor cuts, scrapes, bumps and bruises. Includes an assortment of bandages, tape, gauze, eye patch, coban, and cold pack. Also included are antiseptic towelettes, vinyl gloves, antibiotic ointment, scissors, tweezers, burn cream, absorbent compress, insect sting wipes, and eye wash. Contents meet the requirements of ANSI Standard Z308.1-1998.

57-420-131		pcs.
------------	--	------

WORKSHOP ACCESSORIES

Safety Material



MECHANIX Tuning Gloves

Protect your hands from cuts and metal slivers with our tuning gloves.

57-500-020-S	Small	pair
57-500-020-M	Medium	pair
57-500-020-L	Large	pair
57-500-020-XL	X-Large	pair



Comfort Cut Resistant Glove

Comfort Grip Cut Resistant Gloves have the same features and comfort as the Comfort Grip Glove with even greater cut, puncture and tear resistance. These medium duty gloves are excellent for jobs requiring dexterity when handling sharp ski and snowboard edges. The Comfort Cut Resistant Glove are rated ANSI/ISEA 105-2016 Cut Level A4 rating, ANSI/ISEA 105-2016 Puncture Level 5 rating, EN 388:2003 Blade Cut Resistance Level 5.

57-500-030	Comfort Cut Resistant Glove M	pair
57-500-031	Comfort Cut Resistant Glove L	pair
57-500-032	Comfort Cut Resistant Glove XL	pair



Comfort Grip Gloves

Comfort Grip Gloves feature a nitrile palm coating that makes these gloves a light, flexible, abrasion[1]resistant and long lasting alternative to many cotton and latex palm-coated gloves. They provide excellent grip, even in wet or oily conditions. Gloves have a lightweight 15-gauge nylon knit shell stretches while maintaining its strength The gloves are washable and feature a knit wrist cuff style.

57-500-035	Comfort Grip Gloves M	pair
57-500-036	Comfort Grip Gloves L	pair
57-500-037	Comfort Grip Gloves XL	pair



Nitrile Gloves

Used to help protect hands from most solvents. Features puncture- resistant material. Offering comfortable and reliable hand protection. Feature a flocked lining to help keep hands cool and comfortable, textured palm allows for easier gripping, and made of synthetic rubber (latex free).

57-100-408	Nitrile Gloves Medium	pcs.
57-100-409	Nitrile Gloves Large	pcs.



Safety Plunger Can

Stores and supplies wax remover or liquid wax. Made to meet OSHA requirements. FM approved.

57-100-128 1 Quart _____ pcs.



Safety Glasses

The Solus Protective Eyewear Scotchgard™ Anti-Fog Lens feature a low profile frame clear lenses with Scotchgard™ Anti-fog coating. Scotchgard™ Anti-Fog technology brings higher anti-fog performance to safety eyewear, helping you see more clearly to complete on-the-job tasks. Other features include removable padded temples and a soft nose bridge for added comfort.

57-100-399 _____ pcs.



Workshop Tickets

Wintersteiger 3 part workshop ticket with removable numbered tabs.

57-420-300 500 pcs. _____ pk.



WINTERSTEIGER Sheet Sticker 8.5" x 11"

Assortment of 14 WINTERSTEIGER weather resistance stickers on a 8.5" x 11" sheet

57-450-173 11" x 8,5", 14 pcs. _____ pcs.

WORKSHOP ACCESSORIES

Binding, Mounting and Repair



WINTERSTEIGER Sticker Roll of 100 3.5" x 1"

100 WINTERSTEIGER 3.5" x 1" weather resistance stickers

57-450-195	3,5" x 1", 100 pcs.	roll
------------	---------------------	------

2

Binding, Mounting and Repair



WIHA Ergonomic Pozidriv Screwdriver

The easy-to-grip handle is designed to increase power and reduce fatigue. Hardened tip for added strength and longer life. A reliable high quality tool.

57-201-010	#3 Pozidriv, L=10", Blade 6"	pcs.
57-201-020	#2 Pozidriv, L=8.25", Blade 4"	pcs.



Ergonomic Pozidriv Screwdriver

Our most comfortable handle. A must for shop techs who mount a lot of bindings.

57-201-011	#3 Pozidriv, L=10.5", Blade 6"	pcs.
------------	--------------------------------	------



WIHA Ergonomic Phillips Screwdriver

57-201-030	#3 Phillips, L=10.5", Blade 6"	pcs.
57-201-031	#2 Phillips, L=8.5", Blade 4"	pcs.
57-201-032	#1 Phillips, L = 80mm 3"	pcs.



WIHA Ergonomic Slotted Screwdriver

57-201-040	L = 11.6", Blade 7"	pcs.
57-201-041	L=9.25", Blade 5"; 7/32" tip	pcs.
57-201-042	L=8.25", Blade 4"; 5/32" tip	pcs.



WIHA Assorted Ergonomic Screwdrivers Kit

Slotted Screwdriver Overall length 211 mm/8.25" Blade 100 mm /4" 5/32" Tip
 Slotted Screwdriver Overall length 236 mm/9.25" Blade 125 mm /5" 7/32" Tip
 Phillips #1 Screwdriver Overall length 191 mm/7.5" Blade 80 mm /3"
 Phillips #2 Screwdriver Overall length 218 mm/8.5" Blade 100 mm /4"
 Pozidriv® #1 Screwdriver Overall length 184 mm/7.25" Blade 80 mm /3"
 Pozidriv® #2 Screwdriver Overall length 211 mm/8.25" Blade 100 mm /4"

57-201-001		pcs.
------------	--	------



WIHA Torx Driver

Torx driver for installation and repair of alpine and nordic bindings and boot repair.

57-201-052	T30 Length 225 mm Blade 115 mm	pcs.
57-201-051	T25 Length 200 mm Blade 100 mm	pcs.
57-201-050	T20 Length 200 mm Blade 100 mm	pcs.



High Speed Drill Set

13 piece Hi Carbon Steel Drill Set contains sizes 1/16" through 1/4".

57-202-301		pcs.
------------	--	------



Binding Drill Set 10 pcs.

High quality step drills for alpine and nordic bindings. To be used with mounting jigs. Set with 10 binding drills: 1 pc. 3.5 x 7 mm, 1 pc. 3.5 x 9 mm, 1 pc. 3.5 x 15 mm, 1 pc. 3.6 x 9 mm, 1 pc. 3.6 x 9.5 mm, 1 pc. 3.6 x 14.5 mm, 1 pc. 3.8 x 9 mm, 2 pcs. 4.1 x 9 mm, 1 pc. 4.1 x 9.5 mm.

55-100-337		pcs.
------------	--	------

WORKSHOP ACCESSORIES

Binding, Mounting and Repair

2



Binding Drill

Binding Drill for Child Skis

55-100-315	3,5 x 7 mm	pcs.
55-100-316	3,5 x 9 mm	pcs.
55-100-322	3,5 x 9,5 mm	pcs.

Binding Drill for XC skis

55-100-314	3,6 x 14,5 mm	pcs.
55-100-317	3,5 x 15 mm	pcs.
55-100-318	3,8 x 15 mm	pcs.

Binding Drill for Alpine Skis / carver

55-100-313	3,6 x 6,5 mm	pcs.
55-100-310	3,6 x 9 mm	pcs.
55-100-325	3,6 x 9,5 mm	pcs.
55-100-311	3,6 x 7 mm	pcs.
55-100-312	3,6 x 7,5 mm	pcs.
55-100-319	3,8 x 9 mm	pcs.
55-100-323	3,8 x 11 mm	pcs.
55-100-321	4,0 x 7 mm	pcs.
55-100-324	4,0 x 9 mm	pcs.
55-100-320	4,1 x 7 mm	pcs.
55-100-328	4,1 x 7,5 mm	pcs.
55-100-330	4,1 x 9 mm	pcs.
55-100-329	4,1 x 9,5 mm	pcs.
55-100-339	4,1 x 11 mm	pcs.

Binding Drill for binding plates

55-100-332	4,2 x 11 mm	pcs.
55-100-333	4,6 x 10 mm	pcs.



TIN - Coated Binding Drill Bits

For a longer lifetime. To avoid tip breakage when drilling harder material use a higher drill speed and constant pressure.

55-100-347	3,5 x 7,0 mm	pcs.
55-100-342	3,5 x 9,0 mm	pcs.
55-100-343	3,5 x 9,5 mm	pcs.
55-100-341	3,6 x 7,0 mm	pcs.
55-100-340	3,6 x 9,0 mm	pcs.
55-100-344	4,1 x 7,0 mm	pcs.
55-100-338	4,1 x 9,0 mm	pcs.
55-100-346	4,1 x 9,5 mm	pcs.



Multigauge Drill 3,3/4,1 x 11 mm

Multi diameter for carving skis with binding plate.

55-100-336	3,3 / 4,1 x 11 mm	pcs.
------------	-------------------	------



Power Bits

57-202-310	Pozi, Size 3 Pt. Length 6"	pcs.
57-202-311	Pozi, Size 3 Pt. Length 2 3/4"	pcs.
55-100-495	Bit Pozidrive 120 mm, size 3	pcs.
57-100-302	Standard Length 6"	pcs.
57-100-312	#3 Phillips Length 6"	pcs.



Screwdriver Bits Torx

Hexagonal.

55-100-496
55-100-497

Bit Torx 20, 100 mm
Bit Torx 25, 120 mm

pcs.
pcs.

Gyroscopic Screw Driver

Motion activation variable speed and reversing inline screw driver, precise control for use when adjusting bindings. Variable speed from 0- 430 rpm, excepts standard 1/4 hex power bits. 8V MAX battery pack charges in 1 hour and has long run time with battery status lights to notify when pack needs to be charged. Comes with 2 battery packs, charger, storage bag, tool weight 1.1 lbs.



57-201-105

1,1 kg, 0-430 rpm.

pcs.

MILWAUKEE MAGNUM Drill

0-2,800 RPM EXCLUSIVE MAGNUM features: Powerful 5.5 AMP motor, aluminum gear case and diaphragm supplies, greater support for shaft and bearings. Heavy duty industrial chucks, trigger speed control reversing switches, instant brush replacement by using spares stored in cartridge system.



57-201-101

pcs.

DEWALT Screw-Shooter

Simplified adjustable torque release clutch. Torque output is easily changed externally by turning adjustment collar which positively holds setting. Clutch disengages and driving action stops when pre-set torque is reached, adjustable torque 10 - 120 in/lbs. Quick release bit holding mechanism, no bit guide required.



57-201-102

pcs.

WORKSHOP ACCESSORIES

Binding, Mounting and Repair

2



MILWAUKEE Battery Powered Drill

2 speed ranges 0-450 RPM to drive larger screws and 0-1250 RPM for general purpose drilling and screw driving. Power plus charger charges 18 Volt battery in one hour. 1/2" keyless chuck.

57-201-103

pcs.



Brake Retainer

A universal ski brake retainer with more flex that works with all bindings. This specially formulated rubber compound is tough, long lasting with 100 % elongation.

56-400-110
56-400-114
56-400-118

Green, 100 pairs, 40x13x2mm
Natural, 100 pairs, 60x13x2mm
Blue, 100 pairs, 60x13x2mm

pk.
pk.
pk.



Universal Rubber Bands, 1 lb Bag

These 3 1/2" x 1/2" rubber bands have many uses in any back shop. Use them as brake retainers or for tail ties when hanging skis from an overhead rack. Sold in one pound bag. (1 lb = approx. 100 rubber bands)

57-420-140

pk.



Left / Right Big Feet

Right and left pressure sensitive stickers are made of a strong, fast sticking material. Used for identifying left and right skis and boots. Sold in rolls of 100 pairs.

57-201-091

roll



Hole Plug Kit

3000 pcs. hole plugs with 18 different colors.

55-530-431

3000 pcs.

pk.



Plastic Hole Plugs

Available loose or on a strip. These quality hole plugs are available in 7 different colors.

Strip Plugs, 100 pcs.

57-202-201	Black	pk.
57-202-202	White	pk.
57-202-203	Grey	pk.
57-202-204	Clear	pk.
57-202-205	Yellow	pk.
57-202-206	Red	pk.
57-202-208	Blue	pk.

Loose Plugs, 1000 pcs.

57-202-223	Clear	pk.
57-202-220	Black	pk.
57-202-221	White	pk.
57-202-222	Grey	pk.
57-202-225	Red	pk.
57-202-227	Blue	pk.



Wooden Plugs, 100 pcs.

Packs of 100 pieces.

55-530-410	100 pcs.	pk.
------------	----------	-----



Screws Set Alpin (300 pcs.)

Set with 300 screws countersink flat head screws consisting of: 50 pcs. 5.5 x 9.5, 50 pcs. 5.5 x 11.5; 50 pcs. 5.5 x 13, 50 pcs. 5.5 x 15, 50 pcs. 5.5 x 16, 50 pcs. 6.0 x 16; 1 pc. binding glue 30 ml.

55-200-100	300 pcs.	pk.
------------	----------	-----



Individual Alpine / XC-Screws (100 pcs.)

55-200-105	5,5 x 9,5 mm	pk.
55-200-106	5,5 x 11,5 mm	pk.
55-200-107	5,5 x 13 mm	pk.
55-200-108	5,5 x 15 mm	pk.
55-200-109	5,5 x 16 mm	pk.
55-200-111	5,5 x 18 mm	pk.
55-200-110	6,2 x 17,5 mm	pk.
55-200-112	5,5 x 21,5 mm	pk.
55-200-113	5,5 x 28 mm, cylinder head	pk.



Plastic Inserts

Used for 8 mm holes. Pullout resistance: 240 kp.

55-530-416	100 pcs.	pk.
------------	----------	-----

WORKSHOP ACCESSORIES

Binding, Mounting and Repair



Brass Inserts

Used for 8 mm holes. Pullout resistance: 300 kp.

55-530-405 100 pcs. _____ pk.



Brass Inserts to be screwed in

Boxes with 100 pcs. each., $\varnothing = 8$ mm, for reparings of broken screws.

Pullout resistance: -407 = 225 kp., -411 = 268 kp., -408 = 210 kp.

55-530-407 L = 9 mm pk.
 55-530-411 L = 9 mm, for binding plates pk.
 55-530-408 L = 11 mm pk.



Screw Driver with Wrench for Brass Inserts

This tool is used to install any of the Screw-in Inserts.

55-530-409 _____ pcs.



Hollow Drill Bit L = 75 mm, $\varnothing = 8$ mm

Removes broken screws and surrounding material. Leaves a clean hole, ready to accept plastic or brass inserts.

55-530-403 L = 75 mm, $\varnothing = 8$ mm pcs.



Gauge Drill $\varnothing = 8$ mm

For brass or plastic inserts, adjustable depth.

55-100-351 $\varnothing = 8$ mm pcs.



Tap Handle Holder

57-202-320 _____ pcs.



Tap for Ski Binding Screws

57-202-321 For ski binding screws _____ pcs.



Threading die for M6 screws

Used for ski binding screws at hard ski surfaces.

55-100-349 Threading die for M6 screws _____ pcs.



Tap Brace

This unique tool allows for tapping in Cadillac style. Tap is held in place by a small set screw with hex head. Tap sold separately.

57-202-322 _____ pcs.



Tap Extractor

57-202-330 3 Flute _____ pcs.

Replacement Fingers

57-202-332 Replacement Fingers 3 pcs. _____ pk.



Screw Extractor Set

For removing broken screws and bolts. Each kit includes: 1 pc. 1/8" Screw Extractor, 2 pcs. 5/64" Drill Bits

57-202-340 _____ pcs.



Metric / Standard Tape Measure

Measurements shown in inches and millimeters. Rust resistant lacquered blade.

57-100-118 3 meter (10 foot) _____ pcs.

WORKSHOP ACCESSORIES

Binding, Mounting and Repair

2



Binding Glue, 16 oz

Non water soluble binding glue is designed to lubricate the binding screw and create a tight bond. Binding glue acts as a sealant between wood or foam and metal to prevent water from entering the core of the ski or snowboard. Will not dissolve foam cores on skis or snowboards.

57-202-501	16 oz.	pcs.
------------	--------	------



Snowboard Binding Washers

57-202-401	6 mm Serrated Washer, 100 pcs.	pk.
57-202-402	6 mm Flat Washer, 100 pcs.	pk.



Caliper and Depth Gauge

This gauge measures inside diameter, outside diameter and depth in millimeters or inches (graduated in 16ths). Use this all-purpose tool for finding those critical measurements of hole depth before inserting binding screws. Also great for measuring screw length, ski, snowboard and binding thickness.

57-202-420		pcs.
------------	--	------



Conical Washers 100 pcs.

Burton style conical washers for flat head screws.

57-202-403	100 pcs.	pk.
------------	----------	-----



Screws Set Snowboard

Set with 200 pcs. screws consists of: each 20 pcs. countersink screws M6 x 10, 12, 16, 20, 25 mm; each 20 pcs. roundhead screws M6 x 10, 12, 16, 20, 25 mm.

55-200-120	200 pcs.	pk.
------------	----------	-----



Binding Screws SNB Countersink

A = Length

55-200-121	Countersink M6 x 10, 50 pcs.	pk.
55-200-122	Countersink M6 x 12, 50 pcs.	pk.
55-200-123	Countersink M6 x 16, 50 pcs.	pk.
55-200-124	Countersink M6 x 20, 50 pcs.	pk.
55-200-125	Countersink M6 x 25, 50 pcs.	pk.



Binding Screws SNB Roundhead

A = Length

55-200-126	Roundhead M6 x 10, 50 pcs.	pk.
55-200-127	Roundhead M6 x 12, 50 pcs.	pk.
55-200-131	Roundhead M6 x 14, 50 pcs.	pk.
55-200-128	Roundhead M6 x 16, 50 pcs.	pk.
55-200-129	Roundhead M6 x 20, 50 pcs.	pk.



Snowboard Countersink Drill 110°

Works perfect with snowboard multi inserts. Use 8 mm gauge drill.

55-200-020		pcs.
------------	--	------



Nitro Carbide Pilot Drill Bit

For installing tapered flange or beveled T-Nuts.

57-202-341	Ø = 8 mm	pcs.
------------	----------	------



Snowboard Plastic Capped T-Nuts

Tired of replacing base plugs or filling in the bottom of the board with epoxy and graphite after insertion? These revolutionary T-Nuts have done the work for you. Plastic is molded around the bottom and onto the sides of each one, making sure you have a very secure fit. Use with M6 CAP screws.

55-200-035	7 mm, clear, 50 pcs.	pk.
55-200-036	7 mm, black, 50 pcs.	pk.
55-200-037	9 mm, clear, 50 pcs.	pk.
55-200-038	9 mm, black, 50 pcs.	pk.



Snowboard Tap

4 flute bottoming tap. Great for cleaning out threads.

57-202-325	6 x 1 mm	pcs.
------------	----------	------



Tap Extractor

57-202-331	4 Flutes for snowboard tap	pcs.
57-202-332	Replacement Fingers 3 pcs.	pk.

WORKSHOP ACCESSORIES

Base Repair

Base Repair



Loctite

This is Loctite's famous 242 super lock. This will seal any screw into place and still allow the screw to be removed for binding replacement or repair. One drop insures a secure hold. A must for all snowboard installations.

57-202-590	50 ml	pcs.
57-202-591	10 ml	pcs.

		EPOWELD 57-202-527	HYSOL Epoxy Patch 57-202-510 / -511	DEVCON 57-202-515 / -516	HARDMAN 57-202-520 Fast Setting	HARDMAN 57-202-521 Very High Peel	HARDMAN 57-202-522 Machinable	HARDMAN 57-202-523 Non Sag	HARDMAN D50 57-202-524	HARDMAN D85 57-202-525	HARDMAN A85 57-202-526
Work time		20 min	20 min	5 min	3 min	2.5 hr	25 min	3 min	5 min	5 min	5 min
Cure time		12 hr	12 hr	2 hr	15-30 min	18 hr	4 hr	24 hr	1 hr	1 hr	45 min
Will accept pigment		yes	yes	yes	yes	no	no	yes	yes	yes	no
Cure color		clear	grey	clear	clear	grey	grey	white	tan	white	clear
Uses	Ski / Snowboard Repair	Delams	●	●		○	○				
		Side wall repair				○	●	●	●	●	○
		Edge replacement	●	●		○		○			
		Base patch	●	●		○					
		Bonding surface for base welds	○	○	○	○	●	○	●		
		Filling gaps	○	○	●	○	●	●	●		●
		Redrills or remounts				○		●			
		Top sheet repair	○	○		○	○	●	●	●	●
	Boot Repair	P.U. boot modifications							●		
		Liner repair									●
		Boot repair							●	●	●
	General Shop Use	Metals	●	●	●	●	●	●	●		
		Woods	●	●	●	●	●	●	●		
Plastics		●	●	●	●	●	●	●	○	○	
Quarters to shop floor		●	●	●	●		●	○			

● = What we recommend ○ = Will work



Epoxy EPOWELD

Two part clear epoxy set time is 12 hours. Excellent all around epoxy for general shop use. Dries clear and will except pigments. Part A-Resin / Part B-Hardner

57-202-527	2 quarts, 1 quart each	pk.
------------	------------------------	-----



HYSOL Epoxy Patch

HYSOL is a flexible Epoxy. Formulation EB (black) and EC (clear). Ideal for bonding, sealing or repairing delaminated skis. At 77°F fullcure for black epoxy is obtained in 3 days. 90 % of full cure properties can be achieved in 24 hours. Clear epoxy will harden in 5 to 10 minutes. In 10 to 20 minutes, at least 50 % of bond strength has developed. These times can be accelerated by the use of a heat lamp.

57-202-510	Clear, Quick Set Kit, 2.8 oz.	pk.
57-202-511	Black, General Purpose, 4 oz.	pk.



Epoxy DEVCON

Perfect for on the spot repairs in the back-shop. Comes in handy one ounce dual syringe dispenser.

57-202-515	5 minutes set, 1 oz.	pcs.
57-202-516	30 minutes set, 1 oz.	pcs.



HARDMAN Epoxy Fast Setting

Fast setting Hardman epoxy is a two part epoxy adhesive that sets in just 3 - 5 minutes at room temperature. Bonds to metal, wood and plastic. Hardman Epoxy comes in an easy to use 4 gram disposable package.

57-202-520	Clear, 20 pc.	pk.
------------	---------------	-----



HARDMAN Epoxy very high Peel and Shear Strength Epoxy

A flexible, tough and durable vibration resistant adhesive. Great for sidewall repair, bonds easily to metal. 3.5 grams per package. Work Time 4h, Final Cure 18h - Color: Grey, Viscosity: Honey

57-202-521	10 pc.	pk.
------------	--------	-----



HARDMAN Epoxy Machinable

A tooling and body patch that adheres to metal, wood and hard plastics. Can be machined, sanded, drilled and tapped. Use for patching and filling voids in plastic or for repairing stripped-out binding holes. 3.5 grams per package. Work time 25 min, final cure 4h - color: aluminum, viscosity: honey

57-202-522	10 pcs.	pk.
------------	---------	-----

WORKSHOP ACCESSORIES

Base Repair



HARDMAN Non-Sag

Non-Sag, fast setting epoxy bonds to metals, glass, wood, ceramics, rubber, and many plastics. This epoxy is easily applied and will not run or drip on vertical, overhead or curved surfaces and will not wick into porous materials. Use for tacking, sealing and gap-filling. Work time 5 min, final cure 24h - 4 grams per package. Color: Opaque white

57-202-523 10 pcs. pk.



HARDMAN Urethane

Sold in job size 3.5 gram double-bubble packages of 10, complete with 10 stir sticks. D50 (Green Package): The perfect material for P. U. boot modifications. High peel and lap strength ensures superior bonding. Work time 4 - 8 minutes, handling strength 60 minutes. D50 Green Package.

57-202-524 10 pc. pk.



HARDMAN Urethane

Sold in job size 3.5 gram double-bubble packages of 10, complete with 10 stir sticks. D85 (blue package): Great as a fill material. Can be used to repair urethane top sheets and any repair subject to compression. Extra fast setting, work time 3 - 5 minutes, handling strength 60 minutes. D85 is slightly harder than D50. D85 blue package.

57-202-525 10 pc. pk.



HARDMAN Urethane

Sold in job size 3.5 gram double-bubble packages of 10, complete with 10 stir sticks. A85 (purple package): An extremely flexible material for ski and boot repair. Work time 8 minutes, handling strength 45 minutes. Works great for shoe soles and boot liners. A85 purple package.

57-202-526 10 pc. pk.



Epoxy Accessory Items

57-202-550	Syringes, 10cc, 6 pc.	pk.
57-202-551	Mixing Cups (30g), 100 pcs.	pk.
57-202-552	Mixing Sticks, 50 pcs.	pk.
57-202-553	Epoxy Brushes, 12 pcs.	pk.
57-420-150	Reusable Gloves, 100 pc.	pk.



Urethane and Epoxy Dye Kit

Seven color kit that can be used in all urethane repairs including boot sole modification and cap ski top sheets. Colors can be ordered separately.

57-202-560	7 Color Set	pcs.
57-202-561	Black, 1 oz.	pcs.
57-202-562	Blue, 1 oz.	pcs.
57-202-563	Red, 1 oz.	pcs.
57-202-564	Brown, 1 oz.	pcs.
57-202-565	White, 1 oz.	pcs.
57-202-566	Green, 1 oz.	pcs.
57-202-567	Yellow, 1 oz.	pcs.



Biodegradable Citrus Base Cleaner / Wax Remover

Biodegradable base cleaner that doesn't use petroleum based additives that make it dangerous to the environment. Our new base cleaner is not only more environmentally friendly than other base cleaners it also evaporates without a messy residue. Removes many other sticky messes such as price tag and stomp pad residue.

57-202-640	1 Gallon	pcs.
------------	----------	------



Citrus Base Cleaner / Wax Remover

The best citrus cleaner available on the market today! The organic extract used in this formulation make this base cleaner very easy to use. Use as a replacement for dangerous chlorinated hydrocarbon solvents. This product is non-corrosive and contains petroleum and fruit distillates. Use full strength for removing grease, adhesives and cleaning ski shop machinery. Excellent for use in bike and skate shops as a de greaser. Use citrus base cleaner year round for all your cleaning needs.

57-202-601	1 Gallon	pcs.
------------	----------	------



Vanilla Ski Base Cleaner / Wax Remover

The best citrus cleaner available on the market today! The organic extract used in this formulation make this base cleaner very easy to use. Use as a replacement for dangerous chlorinated hydrocarbon solvents. This product is non-corrosive and contains petroleum and fruit distillates. Use full strength for removing grease, adhesives and cleaning ski shop machinery. Excellent for use in bike and skate shops as a de greaser. Use citrus base cleaner year round for all your cleaning needs. Available in 1 gallon industrial size and 16 ounce retail sizes.

57-202-605	1 Gallon	pcs.
57-202-602	16 oz.	pcs.

WORKSHOP ACCESSORIES

Base Repair



Safety Plunger Can

Stores and supplies wax remover or liquid wax. Made to meet OSHA requirements. FM approved.

57-100-128 1 Quart pcs.



Utility Rags

Made from 100 % cotton. This product is great for all types of clean-up. Always have a clean rag available when you need one! Very absorbent and reusable.

57-420-160 75 pcs. heavy duty rags pk.



Pick Set

Best tool for removing small rocks and debris at the base.

57-500-201 4 pcs. pk.



Base Repair Set with Thermo Plate

Kit includes epoxy, silicone release paper, 1m lengths of white, clear, and black base material, rectangular, oval, semi-circular punches, heating plate and clamp. User must install 110 V plug.

55-530-102 110 V, 60 Hz pcs.



Heating Plate

User must install 110 V plug.

55-530-115 110 V, 60 Hz pcs.



Clamp for Heating Plate

To fix the heating plate at the ski.

55-530-112

pcs.



Punch Plate

Protects your punches and bench tops from damage when punching out base patches.

55-530-113

200 x 150 x 25 mm

pcs.



Punches


55-530-105	Rectangular	pcs.
55-530-106	Half oval	pcs.
55-530-107	Semi-circular	pcs.
55-530-127	Oval, big, closed	pcs.
55-530-129	Oval, small, open	pcs.
55-530-126	Round, big	pcs.
55-530-122	Oval, small, closed	pcs.
55-530-123	Oval, big, open	pcs.

Spare Blades for Punches


55-530-134	Rectangular	pcs.
55-530-131	Half oval	pcs.
55-530-135	Semi-circular	pcs.
55-530-137	Oval, large, closed	pcs.
55-530-139	Oval, small, open	pcs.
55-530-138	Circular, small	pcs.
55-530-136	Circular, large	pcs.
55-530-132	Oval, small, closed	pcs.
55-530-133	Small, open	pcs.

WORKSHOP ACCESSORIES

Base Repair



Punch 55-530-126
Spare blade 55-530-136



Punch 55-530-107
Spare blade 55-530-135



Punch 55-530-106
Spare blade 55-530-131

Scale 1:1



Punch 55-530-105
Spare blade 55-530-134




Punch 55-530-127
Spare blade 55-530-137



Punch 55-530-122
Spare blade 55-530-132



Punch 55-530-123
Spare blade 55-530-133



Punch 55-530-129
Spare blade 55-530-139



Base Repair Template

With this template you can cut out the damaged area on the base and the replacement base material in the same exact shape. Depending on the shape and size of the damaged area on the base, this template offers different contours for the most efficient base repair.

57-202-702 152 x 76 x 3 mm / 6"x 3"x 1/8" pcs.



Base Repair Knife

Razor sharp blade, use with the base repair template to cut exact clean shapes for repairs.

57-202-722 pcs.



Hammer

For punching.

55-530-114 500 g pcs.



Chisels

55-530-155	Chisel 8 mm	pcs.
55-530-150	Chisel 16 mm	pcs.
55-530-140	Chisel 26 mm	pcs.



Release Paper

Use over base patches for easy release of the heating plate.

7019-01111-25	100 mm x 5 m	roll
---------------	--------------	------



Base Material

Packages with 10 pcs. each.

7510-01111-06	Clear, 300x90x1,3 mm, 10 pcs.	pk.
7510-01111-05	Black 300x90x1,3 mm, 10 pcs.	pk.



Lockback Utility Knife

Combines the best features of a lock back knife with a utility knife. Features a sturdy aluminum handle, fold out blade housing. The blade is changed easily using patented snap lock and sliding mechanism.

57-202-723		pcs.
------------	--	------

Replacement Blades

57-202-721	5 pc.	pk.
------------	-------	-----



Utility Knife

A slide lock utility knife for all-around shop use. Opens instantly to any one of three positions. Blade retracts into handle for safety.

57-202-720		pcs.
------------	--	------

Edge Replacement Tools



57-202-730	Edge Screws, 50 pc.	pk.
57-500-500	12" Solid Edge Pair	pair
57-201-032	#1 Philips, L = 80mm 3"	pcs.

WORKSHOP ACCESSORIES

Base Repair



Three Way Edging Clamp

Perfect for holding work at all angles. The ideal tool for all side wall repairs.

57-202-734

pcs.



Deep Throat C Clamp

Just as the name implies, this cast steel clamp has a throat depth of 4 1/2".

57-202-736

pcs.



Spring Clamps

We offer this clamp in two sizes. Perfect for small base repair or holding material in place for scribing or drilling. Use with our bevel file guides.

57-202-738

1"

pcs.

57-202-739

2"

pcs.



Thermoplastic Portawelder

Plastic carrying case contains air compressor, round tip, tray and complete instructions. Adjustable temperature from 400 to 900 degrees F lets you do both ski and snowboard bases as well as ski boot repairs. Do not confuse this superior welder with 500 watts and adjustable temperature to some cheaper 400 watt units with no temperature adjustment. Check out these features not offered with cheaper units.

- 6 months warranty on element.
- Adjustable temperature from 400 to 900 degrees Fahrenheit
- Carrying case
- Features a safety barrel that is cool to the touch
- Stand and instructions
- New steel encapsulated element for longer life
- Comes with hand-feed speed welding tip, tacking tip video tape on plastic welding (used for boot welding) and all purpose tip.

57-202-801

pcs.



Base Welding Equipment Accessories

57-202-805

Hand Feed Speed Welding Tip

pcs.

57-202-806

Metal 575 W heating element

pcs.

57-202-807

Ceramic 500 W heating element

pcs.



Metal Spiral Cleaning Brushes

57-500-005

3 mm

pcs.

57-500-004

5 mm

pcs.



Co-Polymer Wire

Co-polymer wire base repair material contains special formulated epoxy for extra bonding strength. Sold in 3 mm size. For hot air applications only.

57-202-901	Clear, Ø=3 mm, 300 ft	roll
57-202-902	Black, Ø=3 mm, 300 ft	roll



Metal Grip

Polyethylene wire with adhesive for very deep scratches at the base. Once metal grip has been applied, standard base repair material is laid over it for a finished repair. Attention: don't use with repair pistols!

55-560-330	Clear Ø =5 mm, 0,4 kg roll	pcs.
55-560-331	Black, Ø = 5 mm, 0,4 kg roll	pcs.



Baseman

Base repair machine for skis and snowboards.

The Baseman was developed with an ergonomic lightweight design for ease of work! It also brings many more benefits. The repair location is easier to see thanks to integrated LED lighting. The high-performance heating unit with electronic temperature control means that the machine is quickly ready for action. Improved melting technology guarantees a high-quality and wear-resistant bond between the base and the repair material. The optimized melting head and material feed ensure uniform and thin material application. Perfect distribution of material shortens the melting time and reduces the time spent for subsequent work steps such as base grinding.



Your benefits summed up:

- High level of user convenience thanks to ergonomic lightweight design
- Efficient downstream processing thanks to optimum melting results
- Excellent cost-effectiveness thanks to frugal use of material and stand-by operation
- Rapid heat-up time thanks to powerful heating unit
- Best possible view of the repair location with integrated LED lighting
- Easy replacement of the base repair material roll
- Improved ambient air thanks to (optional) Smogjet exhaust air system



Melting head with larger contact surface, lower center of gravity and lighting for a better view of the melting area. Results: Tangibly improved control.



Consistent temperature control with status indicator



Practical stand with cleaning blade

Optional “Smogjet” air extraction system for an improved work experience.



Technical data

Baseman

Nominal voltage	1AC 100 – 240 V, 50/60Hz
Nominal load	0,63 kW
Nominal current	5,8/2,8 A
Fuse protection min./max.	10/13 A
Weight	1,8 kg (4 lbs)
Dimensions (L x W x H)	540 x 80 x 305 mm (without docking station)
Polyethylene material	Ø 3 mm, 250 g
Connection for extraction unit	Ø 30 mm
Noise emission max.	< 52 dB (A)

Smogjet

Nominal voltage	1AC 100 – 240 V, 50/60Hz
Nominal load	0,1 kW
Nominal current	0,9/0,43 A
Fuse protection min./max.	6,3 A
Weight	12 kg
Dimensions (L x W x H)	456 x 496 x 200 mm
Extraction capacity	100 m³/h
Noise emission max.	> 52 dB (A)

We reserve the right to make technical alterations.

Baseman Base Repair Machine



Baseman 1 x 110 - 240 V, 50/60 Hz

Also order Polyethylene Wire 55-560-160 Clear or 55-560-161 Black to use when your Baseman arrives. We reserve the right to make technical alterations.

7454-421-15 With Stand and Scraper pcs.



Spiral Cable Baseman 110 V / 60 Hz

Optionally, the Baseman device can be equipped with this spiral cable.

Baseman

7454-0421-V66 Spiral Cable 110 V pcs.

Smogjet Air Filter System



Smogjet Air Filter

Comes with 1 pc. suction hose, 3 m long and 1 pc. filter set (1 main filter, 5 pre filter).

20-117-100 1 x 110 – 240 V, 50/60 Hz pcs.



Smogjet Suction Hose

Optionally the Smogjet device can be used with 2 additional suction hoses.

20-117-105 L = 3 m, Ø = 32 mm pcs.

Smogjet Spare Filter Kit

20-117-120 1 main filter, 5 pre filter pcs.

WORKSHOP ACCESSORIES

Base Repair



Smogjet Spare-Prefilter 5 pcs.

20-117-125 365 x 155 x 30 mm pcs.



Docking Station Polyman

Optionally, each previously delivered Polyman device can be equipped with this stand to connect the air filter Smogjet. Including a scraper blade to clean the melting head.

Polyman

7453-5031-V03 With Scraper pcs.

Base Repair



Polyethylene Wire 0,25 kg with Lemon Smell

This polyethylene wire with lemon smell contributes to a pleasant climate in workshops. Exclusively available at WINTERSTEIGER!

Baseman

55-560-160 Ø 3 mm, 250 g, clear pcs.
55-560-161 Ø 3 mm, 250 g, black pcs.

Polyethylene Wire 0,25 kg

Not suitable for Baseman.

Handy Laser, Miniskid 05/20/25/35

56-601-023 Ø 3 mm, 250 g, clear pcs.
56-601-021 Ø 3 mm, 250 g, black pcs.



RP360 Polygun

The SKIMENDER RP 360 is a high-performance ski and snowboard repair pistol for professional repairs. It has been designed and built for carrying out long-lasting repairs quickly and simply. 110 V, uses 11.5 mm repair sticks. 1 year manufacture warranty. Designed to be turned on only when needed, not to be left on all day.

57-202-831 110 V pcs.



Silicone Release Mat

Silicone mat that will help prevent molten polyethylene from burning into your bench top. Great for placing under the head of base repair guns or drip candles.

57-202-820 8" x 8" pcs.



Trigger Start Torch Kit

Quartz crystal trigger start - Instant flame, fully adjustable flame regulator, 14.1 ounce fuel cylinder. Note UPS shipping surcharge \$ 20 ground (for up to 20 cylinders) for flammable liquids. Save money and order in quantity. This item cannot be shipped by air.

57-202-840 14.1 oz. pcs.



Repair Sticks

Available quantities: bags with 10 pcs. or 1 kg (= 70 pcs.)

Polygun

55-560-310	Clear, 11,5x160 mm, 10 pcs.	pk.
55-560-311	Black, 11,5x160 mm, 10 pcs.	pk.
55-560-313	Graphite, 11,5x160 mm, 10 pcs.	pk.
55-560-315	Clear, 11,5x160 mm, 1 kg	pk.
55-560-316	Black, 11,5x160 mm, 1 kg	pk.
55-560-317	Graphite, 11,5x160 mm, 1 kg	pk.



Drip Candles

55-100-158	Clear, 8 x 200mm, 10 pcs.	pk.
55-100-156	Graphite, 8x200 mm, 10 pcs.	pk.



Ski-Tex Base Repair Coils

Highly recommended for dripping purposes. Economical to use! This unique square base repair rod is very economical to use because it burns more evenly at lower temperatures and has less carbon build-up. Available in clear or black. Sold in 100 ft. coils to cut into smaller candle lengths.

57-202-910	Clear, 8 x 8 mm, 100 ft.	roll
57-202-911	Black, 8 x 8 mm, 100 ft.	roll

WORKSHOP ACCESSORIES

Base Repair



Steel Scrapers

Two high-tech steel scrapers for your use. One flexible and one firm. Our firm scraper is made for us by Sandvik of high quality toolsteel for longer life, and is lap ground to assure a sharp cutting edge.

57-203-101	6" x 2 1/2", Firm Scraper	pcs.
57-203-102	7" x 2", Flexible Scraper	pcs.



HW 130 Base Planer

130 mm wide blade for all types of skis, ideal for scraping high quality repair material such as Polyman wire.

55-240-401	Base Planer w. blade 130 mm	pcs.
55-240-406	Spare Blade 130 mm	pcs.



Base Scraper

Includes doublesided hardmetal blade.

55-240-300	Scraper w. blade 50 mm	pcs.
55-240-302	Scraper w. handle+blade 65 mm	pcs.
55-240-305	Spare Blade 50 mm	pcs.
55-240-306	Spare Blade 65 mm	pcs.



Surform Planer

The surform planer is an excellent tool for removing excess base welds when repairing gouged bases. A variable cutting rate is one of surform's unique features. You can modify it from coarse to fine by changing the blade angle and stroke speed.

57-200-100	5 1/2" Pocket Plane	pcs.
57-200-101	Replacement Blade	pcs.



Panzer Radial File

Chromealloyed special steel, for removing repair material from base and sharpening of the edges.

55-500-040	L = 300 mm, chromealloyed	pcs.
55-500-004	L = 350 mm, chromealloyed	pcs.
55-500-041	Holder for radial file 350 mm	pcs.



Angle Meter for Base Edge

Precision base edge bevel measure for skis and snowboards. Using an Electronic Digital Indicator and the straight edge in combination gives the most accurate measurements, providing an accuracy of 0.01 degrees. Easy to read display, reading of 0.45 + .45° degrees of base edge bevel, backlight with an LED light gives extra help in use. Tool requires skill and accuracy for setup and use.

57-203-200 _____ pcs.



Professional Tru Bar 150 mm

Our best Tru Bar, a must for use with a stone grinder.

55-240-462 L = 150 mm _____ pcs.



Snowboard Tru Bar Blade and Planer

Handles make this tru bar blade and base planer easy to use. The blade side is used as the tru bar, the square edge is the scraper.

55-200-010 320 x 30 x 3 mm _____ pcs.



Tru Bar

57-100-114 120 mm _____ pcs.



Flatness Tester

Economical Flatness Tester bar ground to .0005 tolerance heat and black oxide treated.

57-203-206 6" x 1/2", round _____ pcs.

WORKSHOP ACCESSORIES

Edge Care



Snowboard Tru Bar

This is as basic as it comes when precision measurements are concerned.

57-203-205 14" long x 5/8" square pcs.

Edge Care



Sidewall Planer Ergo Razor

To remove sidewall material. The ERGO RAZOR sidewall planer is essential to prep for side edge filing as it is common for a file to be compromised by cutting into the sidewall of a ski. It is very important to remove the sidewall material to avoid loading files with plastic and to keep the sidewall from interfering with the bevel on the edge. The razor has an ergonomic design that fits into the palm of the hand. It is adjustable and can be used with both the right and left hands. It comes with a round cutting blade (packaged for retail).

57-401-100 Sidewall Planer pcs.



Replacement Blade, square

Suitable to the ERGO RAZOR sidewall planer.

55-500-088 Replacement Blade, square pcs.



Replacement Blade, round

Suitable to the ERGO RAZOR sidewall planer.

55-500-089 Replacement Blade, round pcs.



Sidewall Planer PRO SHARP

New professional sidewall planer with easy handling and steady grip for maximum accuracy. Adjustable blade position and cutting depth for both skis and snowboards. Ball bearing system helps protect the base and can be used right of left handed. The best side wall plane we have seen and a great looking long lasting professional shop tool. Comes with round cutting blade.

57-401-311 pcs.



BASE EDGE File Guide

To bevel the base edge from 0,5 to 1,5 degree. This base edge file guide uses the same quality in design and materials as the standard BASE EDGE File Guides (packaged for retail).

57-401-112 0,5° – 1,5° pcs.



File Guide PRO SHARP RACE, 85° - 90°

This updated professional side edge sharpener gives very accurate bevels from 90 to 85 degrees. A large knob allows adjustment to one of the 6 possible positions without the need of a screwdriver. Innovative arrow pattern allows waste material to fall free of the base without damage and reduces friction. Accepts file, stones, and diamond stones up to 6 mm thick and comes with a 80 mm ICECUT file (packaged for retail).

57-401-030	85° - 90°	pcs.
------------	-----------	------



Side Edge File Guides

Our precision anodized aluminum file guides are the perfect choice for the home tuner. Each guide is milled with a channel in the corner to allow filings to fall away from the base. Tools can be used with most files and diamond or abrasive stones. (packaged for retail)

57-401-300	90°	pcs.
57-401-301	89°	pcs.
57-401-302	88°	pcs.
57-401-303	87°	pcs.
57-401-304	86°	pcs.



QUICK SHARP

Side edge sharpener for 88 – 89 degrees. Great for the customer who is new to maintaining their own equipment, WINTERSTEIGER offers this entry level tool. The plastic molded tools are easy to use and carry on the hill. The Quick Sharp tools are available with zirconium, file and diamond abrasive tools.

Quick Sharp Extra File Guide

57-401-163	+ Zircon, Finn, Diamond File	pcs.
------------	------------------------------	------

Quick Sharp File Guide

57-401-161	+ Finn File 40 mm	pcs.
------------	-------------------	------



RACING SHARP

Ergonomic design side and base edge sharpener is easy to use and allows your customers to maintain their edges between visits to your repair facility. Allows for 86° to 89° side edge bevel and 0.5° and 1° base edge bevel.

RACING SHARP File Guide

57-401-145	+ Finn File 80 mm	pcs.
------------	-------------------	------

RACING SHARP Spare Files

57-401-174	Spare File 80 mm	pcs.
------------	------------------	------

WORKSHOP ACCESSORIES

Edge Care

2

NEW



Edge Tuner Jomax Blade Mini 600

This patented edge sharpener enables the side and base edge of skis and snowboards to be processed at the same time thanks to the flexible attachment of the 3 diamond blades. If a burr arises at the side edge after several days on the slope, the Jomax Blade Mini can be used to remove this burr fast and easy. It improves the edge grip, independent from the existing edge angle. This tool is therefore also suitable for processing skis with V-Edge. **However, this tool is not intended to replace regular edge servicing, especially not V-Edge grinding at the Jupiter service station.**

57-401-340	Suitable for all edge angles	pcs.
------------	------------------------------	------



VALLORBE ICECUT Ski and Snowboard Files

Used by World Cup technicians because of the precision cut teeth and comfortable tangless design. ICECUT files are also the straightest file available for accurate beveling and have one of the highest Rockwell hardness for extended life.

55-500-037	120 x 22 mm	pcs.
55-500-038	150 x 17 mm	pcs.
55-500-039	200 x 22 mm	pcs.



VALLORBE ICECUT Racing File

New type of racing file with special steel for racing use with an extremely long life time! Manufactured in a special steel and from the latest cutting technology, this file presents three major advantages compared to a traditional ski file: it sharpens faster, has an increased lifetime and gives to the edges a powerful sharp side. The best file for advanced sportsmen, preparation workshops and for professional skier.

55-500-042	100 x 22 mm, fine	pcs.
------------	-------------------	------



WINTERSTEIGER OBERG Mill Bastard File

Highest quality, straightest mill bastard files available. The most widely used file in ski and snowboard base preparation. Excellent for sharpening edges and bottom filing of slightly railed skis and snowboards. Leaves a smooth finish. All files are Cut 1.

Single		
57-200-020	6", each	pcs.
57-200-022	8", each	pcs.
57-200-024	10", each	pcs.
12 pcs.		
57-200-021	6", 12 pc.	pk.
57-200-023	8", 12 pc.	pk.
57-200-025	10", 12 pc.	pk.



WINTERSTEIGER VIIALA Hard Chrome World Cup Files

Smoothest cutting and longest lasting on the market. These hardchromed files are the most popular files on the World Cup Circuit today. Available in #1 (coarse) or #2 (medium) cuts. The chrome plating process hardens the tooth surface for longer life and reduces friction for a smoother finish. Hardchromed files feature a Rockwell hardness of 67.

Single

57-200-030	6", #2, each	pcs.
57-200-032	8", #2, each	pcs.
57-200-034	10", #2, each	pcs.
57-200-040	8", #1, each	pcs.
57-200-042	10", #1, each	pcs.

12 pcs.

57-200-031	6", #2, 12 pc.	pk.
57-200-033	8", #2, 12 pc.	pk.
57-200-035	10", #2, 12 pc.	pk.
57-200-041	8", #1, 12 pc.	pk.
57-200-043	10", #1, 12 pc.	pk.



Brass File Brush

To clean debris from the teeth of files.

55-500-035	pcs.
------------	------



File Brush, double-sided

Proper cleaning helps to prolong the life of a file. Use the brush side for general cleaning and the card side for stubborn clogging.

55-500-180	220 x 50 mm	pcs.
------------	-------------	------



Diamond File SPORT


The latest in diamond stone technology, this is the best diamond stone we have ever used. The rigid composite body resist flex during use. The unique diamond design with ultra high quality diamonds means a long life. Best used with water. Comes in two lengths 70 and 100 mm.

57-401-210	Grit 600, fine, 70 mm	pcs.
57-401-211	Grit 400, medium, 70 mm	pcs.
57-401-212	Grit 200, coarse, 70 mm	pcs.
57-401-220	Grit 600, fine, 100 mm	pcs.
57-401-221	Grit 400, medium, 100 mm	pcs.
57-401-222	Grit 200, coarse, 100 mm	pcs.

WORKSHOP ACCESSORIES

Edge Care

2



Moonflex File

These diamond files with a unique design of the diamond pattern removes material but leaves no strations for a fine polish. Best if used with water.

55-500-161	Grain 100, 70 x 25 mm, black	pcs.
55-500-162	Grain 200, 70 x 25 mm, red	pcs.
55-500-164	Grain 400, 70 x 25 mm, yellow	pcs.
55-500-166	Grain 600, 70 x 25 mm, white	pcs.
55-500-168	Grain 1500, 70 x 25 mm, blue	pcs.
55-500-151	Grain 100, 102 x 25mm, black	pcs.
55-500-152	Grain 200, 102 x 25mm, red	pcs.
55-500-154	Grain 400, 102 x 25mm, yellow	pcs.
55-500-156	Grain 600, 102 x 25mm, white	pcs.
55-500-158	Grain 1500, 102 x 25mm, blue	pcs.

Homemade Polishing solution

Want to save a few bucks on over priced polishing solutions? Simple, next time you make a fresh batch of grinding solution for your grinding machine pour some in a small resealable bottle and use as needed. Simply pour it into a small tray, cup, or even a spray bottle and use on your diamond files and polishing stones. Helps keep them clean and lubricated and it's no secret that the grinding solution for your machine is designed for this same application as well. We recommend our biodegradable emulsion (57-202-610) for best results which does not contain harmful petroleum products.



SKI MAN High Quality Diamond Files

The latest in diamond file technology from Europe this is the best diamond stone we have ever used. The rigid aluminium body will not allow for flex during use. The unique new diamond design with ultra high quality diamonds means a long life. Best used with water. Comes in two lengths 70 and 100 mm.

57-401-191	70 mm, Coarse Grit 200	pcs.
57-401-200	100 mm, X-Coarse Grit 100	pcs.
57-401-201	100 mm, Coarse Grit 200	pcs.
57-401-202	100 mm, Medium Grit 400	pcs.
57-401-203	100 mm, Fine Grit 600	pcs.
57-401-204	100 mm, X-Fine Grit 1000	pcs.



Combo Ceramic Stone

Best edge finishing tool – These are the ceramic stones you need! High quality 5" x 1" ceramic stones are going to be the best edge finishing tools you purchase. These stones can sharpen any type of metal. No oil or water is required in the sharpening process. Come with a leather sheath.

57-200-112	5" x 1" Fine / Medium Combo	pcs.
------------	-----------------------------	------



STONEX Professional Stones

White aluminum oxide professional edge polishing stones measure 4"x 3/4" x 3/8" stones. The stones are grits 220, 320, 400 and 600.

57-200-121	220 Grit Stone	pcs.
57-200-122	320 Grit Stone	pcs.
57-200-123	400 Grit Stone	pcs.
57-200-124	600 Grit Stone	pcs.



Arkansas Soft Stone with Leather Case

The natural arkansas stone is the only stone in the world that will actually polish the edge of your snowboards and skis as it sharpens. Medium grit, grayish in color.

57-200-130 75 x 25 x 7 mm pcs.



Arkansas Soft Stone without Leather Case

The natural arkansas stone is the only stone in the world that will actually polish the edge of your snowboards and skis as it sharpens. Medium grit, grayish in color.

57-200-131 3" x 1" x 1/4" pcs.



Pocket Stone

Made with the finest aluminum oxide to quickly remove minor burrs and imperfections on snowboard and ski edges.

55-500-182 100 x 18 x 8 mm pcs.



Gummi Stone

This is a popular item used by every tuner. This soft gumi stone is used for fine polishing on the ski edge after grinding and filing jobs are finished. Sometimes referred to as an eraser stone.

55-420-240 50x20x80 mm, coarse, hard, grey pcs.



Gummi Stone

Softer than our regular gumi stone, this item is great for finer buffing and polishing on a ski and snowboard edge.

57-100-125 40x20x65 mm, very fine, soft, red pcs.



Burr Stick

An amazing abrasive filled urethane ski and snowboard edge de-burring tool. Semi-flexible, long-lasting, easy to handle for de-burring and detuning edges. Outlasts and replaces other hard to use stone and rubber bonded abrasives.

57-200-103 Medium 3" x 1" x 1/2" pcs.



Discman Ceramic Disc Ø = 35mm, blue

Discman - grinding disc with good material removal and for good edge surface.

56-221-010 Ø 35 mm, G120 pcs.

WORKSHOP ACCESSORIES

Structuring Tools



Discman Polishing Disc, Ø = 35mm, orange

Discman - grinding disc for polishing the edges.

56-221-011 Ø 35 mm, G240 pcs.



Magnifying Glass

With a 10x magnification, this magnifying glass allows detailed inspection of the edge surface.

57-202-770 Ø 45 x 40mm pcs.

Structuring Tools



Nordic Sharp

Ergonomic Nordic structuring tool with interchangeable structure rollers. Easy to use and gives great results with minimum effort, best alternative to stone grinding. Delivered with medium diagonal roller.

57-401-320 Nordic Sharp pcs.

Waxing Machines and Accessories



Waxpro 40

The handy waxer with changeable wax tub, adjustable waxing temperature; wax application in a few seconds and exact dosing. Including 120 mm wide wax roller.

55-115-001	Waxpro 40, 1 x 110 V, 60 Hz CE	pcs.
55-115-006	Spare Tub with 2 rollers	pcs.
55-115-014	Replacement Heating Element	pcs.



Waxpro 350

Handy waxer for snowboards including 350 mm wide wax roller, similar to Waxpro 40.

55-115-008	Waxpro 350, 1 x 110 V, 60 Hz	pcs.
55-115-012	Spare Silicone Roller ,350 mm	pcs.
55-115-022	Optional Scraper with Cover	pcs.
55-115-023	Optional Wax Tray with Cover	pcs.



WINTERSTEIGER Wax Iron

High quality wax iron for skis and snowboards. Fine tuned thermostat reduces temperature fluctuations and a thick metal base holds heat to prevent damage during waxing (packaged for retail, 30 day warranty).

57-100-299	110 V / 60 Hz, 800 W	pcs.
------------	----------------------	------



WINTERSTEIGER Digital Wax Iron

Precise temperature settings with digital control combine with a highly accurate thermostat to ensure a correct, constant temperature. Adjustable from 50° to 180° C. 15 mm thick heating plate with innovative dimpled surface which allows the wax iron to easily move across the base by reducing suction. The beveled edges let melted wax flow over the entire base evenly for consistent results (packaged for retail, 90 days warranty).


57-100-315	110 V, 60 Hz, 800 W	pcs.
------------	---------------------	------

Wax Future - the Original.

The Wax Future is a World Cup tested waxing machine for snowboards, alpine and cross country skis. The Wax Future offers the highest level of "Racing" quality waxing results, using the latest in Infrared Technology. After the wax has been applied, the Wax Future penetrates the wax deeper into the base due to the infrared radiation – for perfect gliding properties over a long distance. There are 2 types to choose from: **Wax Future Wall Speed** with double and **Wax Future** with single infrared heating lamps. Both types are equipped with speed regulation and multiple programs to choose from. The WINTERSTEIGER Wax Future is built sturdy enough for daily use in any work shop and features a three year warranty!



Easy handling



Stand alone and flexible.

An optional stand is available if there is not any wall space to mount the Wax Future. The stand includes a set of 3 metal feet and support arms. (Optional available: article number 55-115-553-1) tensity.

Your benefits summed up:

- Additional offer for you shop
- Increased wax absorption for constant gliding properties over a long distance
- Quick and easy to handle
- Modern, powerful operating panel
- Economical wax consumption
- Space saving wall mount
- Speed ramp for XC skis
- 3 year warranty



Wax Future Wall Speed.

Double performance: With its two infrared heating lamps you can reach an output of up to 40 pairs/h. The double infrared lamp power leads to perfect results in no time. Specific programs for race waxing optimize the radiating intensity.



Wax Future.

Sturdy machine with one infrared heating lamp for the intense but gentle waxing in the Race and cross country section.

Technical data

	Wax Future 55-115-561	Wax Future Wall Speed 55-115-560
Number of infrared heating lamps	1	2
Dimension (H x W x D)	320 x 750 x 2500 mm (12.6 x 29.5 x 98.4")	
Ski length max.	2200 mm (86.6")	
Voltage	230 V 50/60 Hz	230 V 50/60 Hz
Current	7 A	14 A
External fuse protection	10/16 A	16/20 A
Performance up to	20 pairs/h	40 pairs/h

Subject to technical changes without prior notice.



Wax Future 230 VAC, 50/60Hz

For infrared specific performance waxes see pages 76 and 77.

55-115-561

230 V, 50/ 60 Hz , single lamp

pcs.

Wax Future Wall Speed 230 VAC, 50/60Hz

55-115-560

230 V, 50/ 60 Hz, 2 lamps

pcs.

Stand for Wax Future

55-115-553-1

Optional Stand

pcs.

Speedbrush

Professional Roto Speedbrush for skis and snowboards.

The professional Roto Speedbrush gives skis and snowboards the perfect finish by removing excess wax from the structure and polishing the base. The Speedbrush features an variable speed motor with a quick and easily replaceable brush.



Your benefits summed up:

- Variable speed
- Quick and easy brush change
- Optional stand



Technical data

Speed (rpm)	140 – 1400
Polishing wheel	Ø 155 x 350 mm (55-642-041)
Dimensions (L x W x H)	With stand 710 x 500 x 985 – 1130 mm Without stand 710 x 255 x 300 mm
Working height with universal stand	880 mm – 1025 mm
Weight	28 kg without pedestal 60 kg with pedestal
Nominal load	0,75 kW
Nominal voltage	1 AC, 208 – 240 V, 50/60 Hz
Rated current	7,3 A
Fuse protection min./max.	10/16 A

We reserve the right to make technical alterations.
Machine prices may be updated in January.

WORKSHOP ACCESSORIES

Waxing Machines and Accessories



Speedbrush 1x208-230V 50/60Hz

7410-401-32 1 AC, 208 - 240 V, 50/60 Hz pcs.

Optional Stand for Speedbrush

Speedbrush

7410-0311-V01 71 x 50 x 68,5-83 cm(LxWxH) pcs.



Additional flange for Speedbrush machine.

Mainly used for the double brush art. no. 55-642-045 and the polishing roller (black roller brush) art. no. 55-642-041, but basically suitable for all polishing wheels and structure wheels with Ø 155 mm, width 350 mm.

Speedbrush

7410-0211-V02 pcs.



Double Brush Ø 155mm, W = 350 mm

This double brush gives skis and snowboards the perfect finish by removing excess wax from the structure with the white part and polishing the base with the black part.

Speedbrush, Waxjet 80/90, Waxjet 93, Waxjet Pro/91/92

55-642-045 Double Brush pcs.

WINTERSTEIGER Webshop

The WINTERSTEIGER Webshop

2





wintersteiger-shop.com

Waxjet Pro

Hot Waxing Machine for Skis and Snowboards.

The Waxjet Pro from WINTERSTEIGER provides excellent waxing results featuring a short heat-up time. The new heating system provides a precise temperature control, while using up to 60 % less energy than comparable products. The optional edge deburring wheel and the easy roll exchange offers a very user-friendly service.



Your benefits summed up:

- Low energy consumption (-60 %*)
- Excellent wax results
- Short heat-up time
- Precise temperature control
- Operation from both sides of the machine is possible
- Easy roll exchange
- Compact design for minimum footprint
- Optional edge deburring wheel

* Savings of up to 60 % over comparable products.

Technical specifications

Dimensions (L x W x H)	610 x 590 x 480 mm (24" x 23.22" x 19")	
Working height with pedestal	910 mm (35.83")	
Noise emission	< 70 dB (A)	
Weight	90 kg with stand, 70 kg without stand	
Nominal voltage	1 AC, 208 - 240 V, 50/60 Hz	1 AC, 110 V, 60 Hz
Nominal load	1.75 kW	1.55 kW
Rated current	6,5 A	12 A
Fuse protection min./max.	10/16 A	13/15 A
Waxjet Pro – 7570-404-33	1 AC, 208 - 240 V, 50/60 Hz	
Waxjet Pro – 7570-404-43	1 AC, 110 V, 60 Hz	
Optional Stand – 7570-0111-V01		
Optional Deburring Wheel – 7570-0211-V10		

We reserve the right to make technical alterations.
 Machine prices may be updated in January.

Waxjet Pro 110 V / 60 Hz

The Waxjet Pro from WINTERSTEIGER provides excellent waxing results featuring a short heat-up time. The new heating system provides a precise temperature control, while using up to 60 % less energy than comparable products. The optional edge deburring wheel and the easy roll exchange offers a very user-friendly service.

7570-404-43

pcs.

Optional Stand for Waxjet Pro

7570-0111-V01

61 x 59 x 45 cm (L x W x H)

pcs.





Optional Deburring Wheel for Waxjet Pro

7570-0211-V10

pcs.

2

Waxjet

The affordable entry-level model.



Technical specifications

Weight	75 kg without stand
Dimensions (L x W x H)	770 x 620 x 400 mm (30.31" x 24.4" x 15.75")
Dimensions of universal stand (L x W x H)	750 x 480 x 510 mm (29.53" x 18.9" x 20")
Working height with universal stand	880 mm (34.65")
Wax wheel - 1-9-0135	Ø 155 x 350 mm
Polishing wheel - 1-9-0135	Ø 155 x 350 mm
Nominal load	3,3 kW
Nominal voltage	208 – 240 V, 50/60 Hz, 1 AC
Rated current	16 A
Fuse protection min./max.	16/20 A
Waxjet - 7568-403-33	
Optional Stand - 7925-401	

We reserve the right to make technical alterations. Machine prices may be updated in January.



Waxjet 208 – 240V / 50 – 60 Hz

The short heat-up time means the Waxjet is quickly ready for use. WINTERSTEIGER's roller technology promotes more wax absorption through the base and simultaneously guarantees minimum consumption of material. Additional time spent removing the wax is no longer needed. The use of polishing or nylon brushes saves you extensive manual finishing work. A practical universal stand for storing small parts and consumables is available as an option.

7568-421-33

pcs.



Stand with Wheels for Waxjet 93

7925-401

75 x 48 x 51 cm (L x W x H)

pcs.

WORKSHOP ACCESSORIES

WINTERSTEIGER Waxes

2



Exhaustion Hood for Waxjet

Including 30° pipe bend and 150 mm hose connection nozzle. The suction hose connecting to this and any extractor fan which may be required must be provided on site.

Waxjet 80/90 SNB, Waxjet 90, Waxjet 91, Waxjet 93

7567-4411-V01

pcs.


WINTERSTEIGER Waxes

Our best eco-friendly Shop Wax



For temperatures that fall between the stated values use a 1:1 mix of the warm and cooler wax to achieve optimal results.

WINTERSTEIGER Premium Shop Wax is made in the USA using environmentally friendly techniques by global market leader, Wax Research. Each eco-friendly bar is hand-crafted to offer the performance of chemically infused waxes, without any hazardous chemicals. Our non-fluoro ski and snowboard waxes utilize sustainable non-GMO, plant-based oils. Designed for high performance with a responsibility to the mountains we love. It is available in 3 temperature ranges that can be mix to create a custom blend which works best in your area. Bulk 1 kg bags, 4 X 250g. Excellent when used on WaxJet or Wax Future. Can be used as Rub-on or Iron-in wax.



NEW

WINTERSTEIGER Premium Shop Wax

57-440-146	All Conditions 10–40°F / -12– 4°C	pk.
57-440-147	Above 4 4°C / 39° F above	pk.
57-440-148	- 15 Below Cold <-5°F/-15°C	pk.

pk.
pk.
pk.



WINTERSTEIGER Back Shop Bar Wax

1 box = 10 x 250 g = 2,5 kg, for hot waxing of skis and snowboards, handy bar shape to apply to waxing machines.

Waxjet 93, Waxjet Pro/91/92

55-640-330	2,5 kg, yellow/warm, f. 0° to -8°C	pk.
55-640-335	2,5 kg, blue/cold, f. -8° to -20°C	pk.
55-640-340	2,5 kg, white/universal	pk.
55-640-345	2,5 kg, black/universal, molybd.	pk.

pk.
pk.
pk.
pk.



WINTERSTEIGER Back Shop Wax Flakes

Shuttle 200, Shuttle 3C, Waxpro


55-640-310	5 kg, yellow/warm, -8°C to 0°C	pcs.
55-640-315	5 kg, blue/cold -8°C to -20°C	pcs.
55-640-320	5 kg, white, universal	pcs.



WINTERSTEIGER Back Shop/Retail Sales Bloc Wax

1 Counter Top Display Box = 80 x 30 g = 2,4 kg; for hot waxing of skis and snowboards.

55-640-350	2,4 kg, yellow/warm, -8°C to 0°C	pk.
55-640-355	2,4 kg, blue/cold, -8°C to -20°C	pk.
55-640-360	2,4 kg, white, universal	pk.



Wax Blocs

Discovery 1, Discovery 2, Jupiter, Mercury

55-640-117	W=340 mm, universal wax	pcs.
55-640-118	W=340mm, warm, f. 0° to -8°C	pcs.
55-640-119	W=340mm, cold, f. -8° to -20°C	pcs.

WEND Waxes



WEND produces a sophisticated line of ski and board waxes including quick application waxes, hot melt/rub-on bar waxes, overlays, pastes, and emulsion/dispersion formulations for use by recreational skiers/riders, racers and shops. The current WEND snow wax formulations have resulted from decades of progressive blend reformulation and subsequent on-slope and in-lab testing. The on-slope testing has typically covered a full range of environmental conditions. The in-lab testing has included utilization of a laboratory that has over 50 years of experience in developing performance snow waxes for some of the world's top ski and snowboard athletes.

WEND no longer produces any products containing fluorocarbon compounds. WEND recently re-engineered a family of its snow race waxes to eliminate all fluorocarbon components thereby substantially increasing the overall eco-friendliness of the WEND Snow Wax line of products.

Wend Performance Waxes



The formulations for the WEND performance waxes are carefully engineered blends of waxes including petroleum-derived (mostly paraffins) and/or plant derived waxes. The blends typically contain plant-based additives. They are formulated to provide reduced friction, resistance to snow contaminants, increased wax penetration into equipment base material and increased base protection for the recreational skier/rider. The WEND performance wax lines cover all temperature ranges and snow conditions.

NP Performance Waxes




The NP line of WEND performance waxes are 100% plant derived, made from sustainable sources, all natural, biodegradable and non-toxic. This product line is representative of the direction that WEND is taking as it seeks to improve its snow product offerings by making them more and more eco-friendly.

NP Plant Based Performance Waxes

CONTAINING NO PETROLEUM DERIVED INGREDIENTS

100% Plant Derived Ingredients, Sustainable, Biodegradable, Non-Toxic

The WEND NP Performance waxes are made with 100% plant derived ingredients and are completely biodegradable. This product line is representative of the direction that WEND is taking as it seeks to improve its snow product offerings by making them more and more eco-friendly.





WEND NP Infrared Performance Wax

WEND NP Infrared Performance rub-on waxes are 100% plant derived, made from sustainable sources, all natural, biodegradable and non-toxic. They are specially formulated to enhance the ease of application prior to undergoing infrared heat treatment. Use a Wintersteiger IR Wax Future machine (or similar) to melt the wax deeply into the base of your equipment.

57-212-530	Universal 100g	pcs.
57-212-532	Universal 1 Kg	pcs.
57-212-534	Paste Wax 280g	pcs.



WEND NP Non-Petroleum Hot Melt/Rub-On 100g

The NP line of WEND performance waxes are 100% plant derived, made from sustainable sources, all natural, biodegradable, and non-toxic. This product line is representative of the direction that WEND is taking as it seeks to improve its snow product offerings by making them more and more eco-friendly.

57-212-525	Universal Run-On 100g	pcs.
------------	-----------------------	------



WEND Non-Petroleum Liquid Wax 50 4.5g 6" X 6" Towelette

WEND NP Liquid waxes provide enhanced performance and durability while utilizing a standard finishing process that requires no iron. Ideal for use by any skier or rider in any snow conditions.

57-212-527	Towelette Universal	pcs.
------------	---------------------	------


MF Performance Waxes



The MF labeled products contain Meadowfoam® oil and/or Meadowfoam® wax. Meadowfoam® is a wildflower native to California and Oregon. Meadowfoam® seeds contain an oil which has unique chemical properties that make it one of the most stable vegetable oils known. All the Meadowfoam® snow wax blends are biodegradable and non-toxic. Base Prep Saturation/Conditioning Wax prepares your base for the temperature specific wax of your choice. Also conditions your base to prevent it from drying out. Universal temperature rating.

MF Performance Waxes

WITH MEADOWFOAM®



WEND MF PERFORMANCE WARM
28°F / 2°C & Above



- Warmest conditions
- Designed for wet & artificial snow

100 gram Warm Bar
Suggested Iron Temp:
Up to 255°F / 125°C

WEND MF PERFORMANCE MID
10° to 28°F / -12 to -2°C



- Moderate conditions
- Designed for new, mixed & artificial snow

100 gram Mid Bar
Suggested Iron Temp:
255° to 270°F / 125 to 140°C

WEND MF PERFORMANCE UNIVERSAL
10° to 40°F / -12° to 4°C



- Mixed conditions
- Designed for old, new & artificial snow

100 gram Universal Bar
Suggested Iron Temp:
230° to 270°F / 110 to 135°C

WEND MF PERFORMANCE COLD
10°F / -12°C & Below



- Cold conditions
- Designed for colder, dryer snow

100 gram Cold Bar
Suggested Iron Temp:
Up to 270°F / 140°C

WEND MF PERFORMANCE X COLD
0°F / -18°C & Below



- Extra Cold conditions
- Designed for colder, dryer snow

100 gram X Cold Bar
Suggested Iron Temp:
Up to 270°F / 140°C

WEND MF Infrared Performance Wax



57-212-531	Universal 100g	pcs.
57-212-533	Universal 1 Kg	pcs.
57-212-535	Paste Wax 280g	pcs.



WEND MF Performance Bit Bar

Universal Temperature personal travel wax that can be used as a rub on or iron on wax with no loss in performance. Available in Counter Top Fish Bowl or refill case, 30 g bars.

57-212-429	Fish Bowl +48 Bit Bars	pcs.
57-212-428	Case of 24 Bit Bars	pcs.



WEND MF Performance Hot Melt/Rub-On - Combo 3 Pack- Cold, Universal,

57-212-421	3 bars, 30 grams each	pcs.
------------	-----------------------	------



WEND MF Performance Hot Melt/Rub-On - Combo 3 Pack- Cold, Universal,

57-212-420	3 bars, 30 grams each	pcs.
------------	-----------------------	------



WEND MF Performance Hot Melt/Rub-On 100g

57-212-390	Prep Saturation	pcs.
57-212-422	Universal	pcs.
57-212-423	Warm	pcs.
57-212-424	Mid	pcs.
57-212-425	Cold	pcs.
57-212-391	XCold	pcs.
57-212-426	Graphite Universal	pcs.

WORKSHOP ACCESSORIES

WEND Waxes

2



WEND MF Performance Hot Melt/Rub-On 300g

57-212-500	Prep Saturation	pcs.
57-212-501	Universal	pcs.
57-212-502	Warm	pcs.
57-212-503	Mid	pcs.
57-212-504	Cold	pcs.
57-212-505	XCold	pcs.
57-212-506	Graphite Universal	pcs.



WEND MF Performance Hot Melt/Rub-On - 1 Kilo/4 bar

57-212-410	Prep Saturation	pcs.
57-212-411	Universal	pcs.
57-212-412	Warm	pcs.
57-212-413	Mid	pcs.
57-212-414	Cold	pcs.
57-212-415	XCold	pcs.
57-212-427	Graphite Universal	pcs.



MF Race Waxes




The MF labeled products contain Meadowfoam® oil and/or Meadowfoam® wax. Meadowfoam® is a wildflower native to California and Oregon. Meadowfoam® seeds contain an oil which has unique chemical properties that make it one of the most stable vegetable oils known. All the Meadowfoam® snow wax blends are biodegradable and non-toxic.

The WEND race waxes are comprised of the MF Race Wax line and the NT Race Wax line. The race products are similar to their WEND performance wax counterparts in that they are also carefully engineered blends of mainly paraffins and plant-based waxes with included additives. However the race waxes contain higher percentages of friction reducing ingredients making them faster than their performance formulation counterparts.

MF Race Waxes

WITH MEADOWFOAM®

MF-RACE WARM	28° F / -2° C & Above
MF-RACE MID	14° to 28° F / -10° to -2° C
MF-RACE COLD	-5° to 14° F / -21° to -10° C
MF-RACE X COLD	-5° F / -21° C & Below
MF-RACE UNIVERSAL	10° to 40° F / -12° to 4° C



WEND MF RACE WARM
28°F / -2°C & Above
NON-FLUORO

- Warmest conditions
- Designed for wet & artificial snow

100 gram Warm Bar
Suggested Iron Temp: Up to 255°F / 125°C

WEND MF RACE MID
14° to 28°F / -10°C to -2°C
NON-FLUORO

- Moderate conditions
- Designed for new, mixed & artificial snow

100 gram Mid Bar
Suggested Iron Temp: 255° to 275°F / 125° to 140°C

WEND MF RACE COLD
-5° to 14°F / -21 to -10°C
NON-FLUORO

- Cold conditions
- Designed for colder, dryer snow

100 gram Cold Bar
Suggested Iron Temp: 265° to 275°F / 130° to 140°C

WEND MF RACE X COLD
-5°F / -21°C & Below
NON-FLUORO

- Extra cold conditions
- Designed for colder, dryer snow

100 gram X Cold Bar
Suggested Iron Temp: Up to 275°F / 140°C

WEND MF RACE UNIVERSAL
10° to 40°F / -12°C to 4°C
NON-FLUORO

- Mixed conditions
- Designed for old, new and artificial snow.

100 gram Universal Bar
Suggested Iron Temp: 230° to 275°F / 110° to 135°C

WEND MF Race Non-Fluoro Bar with Meadowfoam 100g



57-212-440	Universal	pcs.
57-212-441	Warm	pcs.
57-212-442	Mid	pcs.
57-212-443	Cold	pcs.
57-212-444	X Cold	pcs.

WORKSHOP ACCESSORIES

WEND Waxes



WEND MF Race Non-Fluoro Bar with Meadowfoam 300g


57-212-495	Universal	pcs.
57-212-496	Warm	pcs.
57-212-491	Mid	pcs.
57-212-498	Cold	pcs.
57-212-499	XCold	pcs.



WEND MF Race Non-Fluoro Bars with Meadowfoam- 1 Ki

57-212-432	Universal	pcs.
57-212-416	Warm	pcs.
57-212-417	Mid	pcs.
57-212-418	Cold	pcs.
57-212-419	XCold	pcs.


Nano-Tech Race Waxes



WEND has created its line of NT Race Waxes by re-engineering its line of fluoro race waxes to replace all fluorocarbon components with nanotechnology additives. These additives are direct replacements for the PTFE (fluoro) additives and allow the new line of NT Race Waxes to achieve the wax performance gains previously attained only by using PTFE (fluoro) additives. WEND no longer manufactures any wax blends with fluorocarbon compounds. The nanotechnology replacement has greatly increased the eco-friendliness of these race waxes.

Nano-Tech Race Waxes

WITH NANOTECHNOLOGY & MEADOWFOAM® ADDITIVES



WEND NANO-TECH RACE WARM
28° F / 2° C & Above
NON-FLUORO

• Warmest conditions
• Designed for wet & artificial snow

100 gram Warm Bar
Suggested Iron Temp:
(p to 255°F / 125°C)

WEND NANO-TECH RACE MID
14° to 28° F / -10° to -2° C
NON-FLUORO

• Moderate conditions
• Designed for new, mixed & artificial snow

100 gram Mid Bar
Suggested Iron Temp:
251° to 280°F / 125 to 138°C

WEND NANO-TECH RACE COLD
-5° to 14° F / -21° to -10° C
NON-FLUORO

• Mixed conditions
• Designed for colder, dryer snow

100 gram Cold Bar
Suggested Iron Temp:
245° to 280°F / 130° to 140°C

WEND NANO-TECH RACE X COLD
-5° F / -21° C & Below
NON-FLUORO

• Mixed conditions
• Designed for colder, dryer snow

100 gram X Cold Bar
Suggested Iron Temp:
(p to 280°F / 140°C)

WEND NANO-TECH RACE UNIVERSAL
10° to 40° F / -12° C to 4° C
NON-FLUORO

• Mixed conditions
• Designed for old, new and artificial snow.

100 gram Universal Bar
Suggested Iron Temp:
230° to 275°F / 110° to 135°C

WEND NT Nano-Tech Race Wax - 100 gram Hot Melt Bar



57-212-540	Universal	pcs.
57-212-541	Warm	pcs.
57-212-542	Mid	pcs.
57-212-543	Cold	pcs.
57-212-544	XCold	pcs.

WEND NT Nano-Tech Race Wax - 300 gram Hot Melt Bar



57-212-550	Universal	pcs.
57-212-551	Chaude	pcs.
57-212-552	Mid	pcs.
57-212-553	Cold	pcs.
57-212-554	XCold	pcs.

WORKSHOP ACCESSORIES

WEND Speciality Products

2



WEND NT Nano-Tech Race Wax - 1 Kilo/4 bars

57-212-560	Universal	pcs.
57-212-561	Warm	pcs.
57-212-562	Mid	pcs.
57-212-563	Cold	pcs.
57-212-564	XCold	pcs.

WEND Speciality Products

Specialty Products

Our Specialty Products grouping includes our liquid waxes, base prep products, plant-based cleaner conditioners, graphite wax, race overlay wax, as well as our signature team waxes.

MF NATURAL Liquid Juice

High performance liquid snow wax utilizing Meadowfoam® seed oil. Ideal for an on-hill refresh, a quick wax when traveling without an iron, or waxing in between tune-ups. This item cannot be shipped by air

WEND MF Natural Cleaner & Conditioner

100% Plant-derived blend. Designed to thoroughly clean the base of any contaminants including emulsion from grinding, dirt, and fluoros. It also contains Meadowfoam® oil, a base conditioning agent to help prepare bases for waxing.



57-212-399	4oz/120ml Squeeze Bottle	pcs.
57-212-400	16oz/500ml Spray Bottle	pcs.
57-212-431	Towelette case of 50	pcs.
57-212-401	Bulk Gallon/128 oz	pcs.

Available Air Temperature Options:



UNIVERSAL
(10° to 40°F / -12° to 4°C)
Mixed conditions



MID
(10° to 28°F / -12° to -2°C)
Mid/artificial conditions



WARM
(28°F / -2°C & Above)
Warmest conditions



COLD
(10°F / -12°C & Below)
Cold conditions

WORKSHOP ACCESSORIES

WEND Speciality Products



WEND DARON RAHLVES Nano-Tech Race Pase Signature Wax

Want to be fast like Daron? Keep dreaming! WEND Nano-Tech Speed Paste Wax is designed for a durable, fine film rub-on application, sure to keep you at the head of the pack (but still behind Daron). A blend of waxes with the addition of our Nano-Tech additives for speed. A high performance paste formula for skiers looking to be out in front no matter the snow conditions. 2oz/56g Tin, 12 pack.

57-212-514	Universal	pcs.
------------	-----------	------



WEND KAZU KUKUBO Signature Wax

All Temp Performance speed paste wax formula for increased speed in variable snow. Rub it on for a quick boost on the mountain. 2oz/56gr 12 Pack

57-212-510	Universal	pcs.
------------	-----------	------



WEND Performance wax & overlay pocket bar

Designed for old, new, and artificial snow. The Kazu Kokubo Signature Series gives you a performance hot melt/rub-on bar and an overlay pocket bar for extra speed in variable snow. 70g Big Bar + 30g Overlay Bar

57-212-511	Universal	pcs.
57-212-512	Warm	pcs.
57-212-513	XCold	pcs.



WEND Air Fresheners

No matter what length of time your gear is in your car, you can smell it for days after. Take charge of your car smell. Hang one of these bad boys on the mirror, you won't be bummed.

57-212-517	SIGNATURE VANILLA Scent	pcs.
57-212-518	BIKE CHERRY Scent	pcs.



WEND CANDLES

Our WEND Candles are the perfect addition to any household or workspace of those who seek for a quick mountain getaway! Good luck to any of your smelly snow gear! They won't stand a chance against these addicting scents. Between the Fresh Pow and delicious Vanilla scents, you'll be hooked at first whiff! All Natural Meadowfoam and Soy Wax Blend with Slow burning wick lasting up to 30 hours. Hand poured in California.

57-212-515	Soy Wax Candle Vanilla 5oz Tin	pcs.
57-212-516	Soy Wax Candle FreshPOW 5ozTin	pcs.



WEND Wax Scraper

Nice stiff flex and a sharp factory edge for the perfect scraper, 4mm thickness. Available in Ski and Snowboard widths.

57-212-520	Ski Scraper 4mm 5 1/2 x 2 3/4	pcs.
57-212-528	SNB Scraper 4mm 11" x 2"	pcs.

WEND Cycle

The WEND Liquid Lube (LL) formulations were developed to enable ease of application while still retaining a high level of lubricity longevity. The LL formulations are basically aqueous emulsion/dispersion blends that allow effective penetration to all moving surfaces. The aqueous emulsion component is a high solids anionic low melt paraffin wax emulsion. The dispersion component is a nonionic wax dispersion containing a high-density polyethylene (HDPE) composite that is reinforced with hard, inert ceramic microspheres and nanoceramic platelets. This HDPE composite provides improved Taber abrasion resistance when compared to PTFE additives. Added to the Liquid Lube aqueous emulsion/dispersion blends is an additional component used as a PTFE replacement, an ultra high molecular weigh polyethylene (UHMW-PE) material. This component has the characteristics of low friction coefficient, self-lubrication, excellent abrasion resistance and superior water resistance.

The Liquid Lube products are very easy to apply since they are low viscosity water-based emulsion/dispersions that dry to a lubricating film. Containing no petroleum solvents, they are easy to apply and easy to clean up after application. They are formulated to perform well in all conditions. They will help to keep your chain and drivetrain clean, quiet and operating efficiently.

Squirt Liquid Lube into chain roller, Rub wax into chain Let dry, then ride.

STORE AT ROOM TEMPERATURE & KEEP LID TIGHTLY CLOSED



WORKSHOP ACCESSORIES

WEND Speciality Products

2



NEW

WEND Liquid Lube

57-212-570	Wet Formula 4 oz	pcs.
57-212-571	Dry Formula 4 oz	pcs.
57-212-572	E-Duro Formula 4 oz	pcs.
57-212-573	Wet Formula 8 oz	pcs.
57-212-574	Dry Formula 8 oz	pcs.
57-212-575	E-Duro Formula 8 oz	pcs.



WEND Chain Kit (4 oz Wax-Off, 2.5oz Wax-On)

WEND Wax-On is the first ever "rub-on", wax based, chain lubricant. Wax-On not only keeps your chain clean, its friction reducing additives make for an extremely quiet and efficient drive-train. Wax-On is quiet, quick, and clean. It is no secret that the most efficient chain lubrication method to date is immersing a chain into a vat of molten paraffin. However, this method is time consuming, temporary, and dangerous. WEND Waxworks set out to create a lube that would perform equal to or better than hot waxing and that would be easy to apply. After two years of development, the R-D at WEND has come up with Wax-On. Wax-On is a sophisticated paraffin based formula that includes proprietary friction reducers as well as proven lubricants such as Zinc and Teflon. The application is a cinch as the user simply rubs the wax onto the chains rollers, resulting in a race ready chain in seconds. Overall user satisfaction is high due to the ease of use, product cleanliness, and lubrication performance. WEND WAX-OFF is much more than just a chain cleaner. Wax-Off is a penetrating liquid wax additive that cleans. The cleaner quickly cuts through wax, oil, and dirt leaving your chain sparkling, while the wax penetrates and lubes. WEND Wax-Off is the perfect way to clean your chain prior to using Wax-On and aids in extending the life of your drive-train. We are confident once you make the change to WEND you will never look back. The WEND CHAIN WAX KIT Contains the following: 1- WEND WAX-OFF, 1-WEND WAX-ON, 1-WEND MICRO TOWEL Hand Poured in California!

57-212-470	4 oz Wax-Off, 2.5oz Wax-On	pcs.
------------	----------------------------	------

WEND WAX-ON Chain Lube

57-212-474	WAX-ON Chain Lube, 2.5oz	pcs.
57-212-475	WAX-ON Chain Lube, 10oz BULK	pcs.





WEND Wax-Off Chain Cleaner

WEND WAXâOFF is much more than just a chain cleaner. WaxâOff is a penetrating liquid wax additive that cleans. The cleaner quickly cuts through wax, oil, and dirt leaving your chain sparkling, while the wax penetrates and lubes. WEND WaxâOff is the perfect way to clean your chain prior to using WaxâOn and aids in extending the life of your drive-train.

57-212-471	Wax-Off Chain Cleaner 4 oz	pcs.
57-212-476	Wax-Off Chain Cleaner 16 oz	pcs.
57-212-472	Wax-Off Chain Cleaner 1 Gal	pcs.

Waxing Accessories



Ski-Clip Alpine 340 x 25 mm, black

78-300-230	Alpine, black, 340 x 25 mm	pcs.
------------	----------------------------	------



NEW

Alpine ski clip, 490x50mm, black, V-Edge

High-quality Velcro strap with V-Edge layout.

78-300-270	V-Edge, black, 490 x 50 mm	pcs.
------------	----------------------------	------



WINTERSTEIGER Nordic Pro Elastic

78-300-232	Cross-country, black, 95 mm	pcs.
------------	-----------------------------	------

WORKSHOP ACCESSORIES

Waxing Accessories

2



Alpine Ski Ties

78-300-224	Alpine, green, 450 x 38 mm	pcs.
78-300-227	Alpine, green, 560 x 60 mm	pcs.



Cover Band PE, 25 mm x 15 m

1 mm thick self-adhesive tape that is cut into individual lengths to cover the kick zone on waxed skis. It covers the kick zone and attaches well enough to use on manual and automated machines, even when using coarser structures. The entire base of the ski needs to be cleaned, all the wax removed, and dried before the tape is applied. The taped can be used 2 or 3 times with up to 20 passes across the stone.

56-126-230	25 mm x 15 m	roll
------------	--------------	------



Paper Tape Racing Service

This paper tape is multi-functional with a multitude of uses. Bases can be covered and protected if edges are prepared manually. During waxing the ski bindings can be protected against wax by applying the tape on the side of the ski/board. Printing forms can be attached to the ski and can be removed spotless without sticky residue.

55-500-170	1 Roll = 50 m, W = 50 mm	pcs.
------------	--------------------------	------



Infrared-Thermometer -22°C to +110°C

Pocket-size, infrared thermometer captures temperature readings of any surface-liquids, solids, and semi-solids in less than a second. Operation is simple-turn it on, point at sample, and take reading. Non-invasive, "no-touch" temperature measurements are ideal for reading accurate snow temperatures. Range is -7.0 to 230 °F and -22.0 to 110 °C with a resolution of 0.1. Accuracy is ±1°C. Field of view is 1:1. Features include: easy-read 1/2-inch-high digital display, soft-touch keys, flip-open stand, key chain, switchable °C/°F, hold, minimum only/maximum only readings, continuously-on mode, low battery alert, and battery with 40 continuous hours of life. Size is 6,4 x 3,8 cm x 1,7 cm / 2,5 x 1,5 x 0,5 inches (L x W x H). Weight is 1 ounce / 30 g.

57-203-401		pcs.
------------	--	------

Thermo Jomax

A roll up Hot Box that allows for deep penetration of wax into the base without the bulk and hassles of a traditional hot box. The temperature is regulated to 55° - 65° C so the core and base material is

not overheated but enables deep penetration of wax into the base. To use simply unroll the bag and place each ski, base down on either side of the Thermo-Jomax bag and clamp the skis together. Plug the bag in and allow it to slowly reach the proper temperature for 5 to 10 minutes, saturation of the base will take an additional 60 to 90 minutes. After this time unplug the bag and allow to slowly cool back down to room temperature. For nordic skis position the rolled-out thermal cover on the top side of the two ski supports. Place two cross-country skis on the thermal cover next to one another with the base facing down and slip the ends of the skis into the pockets at the end of the thermal cover. Close the velcro straps all the way down the ski. This puts the thermal cover in direct contact with the base of the cross-country skis. The saturation of the base takes about 60 - 90 minutes as with the alpine skis.

- Bag can be easily wiped clean while the wax is still warm
- Recommended separate bags for different race waxes
- Maximum wax penetration at low temperatures
- Will not damage the base of the core
- First choice for factory and national race teams
- The Thermo-Jomax Nordic can also be used for alpine skis



Thermo JOMAX Alpine 110 V / 60 Hz

55-115-434 110 V, 60 Hz, 350 W, no clamps pcs.



Thermo JOMAX Nordic 110 V, 60 Hz

55-115-435 110 V, 60 Hz, 350 W pcs.



Thermo JOMAX Set of 3 Clamps Alpine

For Alpine Thermo JOMAX.

55-115-432 pk.



Acrylic Wax Scraper

Acrylic scraper for removing excess wax on bases and edges.

57-203-110 pcs.

WORKSHOP ACCESSORIES

Waxing Accessories

2



Plexi Scraper

Made of 1/4"/5mm thick, stiff black acrylic, these scrapers are perfect for snowboards or fat skis.

57-203-111 150 x 60 x 5 mm pcs.



Plexi Scraper Alpine

To remove cooled wax from the base. After the wax has cooled to room temperature, any excess must be scraped off and the structure must be brushed. Always allow the wax and the ski or snowboard to cool to room temperature before scraping, otherwise the warm wax will be pulled from the pores, leaving the base dry.

55-200-013 130 x 60 x 3 mm pcs.



Plexi Scraper Snowboard

55-200-015 320 x 70 x 5 mm pcs.



Scraper Sharpener WINTERSTEIGER, 100-240 V / 50-60 Hz US


Manual resharpening of plexi scrapers can be a nerve-racking challenge after hot waxing with the wax iron. This electronic scraper sharpener sharpens scrapers quickly and conveniently, making your work more comfortable and efficient. An absolute must-have, especially for frequent waxers.

55-200-021 100 - 240 V / 50 - 60 Hz pcs.




Scraper Sharpener PLEXI SHARP

57-203-430 Scraper Sharpener pcs.



Spare Replacement Blade

57-203-432 Replacement Blade 100 mm pcs.



SCOTCHBRITE™ Nylon Handi Pads

Extra large 6" x 9" non woven nylon impregnated with ultra fine abrasive material. Fantastic for texturing, buffing and smoothing ski and snowboard bases. Also works very well for blending P-Tex repairs into the surrounding base. 10 Pads per pack.

57-203-420 Brown, Medium, All purpose pk.
 57-203-421 Gray, Fine, extra smooth pk.
 57-203-422 White, non-abrasive, f. cleaning pk.



Horsehair Brush Oval

To expose the base texture with fine-grain snow.

55-500-111 210 x 90 mm pcs.

Nylon Brush Oval

To expose the base texture with coarse-grain snow.

55-500-112 210 x 90 mm pcs.

Bronze Brush Oval

Perfect for cleaning out a coarse structure before applying hot wax.

55-500-110 210 x 90 mm pcs.



Wax Brush Nylon

General purpose stiff nylon bristle brush. Perfect for wax texturing. Comes with a hang tag and sticker, packaged for retail.

55-500-016 with euro hole hanger pcs.

Wax Brush Horsehair

This is a high quality brush used for cross-country, alpine and snowboard tuning. An essential tool for the serious tuner to expose the base texture. Comes with a hang tag and sticker, packaged for retail.

55-500-078 with euro hole hanger pcs.

Wax Brush Bronze


This stiff, all-bronze base brush is perfect for cleaning out wax in a coarse structure on the base before applying hot wax. Comes with a hang tag and sticker, packaged for retail.

55-500-077 with euro hole hanger pcs.

WORKSHOP ACCESSORIES

Waxing Accessories

2



Base Brush Fiber/Nylon

Made out of fiber and nylon, this brush is very useful for cleaning and polishing. Use the fiber side for a deep cleaning of all base structures, followed by the nylon for a fine finish.

55-500-076 120 x 70 mm pcs.

Base Brush Soft

This soft nylon brush is the ideal tool for base finishing.

55-500-079 120 x 70 mm pcs.



Tool Box 380 x 240 x 100 mm, black

Perfectly sized ski service toolbox for stowing service tools for travel or on-hill service. 100mm in depth allows for storage of roto brushes and even the WINTERSTEIGER Digital Wax Iron, wax, or other essential tools.

55-100-932 380 x 240 x 100 mm pcs.



RED CREEK is the leading manufacturer of rotary brushes. Save time and attain the best performance out of cross-country and alpine skis and snowboards by removing any micro fibers and exposing the stone-ground finish that may be hidden under excess wax. Roto brushes work with any standard drill electric or battery powered and the handles allow application of equal pressure across the brush for best results. Eye protection is strongly recommended with all Red Creek products.



RC Roto Brush Nylon black

All around brush. For removal and polishing of medium or hard paraffin waxes.

55-500-305 Bristle L. = 0.2x10mm, W=100mm pcs.



RC Roto Brush Nylon Grey

Used after horsehair, black nylon, or cork roller. Goes deep into the structure to remove excess wax as well as polish. General use as a final brush.

55-500-304 Bristle L. = 0.2x4mm, W=100mm pcs.



Black Fine Nylon Brush

Used after horsehair, all around brush, or cork. Goes deep into the structure to polish. Helps to remove excess additives and powders. Final brush.

55-500-312 Bristle L. = 0.12x7mm, W=100mm pcs.



White Fine Nylon Brush

Used after horsehair, all around brush, or cork. Goes deep into the structure to polish. Helps to remove excess additives and powders. Final brush.

55-500-315 Bristle L. = 0.12x4mm, W=100mm pcs.



RC Roto Brush Horsehair

High quality brush used as final pass to expose the structure and reduce static charge.

55-500-307 Bristle L. = 0.25x6mm, W=100mm pcs.



RC Roto Brush Bronze

The ideal brush to clean stone-ground skis before waxing. Also used for structuring and hard wax removal. Use single shaft with plexi hood. Max. 800 rpm.

55-500-306 Bristle L. = 0.06x10mm, W=100mm pcs.



RC Roto Brush Steel, Extra Fine

55-500-349 Bristle L. = 0.06x10mm, W=100mm pcs.



RC Roto Brush Steel, Fine

Used to open and clean the structure, can be very aggressive and should be used at speed under 1000 rpm with eye protection. Never press down while using the steel brush.

55-500-314 Bristle L. = 0.04x10mm, W=100mm pcs.

WORKSHOP ACCESSORIES

Waxing Accessories



RC Roto Cork Roll

For melting additives, fluoro powder and even fluoro paraffins.

55-500-311 W = 100 mm pcs.



RED CREEK Felt Roller

For melting additives, fluoro powder and even fluoro paraffins.

55-500-325 W=100mm pcs.



RC Roto Brush Nylon, for Snowboards

Used as a final step. Removes excess pure fluorocarbon additives with very good results.

55-500-308 Bristle L. = 0.12x4mm, W=300mm pcs.



Black Universal Rotary Brush for Snowboards

All around 7 mm nylon brush.

55-500-313 Bristle L. = 0.2x7mm, W=300mm pcs.



RC Roto Brush Horsehair for Snowboards

Used to expose the structure and reduce static charge on snowboards.

55-500-316 Bristle L. = 0.25x6mm, W=300mm pcs.



RC Single Handle with Protection

Long-life, stainless ball bearings and rubber handle. For use with one brush.

55-500-309 pcs.



RC Double Handle Alpine with Single Protection

Long-life, stainless ball bearings and rubber handle. To be used with two ski brushes 100 mm wide. Can not be used with snowboard brush.

55-500-318

pcs.



RC Roto Brush Handle Snowboard

Long-life, stainless ball bearings and rubber handle. To be used with snowboard brushes or two ski brushes.

55-500-310

pcs.

Pole Accessories



Ski Pole Accessories

When used with universal adapter they will fit almost all current ski poles.

55-650-115	Racing Basket small Ø 50 mm	pair
55-650-116	Racing basket large Ø 65 mm	pair
55-650-117	Universal Basket large Ø 60mm	pair
55-650-118	TÜV basket small Ø 70 mm	pair
55-650-119	TÜV basket small Ø 75 mm	pair
55-650-129	Touring Basket Ø 120 mm	pair
55-650-130	Snowflake Racing Basket Ø 95mm	pair
55-650-120	Universal Basket Adaptor	pair
55-650-121	Leki Basket Adaptor	pair
55-650-122	Reduction Adaptor	pair
55-650-123	Spring Lock Washer 11 mm	pair
55-650-124	Spring Lock Washer 10 mm	pair
55-650-126	Basket Grip 18 mm with Strap	pair
55-650-128	Nylon Strap black with Eyelets	pair

Mount/Remount and remove tool

55-650-100	Mount/Remount and remove tool	pcs.
------------	-------------------------------	------



Replacement Spare Clamping Jaws (1 set)

55-650-101	Spare Clamping Jaws, 1 set	pk.
------------	----------------------------	-----

Replacement Spare Mounting Adapter (1 pair)

For pole spring lock washers and Leki Adaptors

55-650-102	Spare Mounting Adapter, 1 pair	pk.
------------	--------------------------------	-----



WORKSHOP ACCESSORIES

Pole Accessories



Ski Pole Cutter

This aluminum body ski pole cutter with anti-friction groove rollers allows a fast and close tolerance cut. Comes with a hardened alloy steel cutting wheel.

57-410-180

pcs.

Replacement Wheel

Hardened alloy steel cutting wheel replacement for ski pole cutter.

57-410-181

1 Pair

pair



Ultracam

ULTRACAM UP and ULTRACAM STAR

The latest boot fitting tools for adjusting fit in the forefoot, heel, instep and ankle areas!

2

ULTRACAM, long recognized as the leader in the simple, effective customization of footwear, introduces their latest offerings - the ULTRACAM UP and ULTRACAM STAR. Mechanical stretching coupled with precision thermal controls allow the comfort of new and existing ski boots to be maximized at the time of purchase or during return visits. With varied types of plastics presenting adjustment issues, fitters using the UP and STAR tools can confidently and quickly alter forefoot, heel, instep, ankle, and toe areas with permanent results. As always, the most recent tools from ULTRACAM also work with inline, ice, and hockey skates, as well as most trekking and hiking shoes



Convey an Authentic Fitting Experience..

With personalized fitting on the sales floor, retailers showcase professional competence to customers. Seeing the process often sparks interest from additional customers.

ULTRACAM UP. The Expansive Expander.

Comprehensive device with one forefoot press and one ankle press; can be upgraded by adding a second forefoot press. Separate controls for temperature and time simplify operation. The optional aircooling cuts the cooling time in half – increasing service margins and customer satisfaction.

ULTRACAM STAR. The Standalone Specialist.

For the first time, the ankle/mid-foot press unit is offered as a detached tool. All fit adjustments required in the forefoot and ankle area can be made with this device. The combination of separate controls for temperature and time, new articulating arm, and the optional aircooling allow precise, complete work in an efficient manner.



AIRCOOLING. Spend a little - save a LOT.

Cooling time of footwear processed on ULTRACAM has been a significant part of the total processing time. With the new aircooling set, this “waiting time” can be cut in half. The aircooling set offers quick cooling to four ULTRACAM UP or ULTRACAM STAR tools at one time when connected to an adequate compressed air supply.



ULTRACAM UP Basic (1Stretch+1Ankle Arm)

One Forefoot Press and one ankle Press, each with two separate control units for time and temperature. Including 3 pairs of lasts, 8 pcs. expansion adapter, measuring gauge and premounted valves for compressed air cooling.

01-2100-114

230 V, 300 W, 40 kg

pcs.

WORKSHOP ACCESSORIES

Ultracam



ULTRACAM UP – extra Forefoot Press

Optional second arm for ULTRACAM UP BASIC with separate control units for time and temperature. Including premounted valves for compressed air cooling.

01-2100-115 230 V, 240 W, 16 kg pcs.



ULTRACAM STAR – ankle Press single, electric

Single-arm ankle Press, with articulating arm and separate control units for time and temperature. Including ankle expansion set (art.no. 01- 2100-120) and premounted valves for compressed air cooling.

01-2100-116 230 V, 60 W, 14 kg pcs.



ULTRACAM aircooling set

Compressed air hose distributor for ULTRACAM UP and STAR models. Easily connect the Air Cooling set to compressed air and the respective ULTRACAM model for faster cooling times. - reduces cooling time to about 20 minutes.

01-2100-117 pcs.



ULTRACAM STAR Ankle Press Manual – Single

Single-arm ankle press featuring an articulating arm without heating function. Including ankle expansion set (art.no. 01-2100-120).

01-2100-118 12,5 kg pcs.

WORKSHOP ACCESSORIES

Ultracam



Ultracam Instep Tool Small

This small instep tool with heating element suits to the small lasts.

55-104-225

pcs.



Ultracam Heel Adaptor with Heating Element

Used on the ankle punch, this new ball and ring style last includes multiple elements to allow for clean expansion of the heel pocket.

55-104-220

pcs.



Ultracam Replacement Accessories

55-104-201	U-bolt each	pcs.
55-104-204	Thermostat each	pcs.
55-104-205	Timer each	pcs.
55-104-211	Thermometer each	pcs.
55-104-215	Round adapter set, set of 8	pk.
55-104-216	Long adapter set, set of 6	pk.
55-104-217	Digital Temperature Sensor	pcs.



Ultracam Ankle Ball Oval

Expands problem areas near the insole.

55-104-224

pcs.

ZELUP® Blaster Ecofriendly high-speed cleaner

ZELUP® Blaster: Ecofriendly, 3 in 1 high-speed cleaner.

Based on hydro-pneumatic fragmentation, a new cleaning technology has been patented by Zelup®. It uses only 15 – 40 liters/h and therefore 15 times less water than a high-pressure cleaner. This very low water consumption allows not only substantial saving, but also indoor cleaning. The Zelup® Blaster does not produce any splashes or puddles and no water reaches the already cleaned surface. Equipped with an ingenious double trigger, it instantly switches between the cleaning and the drying mode. Its accessory brushes allow a deep washing.



Your benefits summed up:

- Ecofriendly cleaning system for indoor use
- By using a wall mounted connection box, the ZELUP® BLASTER is continuously ready to use
- 3 functions with 1 tool: washing, brushing and drying
- The mobile cleaning station enables the universal use in your sport or rental shop
- Wall mounted connection box for operational readiness at one location

The Zelup® Blaster is thus 3 in 1: It washes, brushes and dries!



Trigger pulled to the maximum
Water + air



Usable all the time



Trigger in intermediate
position

WORKSHOP ACCESSORIES

ZELUP® Blaster Ecofriendly high-speed cleaner



Zelup Blaster with straight brush and hose, l = 2.5 m

With nozzle Ø = 2,5 mm for boot cleaning and cleaning of other rental equipment.

Based on hydro-pneumatic fragmentation, a new cleaning technology has been patented by Zelup®. It uses only 15 - 40 liters/h and therefore 15 times less water than a high-pressure cleaner. This very low water consumption allows not only substantial saving, but also indoor cleaning. The Zelup® Blaster does not produce any splashes or puddles and no water reaches the already cleaned surface. Equipped with an ingenious double trigger, it instantly switches between the cleaning and the drying mode. Ist accessory brushes allow a deep washing.

Your benefits summed up:

- Ecofriendly cleaning system for indoor use
- By using a wall mounted connection box, the ZELUP® BLASTER is continuously ready to use
- 3 functions with 1 tool: washing, brushing and drying
- The mobile cleaning station enables the universal use in your sport or rental shop
- Wall mounted connection box for operational readiness at one location

55-240-210	Ø 2,5 mm, L = 2,5 m for boots	pcs.
------------	-------------------------------	------

Zelup Blaster with flower brush and hose, l = 2.5 m

55-240-215	Ø 4 mm, L = 2,5 m for bikes	pcs.
------------	-----------------------------	------



Additional hose with Z-connection

55-240-220	L = 3 m	pcs.
55-240-225	L = 5 m	pcs.
55-240-230	L = 10 m	pcs.



Zelup Connection Box

For the stationary use without pressure tank. Water flow adjustable between 0 - 60 l/h.

55-240-235	0 - 60 lt. / h.	pcs.
------------	-----------------	------



Zelup Pressure Tank Inox 12 lt.

For the mobile use. Requires a compressed air connection with 6 - 7 bar operating pressure and 160 - 200 lt. output volume.

55-240-265	12 lt.	pcs.
------------	--------	------

Zelup spare brushes



55-240-255	Flower Brush round, 25 mm	pcs.
55-240-258	Brush straight, 15 mm	pcs.
55-240-260	Brush straight, 30 mm	pcs.

Boot Repair



Snowboard Leash

This is all that's needed. A simple 3/4" wide strap with a snap closure. Great for rentals!

57-204-001	Long - 36"	pcs.
57-204-002	Short - 10"	pcs.



Stomp Pads

The black microspike stomp pad, 57-204-010, features an aggressive PSA adhesive for a strong hold. The clear stomp pad, 57-204-011, has a spike pattern with bigger spikes and spaced further, but dense enough for excellent snow removal from boots without covering up graphics!

57-204-010	Black, 5" x 7"	pcs.
57-204-011	Clear, 5" x 7"	pcs.



Boot Laces

Snowboard boot laces. 108" laces are for snowboard or hockey boots.

57-204-015	82" Round Laces, 12 Pair	pk.
57-204-016	108" Round Laces, 12 Pair	pk.



Deep Tooth Ladder Straps

Small 7" Ladder Toe Strap.

57-204-101	150 x 22 mm, 3/16"	pcs.
------------	--------------------	------

Medium 7.5" Ladder Toe Strap

Medium 7,5" Ladder Toe Strap.

57-204-102	195 x 23.5 mm, 3/16"	pcs.
------------	----------------------	------



Large 9" Ladder Toe Strap

Large 9" Ladder Toe Strap.

57-204-103	230 x 23.5 mm, 3/16"	pcs.
------------	----------------------	------



Basic Alpha Receptor

57-204-107	Inside width 23.5 mm	pcs.
------------	----------------------	------

WORKSHOP ACCESSORIES

Boot Repair



Boot Repair Set and Single Articles

The set 55-112-016 consists of countersink screws M3 x 6/8, M4 x 8/12, M5 x 8/12, cylinder head screws M3 x 6, roundhead screws M3 x 6 washers M4 / M5, screw type oval rivets M3 x 5, M4 x 5, lunar nuts M3 x 5, M4 x 6 and M5 x 8 (total more than 550 pcs.).

55-112-016	Set with more than 550 pcs.	pcs.
55-112-017	Countersink M4x8, 500 pcs.	pk.
55-112-018	Countersink M5x8, 500 pcs.	pk.
55-112-019	Countersink M4x12, 500 pcs.	pk.
55-112-020	Countersink M5x12, 500 pcs.	pk.
55-112-021	Screw type rivets M3x5,500pcs.	pk.
55-112-022	Screw type rivets M4x5,500pcs.	pk.
55-112-023	Lunar nuts M4x6, 500 pcs.	pk.
55-112-024	Lunar nuts M5x8, 500 pcs.	pk.



Snowboard Nuts and Bolts Kit

This kit includes 100 screws, 100 washers and 100 nuts for snowboard binding and buckle repairs. The kit comes in a reusable plastic container with dividers for great organization and easy access.

57-204-025	100 pcs.	pk.
------------	----------	-----



Pronged T-Nuts & Screws

Special screws, t-nuts and washers for snowboard boot, snowboard binding and alpine boot repairs.

Prongs

57-204-030	#6-32 dia. x 1/4", 100 pcs.	pk.
57-204-031	#8-32 dia. x 1/4", 100 pcs.	pk.
57-204-032	#10-24 dia. x 5/16", 100 pcs.	pk.

Screws

57-204-035	#6-32 dia. x 3/8", 100 pcs.	pk.
57-204-036	#8-32 dia. x 3/8", 100 pcs.	pk.
57-204-038	#6-32 dia. x 1/4", 100 pcs.	pk.
57-204-039	#8-32 dia. x 1/4", 100 pcs.	pk.
57-204-040	#10-24 dia. x 1/4", 100 pcs.	pk.



Screw Rivets

These 1/4" diameter screw rivets are designed for quick and easy repairs to any type of buckle. Use with Loctite.

57-204-060	3/8" L. Rivet & Screws,50 pcs.	pk.
57-204-061	1/4" L. Rivet & Screws,50 pcs.	pk.



Rivet Machine NM-11/21 incl. Tool Set

This riveting device comes with two tool holder. A large U-shaped holder for processing the rivets of ski boots. A small U-shaped holder for the ideal processing of rivets of ice-skate-blades. The supplied tool set includes tools to work with semi-tubular rivets, copper rivets and eyelets.

55-112-006 _____ pcs.



Spare Tool Set N21 for Rivet Machine

55-112-025 _____ pcs.



Semi-Tubular Rivets for Rivet Machine NM-11/21

55-112-030	Semi-tubular riv.10mm,100 pcs.	pk.
55-112-031	Semi-tubular riv.12mm,100 pcs.	pk.
55-112-032	Semi-tubular riv.14mm,100 pcs.	pk.
55-112-033	Semi-tubular riv.16mm,100 pcs.	pk.
55-112-034	Semi-tubular riv.18mm,100 pcs.	pk.
55-112-035	Semi-tubular riv.20mm,100 pcs.	pk.
55-112-036	Semi-tubular riv.22mm,100 pcs.	pk.



Copper Rivets for Rivet Machine NM-11/21

55-112-038	Copper rivets 26mm, 100 pcs.	pk.
55-112-039	Copper rivets 32mm, 100 pcs.	pk.



Eyelets for Leather Boots

55-112-040 _____ 100 pcs. _____ pcs.



POWER



POWER FIT SOCKS
PERFORMANCE



ER_WIN 3D FOOT SCAN



HEAT SOCKS XLP 1P BT
SURROUND COMFORT



AUTOFIT BT



FOOT WARMER XLP 2C BT



POWER FIT SOCKS
BASIC JUNIOR

NEW



BOOT OPENER EASY

NEW

TOP RUN

The first Fusion insole for running with a 3D base construction featuring a special rebound effect.


- BOOTDOC Energy System (BES)
- Active rebound energy when running
- Lightweight & breathable
- Integrated pad
- Thermally adaptable shape especially for running shoes
- Cushions and stabilizes the foot in the dynamic rolling motion
- Volume: Mid
- Construction: Fusion Preshape BES
- Top cover: Microfiber-Jersey perforated AOF




NEW

BOOTDOC ENERGY SYSTEM (BES) IN DYNAMIC MOVEMENT

- Acts like a spring and generates energy for the running motion
- Improves running economy and increases performance
- Uses impact energy and improves cushioning
- Provides support for every type of runner (heel striker, mid foot, or forefoot runner)



Initial state



Ground contact and impact/prall



Roll-off and push-off movement

BOOTDOC
TUNE YOUR FEET

HOTRONIC
HEATING SYSTEM

Discover now:
bootdoc-hotronic.com



**THE PERFECT RUNNING COMPANIONS.
TOP RUN INSOLES.**

WORKSHOP ACCESSORIES

Tools and Accessories

Tools and Accessories

2



EDDY Heat Gun

The Mark IV Eddy Heat Gun is the best we have found for boot repair and other shop uses. Includes special removable heat Concentrator Featuring:

- 500 – 700 degree heat range
- 110 V, 12 A
- Made with strong heavy duty GE lexan material
- Built in circuitbreaker protection
- Suspended quick change heating element
- Variable temperature adjustment
- One year warranty

57-305-251	EDDY Heat Gun 110 V	pcs.
57-305-255	EDDY Heat Element	pcs.
57-305-257	EDDY Heat Gun Stand	pcs.



Foredom Flexible Shaft Power Grinder Kit

The highest quality variable speed, flexible shaft grinder available anywhere in the world.

Each kit contains:

- 1/6 Horsepower, ballbearing, full torque motor with flexible shaft assembly. 150" diameter, 39" long. Maximum no-load speed is 18,000 RPM. 110 Volts. Features forward and reverse for more versatility.
- Handpiece Model # 44T: A lightweight handpiece with a precision collet for use with 1/8" and 1/4" shaft accessories. Pre-lubricated ball bearings require no maintenance.
- Foot Control Model # SCT: A solid state motor speed control in a cast iron housing. Comes with a 6' cord. Weight - 6 lbs.

57-305-260	110 V	pcs.
------------	-------	------



Replacement Parts for Foredom Grinders

The following replacement parts will work for Foredom models R, SB, SM, RB, RM, CC, DD, MM.

57-305-265	Square Drive Shaft 48 inch	pcs.
57-305-266	Replacement shaft 39" L	pcs.
57-305-267	Replacement Motor Brushes	pcs.
57-305-268	Sheathes for Shaft	pcs.
57-305-269	Sheath Catch Bearing	pcs.
57-305-270	Sheath Catch Ring	pcs.
57-305-271	Motor Connector	pcs.
57-305-273	Handp. #44, collet, 5 1/2"	pcs.
57-305-317	Handp. 43T, Stubby collet, 4 1/2"	pcs.
57-305-276	1/2" Wrench f. #44&43T handp.	pcs.



Replacement Collets

57-305-278	Size 1/4"	pcs.
57-305-279	Size 1/8"	pcs.
57-305-280	Size 3/32"	pcs.



Maintenance Kit Foredom

Models R and S

- Each maintenance kit includes:
- Replacement shaft 39" long
 - Replacement motor brushes
 - Flexible shaft grease

57-305-281

pcs.



Carbide Burrs

Our carbide burrs are available in many different shapes. They come in 1/2", 1/4" and 1/8" head sizes. Carbide burrs should be used in high speed tools like Foredom and Dremel which come equipped with a 3/32", 1/8" or 1/4" collet. Used for grinding boot shells, or shaping metal, fiberglass and wood.

57-305-290	Ball Shaft 1/4" Head 1"	pcs.
57-305-291	Ball Shaft 1/4" Head 1/2"	pcs.
57-305-292	Cylinder Shaft 1/4" Head 1/2"	pcs.
57-305-293	Egg Shaft 1/4" Head 1/2"	pcs.
57-305-294	Tree Shaft 1/4" Head 1/2"	pcs.
57-305-296	Cylinder Shaft 1/4" Head 1/4"	pcs.
57-305-295	Ball Shaft 1/8" Head 1/4"	pcs.
57-305-297	Egg Shaft 1/8" Head 1/4"	pcs.
57-305-298	Tree Shaft 1/8" Head 1/4"	pcs.



Sphere Rotary Burr

The 1" Sphere Burr is the perfect tool for hollowing out concave area of boots and removing plastics with ease. Resist catching on the material like tradition cutting burrs and quickly removes material leaving an excellent finish. The 1/4" shaft requires the use of the 1/4" collet on the flexible shaft grinder. The burr is not prone to loading but can be cleaned with base cleaner or even burned with a torch. Should only be used on non-metallic materials.

57-305-305

1" Sphere Rotary Burr

pcs.



Fiberglass Cut Off Wheel

These Cut Off Wheels are reinforced with fiberglass for increased durability and used for cutting metal including hardened steel. Cut-off wheels make it easy to cut metal edges, screw and may be used on other materials-including thin wood, plastics and ceramics. 1 1/4" diameter with 1/16" arbor hole. Sold as each use with 57-305-314 mandrel.

57-305-313

Fiberglass Cut Off Wheel

pcs.

WORKSHOP ACCESSORIES

Tools and Accessories

2



1/8" Mandrel

Screw type mandrel to be used with cut off wheels 1/8" Shank – 1/16" Arbor Hole Capacity – 1-7/8" Overall Length – 30,000 Max RPM

57-305-314 _____ pcs.



1/2' X 1/2" Sanding Bands 10 PK

10-Packs of 1/2" x 1/2" Aluminum Oxide Bands 120 grit

57-305-306 _____ pk.

1/2" X 1/2" Sanding Drum

NEW SIZE 1/8" Shank for 1/2" bands for 57-305-306

57-305-307 _____ Unit _____ pcs.



Brannock Devices - Made in USA

3 models for foot sizing: Ski Boot, Junior and MONDO POINT. The Brannock Device comes in a ski boot model (which accommodates both men and women), the junior model and the Mondo Point model. Junior Models measure the foot a little smaller than adult models for the decreased toe room of a smaller foot.

57-305-002	Athletic men and women US size	pcs.
57-305-003	Junior model US sizes	pcs.
57-305-004	Up to MP 34.0	pcs.
57-305-007	Junior cm, up to MP 24.0	pcs.



Foot and Ankle Chart

Give your work area a professional look. Our quality 20" x 26" laminated chart allows you to describe what's "going on" in the boot. Only available in English language.

57-305-005 _____ 20" x 26" _____ pcs.



Elastic Foot Skeleton

This high quality life-size model features a portion of the tibia and fibula, strung on elastic, allowing the bones to be pulled apart for individual study.

57-305-006 _____ pcs.



Universal Scissors

These amazing scissors were designed specifically to cut almost anything from trimming skate and ski boot shells, to cutting bontex and vinyl.

57-202-726 _____ pcs.



BD Scissors

For a precise, straight or curved cut.

01-2300-082	Straight	pcs.
01-2300-084	Curved	pcs.

Boot Lift and Pre-Canted Boot Lift Kits



Cold River Boot Lifting and Canting sets are the best option for restoring boot soles or canting for proper stance. Injection molded with poly-ether urethane resin and feature countersunk screw holes with tread pattern on both toe and heel. Boot Lift Kits are available in 3, 5 and 7 mm thickness and Pre-Canted Boot Lift Sets in 0.5 to 3.0 degrees at 0.5 degree intervals. Each Boot Lift Kit includes 2 heel, 2 toe pieces and 36 #6 X 5/8" SST flat head screws and each Pre-Canted Boot Lift set includes 1 heel, 1 toe piece, and 18 #6 X SST flat head screws. AFTER INSTALLATION THE TECHNICIAN IS RESPONSIBLE FOR RESTORING THE TOE AND HEAD LUGS TO ISO 5355 STANDARDS. Made in Big Bend Wisconsin.



Boot Lift Kits

57-305-320	3 mm	pcs.
57-305-321	5 mm	pcs.
57-305-322	7 mm	pcs.

Pre-Canted Boot Lift Individual Sets

57-305-330	0.5 Deg Left Lean	pcs.
57-305-331	1.0 Deg Left Lean	pcs.
57-305-332	1.5 Deg Left Lean	pcs.
57-305-333	2.0 Deg Left Lean	pcs.
57-305-334	2.5 Deg Left Lean	pcs.
57-305-335	3.0 Deg Left Lean	pcs.
57-305-336	0.5 Deg Right Lean	pcs.
57-305-337	1.0 Deg Right Lean	pcs.
57-305-338	1.5 Deg Right Lean	pcs.
57-305-339	2.0 Deg Right Lean	pcs.
57-305-340	2.5 Deg Right Lean	pcs.
57-305-341	3.0 Deg Right Lean	pcs.

WORKSHOP ACCESSORIES

Tools and Accessories

2



Router Arbor Assembly

Used to mill lugs back to DIN height after installation of Boot Lifting and Canting sets. ½" router arbor assembly with spacers, cutter, high quality bearing and DIN wheel. Aluminum DIN wheel with back angle cut to clear boot, carbide tipped cutter. Made in Big Bend Wisconsin.

57-305-351	Router arbor with 41 mm bit	pcs.
------------	-----------------------------	------



Din Height Gauge

Used to ensure router Arbor is at the correct height for machining Toe/ heel lugs. Machined Aluminum with indicators for 30 mm heel height and 20 mm toe height. Toe height is set at the top of the DIN tolerance to preserve material. Made in Big Bend Wisconsin.

57-305-350	Height gauge 20/30 mm	pcs.
------------	-----------------------	------



Nupla Soft Faced Hammer

The Nupla Soft Faced Hammer is ideal for ski shop use where a soft blow is needed. This hammer weighs only 12 ounces, has a zinc cast head and comes with a medium hardness face on one side and a hard face on the other. Handle length is 12" face diameter is 1".

57-202-760	Complete hammer	pcs.
57-202-761	Medium (Red) Replacement Head	pcs.
57-202-762	Hard (Black) Replacement Head	pcs.



Contact Cement

Household name in contact cement. Well, not really, because this stuff is so good it is for industrial use only. Note: UPS Shipping surcharge \$ 20 hazardous fee (for up to 30 quarts) for flammable liquids. Save money and order in quantity.

57-202-570	One Quart Size	pcs.
------------	----------------	------



Premium Glue Pot 0,45 lt.

Premium Glue Pot prevents glue drying out, and can be used safely with any slightly evaporating liquid, as well as water and solvent based adhesives. The cap of the container seals tightly and protects adhesive from drying out. The included brush can remain inside the container when not in use.

57-202-741		pcs.
------------	--	------



Epoxy Brushes, 12 pcs.

A pack of 12 ultra handy adhesive brushes.

57-202-553	Epoxy Brushes ,12 pcs.	pk.
------------	------------------------	-----



Cloth Duct Tape

Duct Tape is a popular item with many, many uses. A must for every repair shop!

57-202-580	Silver 2" x 60 Yard Roll	roll
57-202-581	Black 2" x 60 Yard Roll	roll



Sani-Grinder

57-305-913	4" Sani-Grinder	pcs.
57-305-914	4" Grinding Sleeves 6 pack	pk.
57-305-911	3" Grinding Sleeves	pcs.




Fit Mat Volume

Volume reducing mat in 3 or 5 mm thickness 10 pcs.

3 mm thickness		
01-2100-042-S	3mm small	pk.
01-2100-042-L	3mm large	pk.
5 mm thickness		
01-2100-043-S	5mm small	pk.
01-2100-043-L	5mm large	pk.

WORKSHOP ACCESSORIES

Tools and Accessories



EVA Sheets

These EVAs are available in full sheets. Use the 1/4" thick sheets to cut out just the amount of posting you need, or to make heat moldable fitting aids.

57-305-145	32" x 32" x 1/4" 7 lbs.	pcs.
57-305-146	32" x 32" x 1/4" 12 lbs.	pcs.
57-305-147	32" x 32" x 1/4" 16 lbs.	pcs.



Molded Heel Post

Heat Moldable! Available in four sizes: small to extra large.

57-305-165	Molded Heel Post - Pair Small	pair
57-305-166	Molded Heel Post - Pair Medium	pair
57-305-167	Molded Heel Post - Pair Large	pair
57-305-168	Molded Heel Post - Pair XLarge	pair



Insole Shims

Designed to be used under the inner boot liner to fill in excess space, this special fiber composition will resist mildew and provides good insulation. Can be cut easily with scissors for a custom fit. Available in two thicknesses: 1/16" and 1/8" and four sizes.

57-305-170	6/7, 1/16" Thick 10 Pairs	pk.
57-305-171	8/9, 1/16" Thick 10 Pairs	pk.
57-305-172	10/11, 1/16" Thick 10 Pairs	pk.
57-305-173	12/13, 1/16" Thick 10 Pairs	pk.
57-305-174	6/7, 1/8" Thick 10 Pairs	pk.
57-305-175	8/9, 1/8" Thick 10 Pairs	pk.
57-305-176	10/11, 1/8" Thick 10 Pairs	pk.
57-305-177	12/13, 1/8" Thick 10 Pairs	pk.



Premium Black Plastic Heel Wedges and Lifts

This high grade PVC material is far superior over low cost foam rubber products. They cushion shock very well but will not compress like wedges and lifts developed for walking shoes. Does not freeze, absorb moisture or mildew.

- Heel Wedges Black
- Does not break down
- Resists mildew
- Does not freeze
- Will not absorb moisture

57-305-180	Wedges, Size 3/8", 10 Pair L	pk.
57-305-181	Wedges, Size 3/8", 10 Pair M	pk.
57-305-182	Wedges, Size 3/8", 10 Pair S	pk.
57-305-183	Lifts, Size 3/8", 10 Pair L	pk.
57-305-184	Lifts, Size 3/8", 10 Pair M	pk.
57-305-185	Lifts, Size 3/8", 10 Pair S	pk.



Thoren Heel Lifts

57-305-200	1/4" Heel Lift dozen Pair/pack	pk.
57-305-201	1/2" Heel Lift dozen Pair/pack	pk.



C Pads

57-305-213	12 Pair	pk.
------------	---------	-----



L Pads

57-305-214	1/8" Firm Density, 12 Pair	pk.
57-305-215	3/16" Soft Density, 12 Pair	pk.



Wrap Around Pad

57-305-216	1/8" Firm Density, 12 Pair	pk.
57-305-217	3/16" Firm Density, 12 Pair	pk.



Modified Wrap Around Pad

57-305-218	1/8" Firm Density, 12 Pairs	pk.
57-305-219	3/16" Soft Density, 12 Pair	pk.



Tapered Shin Pad

57-305-222	12 Pairs	pk.
------------	----------	-----

WORKSHOP ACCESSORIES

Disinfection and Deodorization



Fit Mat Raw 10 pcs.

Grip Surface fit material 230 x 270 x 5 mm 10 pcs.

01-2100-040

pcs.



Fit Material Perforated 5 pcs.

Perforated Surface fit material 300 x 380 x 3 mm 5 pcs.

01-2100-027

pcs.



Full Length Wedges

Full length wedges are designed to help fill the void of shell and cuff alignment. These wedges help with forefoot twist, and allows even weight distribution on the ball of the foot.

57-305-230

4" x 13" x 1/4" 16 lb EVA

pcs.

Disinfection and Deodorization



EazyOn Spray 3 oz.

EazyOn is a spray that helps you get your ski boots on easier and faster, even on the coldest days. The spray is crafted from cosmetic grade lubricants so it is safe for the skin, and does not leave a residue. It is made of FDA approved organic silicon compounds, and does not use CFC's. EazyOn will be packaged in a ready to ship display case. The display case dimensions are approximately 9x 6 5/8 x 5 1/2" and will contain 12 3 oz cans. This product is not only great for retail sale but is also used on the sales floor to aid customers into their boots during sizing and boot fitting. Ground shipping only!

57-304-310

3 oz.

pcs.



Boot Juice Disinfectant Spray

For use in any in-line skate, ski boot or rental shoe. Eliminates odor, controls mold and mildew, kills most germs, lemon fresh scent. One can will disinfect up to 300-400 pairs of boots or shoes. Does not contain any CFC's or VOCs. Claire Disinfectant Spray Q EPA Reg. No. 706-111 has demonstrated effectiveness against viruses similar to 2019 Novel Coronavirus (2019-nCoV) on hard non-porous surfaces. Therefore, Claire Disinfectant Spray Q can be used against 2019 Novel Coronavirus (2019-nCoV) when used in accordance with the directions for use against Poliovirus type 1 on hard, non-porous surfaces. Ground ship only!

57-305-001

15 1/2 oz.

pcs.

WORKSHOP ACCESSORIES

Disinfection and Deodorization

2

Easyfresh Device + Helmet Option

Bacteria have no chance anymore with Easyfresh! With two nozzles oneacharm the whole boot can be disinfected perfectly. The compact machine hastwo arms for boots and one flexible nozzle for the treatment of helmets. Therefore your boots and helmets are always fresh and sanitized!

- the flow rate und spray period can be choosen on the control panel
- compressed air needed (6 bars pressure from the workshop outlet or asmall separate compressor)
- space for 2 separate liquid cans (5 lt. each), 1 for boots and 1 forhelmets
- works without electricity for a maximum of safety and reliability



Easyfresh Disinfection Device for Boots

Disinfection device for boots. Basic device with two arms for boots.

7368-03	Easyfresh Device f. Boots	pcs.
---------	---------------------------	------

Easyfresh Option for Helmet, incl. 5 Lt. Helmet Fresh

Flexible nozzle for helmets. Including 5 Lt. disinfection liquid HELMET FRESH for helmets.

7368-0912-V01	Easyfresh Helmet Option	pcs.
---------------	-------------------------	------



Vital Oxide

Vital Oxide is our environmentally friendly Disinfectant Cleaner and Odor Remover which is great foreveryday disinfecting and sanitizing. Vital Oxide is super effective atkilling mold, mildew, bacteria, andviruses and eliminating odor. Kills 99.9% of bacteria and viruses, killsfungus, mold, and mildew atthe source and inhibits growth, sanitizes 99.999% of bacteria on food-contact surfaces with no rinserequired, and eliminates odor at a molecular level, not by masking withfragrance. Vital Oxide is a HardSurface Disinfectant and Soft Surface Sanitizer.

- **Vital Oxide has been approved by the EPA for general use against SARS-CoV-2, the coronavirus that causes the Coronavirus Disease 2019 (COVID-19). Follow the directions on the label for use against Norovirus Feline Calicivirus** and Canine Parvovirus (Strain Cornell-780916, ATCC VR-2016**) on hard, non-porous surfaces.**
- Full strength and ready to use
- On hard surfaces, for disinfection, apply at full strength and leave for a 10-minute dwell time.
- On soft surfaces (Helmets and Boots), for sanitization, apply at full strength or up to a 5:1 dilution. 5 parts water:1 part solution. There can be bleaching so to be safe, do a color test if desired. Leave for a 60 minute dwell time.
- EPA-registered hospital disinfectant with lowest toxicity category—gentle enough for daily disinfecting and sanitizing
- NSF-registered "no rinse on food-contact surfaces" sanitizer
- Heavy duty odor eliminator—gets rid of bad odors by attacking the source of the problem, not by masking
- Soft-surface sanitizer
- Hypo-allergenic
- No volatile organic compounds (VOCs)
- No harsh chemicals, non-irritating to skin, no nauseous fumes

57-304-001	128 oz Gallon Jug	pcs.
57-304-002	32 oz Spray Bottle	pcs.
57-304-003	3 oz Travel Bottle	pcs.



Spray Bottle 1 lt. and Extension 60° (empty)

Thanks to the curved extension tube, ski boots can be optimally sprayed even at the toe area and wax removers can also be conveniently applied to the base.

First, pressure is built up in the bottle by pumping pressure into the bottle. Afterwards, a light press on the spray button is sufficient for an even, constant atomization. The fineness can be adjusted by turning the nozzle nut. In addition to the extension shown on the picture (30 cm), a 5 cm long standard nozzle is included in the delivery too. The use of this spray bottle can therefore be varied, depending on the nozzle you use.

55-100-808 Spray Bottle 1000ml+Extension pcs.

Spray Extension for Spray Bottle 1 lt.

It can get hectic when it comes to the disinfection of all the rental boots. If you accidentally damage your 30 cm extension, you can also reorder this cheap spare part only. By turning the nozzle nut at the very front, the fineness of the atomization can be individually adjusted.



55-100-809 Spare Spray Extension, 30 cm pcs.



Air-Refresher Tab


Deodorizer for Boot Dryers INNOVA and Easystore Flex drying modules OPTIMA and PREMIA. Lifetime: approx. 4 weeks.

55-100-807 Ø 53 mm, 10 pcs. pk.

Innovation V-Edge For the ultimate skiing experience.

2

Edge grinding in particular is revolutionized by the new generation of Jupiter automated machines. The new V-Edge function grinds side and base edges along the ski length in the front and rear areas with variable angles. This results in a perfect combination of optimum edge grip and easy control of the ski. This increases the skier's fun and enhances their safety, meaning perfection for everyone, from leisure skiers to racers. V-Edge-ground skis deliver an entirely new skiing sensation, which you have to experience for yourself to understand this revolutionary technology. Thanks to its digital networking, the Jupiter is able to automatically recognize skis and compare them with the data stored in the Easyrent rental software. The Jupiter then automatically activates the appropriate or saved edge grinding parameters. Alternatively, a QR code applied to the ski is scanned. The benefit in both cases: Automatic ski recognition results in individual edge grinding without manual intervention. In the Jupiter M/L machine version, a hand-held scanner is used for ski recognition.



www.vedge.ski

Ski recognition with Easyrent connection.

- Skis are assigned to a category (Comfort, Sport, Race) in Easyrent.
- The Jupiter scans the Easyrent EAN code.
- The edges are perfectly ground depending on the category.
- Individually changed edge parameters are stored in Easyrent and are therefore precisely reproducible. Every ski is unique!



Ski recognition without Easyrent connection.

- Each ski is labeled with a durable QR code sticker, with a unique code for each of the 3 categories Comfort, Sport, or Race.
- The Jupiter reads the QR code and the edges are perfectly ground depending on the category.

The WINTERSTEIGER automation family

Jupiter – the king of the ski service universe.

Striving for innovation, always staying one step ahead, anticipating and helping to shape the future – this has distinguished WINTERSTEIGER for decades. With the new generation of Jupiter automated machines, we are taking you on a journey to a new world, where many innovative features improve the ski service. From variable V-Edge tuning for the perfect ski experience to the new “Trim Cut” for side wall preparation, Wintersteiger offers digital solutions and much more in the ski service universe. Proven features such as the Ceramic Disc Finish and the “paternoster” – the most efficient ski magazine on the market – have been retained or enhanced. Come with us and get to know the Jupiter. Combining numerous innovations with sophisticated engineering leads to a whole new world of ski service!



Your benefits summed up:

Completely individual machine configuration

- 5 different processing modules
- Highest throughput rate of more than 70 pairs of skis an hour
- 3 application levels for growing demands: Universal, Performance, Race

Optimum ski handling

- 3 feeding variants: Paternoster (X), loading unit (L), manual (M)
- Each feed option is also available in an extended race version for longer racing skis
- Suction-less ski transport with 9 or up to 11 cylinders (Race) per ski for perfect grinding right to the tip

Scout – Maximum performance from a compact footprint!

Automatic Service Station for skis – stone / disc processing smallest room.

In addition to the stone-disc version, the Scout is now also available in a stone-disc-polishing version.

In developing the Scout, WINTERSTEIGER has decoupled size and performance once and for all. Due to the compact design of the machine, even small workshops now have enough space to make the move from manual ski servicing to automated, cutting-edge technology. One operator on the Scout achieves almost twice the throughput as two manual machines with one operator. In other words, the Scout's intelligent design means that upgrading to an automated machine is no longer about space, but economic sense.

Now available with polishing module!



Ceramic
Disc
Finish

MACHINERY



Trim B
Side Edge Grinder for skis and snowboards



Ceramic Disc Finish

Trimjet 2 / Trimjet 2 R
Automatic Doublesided Disc Edge Grinding and Tuning Machine for skis and snowboards



Ceramic Disc Finish

Trim Disc 71
Automatic Edge Grinding and Tuning Machine for skis and snowboards



Omega RS 150, RS 350
Stone Grinder for skis and snowboards



Race NC
Numerically Controlled Single Stone Grinder



Omega B
Belt Grinder for skis and snowboards



Omega S 150, S 350
Stone Grinder for skis and snowboards



Omega SBI, RSBI
Combined Stone and Belt Grinder for skis and snowboards



Sigma Eco
Belt Grinder for skis and snowboards



Basejet
Automatic Base Extruder



Safetronic
Ski Binding Testing and Adjustment Machine

3

	a	b	c
1	1°	89°	90°
2	1°	88°	89°
3	0.75°	87.25°	88°
4	0.75°	86.25°	87°
5	2°	88°	90°
6	3°	88°	91°
7	4°	87°	91°



Upgrade Kit Angle Adjustment Bolt

Discovery 1

8550-0272-U99

pcs.



Ski Rest Professional Basejet

Basejet The optional ski rest allows an ergonomic working process for the preparation of skis and snowboards at the automated base extruder Basejet.

Basejet

7470-1411-V03

pcs.



Ski Exit Tray Omega

The optional exit tray facilitates your daily work.

Omega S 150, Omega S 350

8100-0611-V50

pcs.



Tray Extension Trimjet 2 (set with 2 pcs.)

Adjustable Tray Extension attach to the exit trays on each side to extend the maximum length of 400 mm. Allows for grinding fluid from skis/snowboards to flow back into the machine.

Trimjet 2

8490-0351-V04

pcs.



Pneumatic Feed Lifter Kit

Allows feed arm to be lifted by a pneumatic cylinder. The pedal will activate the valve of the cylinder instead of the whole feed arm through the lifter cable, which requires significantly less effort to move the pedal. Installation is not included in the price and would be done in conjunction with summer service.

Sigma B, Sigma S 200/350, Sigma SBI

8080-0511-V88

pcs.



Water Cooler with Thermo Chiller

At service machines this cooling device (optional and retrofitted) for secures a stabile temperature of the grinding water. With this thermo chiller, WINTERSTEIGER provides a new and user-friendly cooling concept. Your benefits summed up: a continous water temperature ensures continous grinding results, longer life time and changing intervals of the grinding water, less bacterial growth, less emulsion consumption and a lower wear of the grinding stones and diamond dressers. Practical: The installation of the heat exchanger on the top of the water tank allows an easy cleaning of the water tank.

For Jupiter with 300/400 lt. tank and Scout

50-400-080	Chiller 1x200-230V/50-60Hz	pcs.
8570-0861-V01	Heat Exchange Kit 400 lt.Tank	pcs.
8570-0861-V21	Electric parts 3x220V/50-60Hz	pcs.

For Jupiter with 600 lt. water tank

50-400-080	Chiller 1x200-230V/50-60Hz	pcs.
8580-0811-V70	Heat Exchange Kit 600 lt.Tank	pcs.
8570-0861-V21	Electric parts 3x220V/50-60Hz	pcs.

For manual machines Omega/Race NC

50-400-080	Chiller 1x200-230V/50-60Hz	pcs.
8100-0861-V01	Heat Exch. Kit f.Omega/Race NC	pcs.

4



Cooling Additive 1,5 lt. for Thermo Chiller

Pure water can freeze in the cooling circuit and cause malfunctions. Therefore, the cooling circuit of the thermo chiller and heat exchanger has to be filled up with this coolant and water in a mixing ratio of 1:1. The coolant prevents the freezing of the circulating medium, it protects against limescale and corrosion. 2 pcs. each of the coolant additive art.no. 76-400-142 (= 1.5 lt.) are supplied per heat exchangerart. We recommend draining and disposing of the circulating medium in the cooling circuit at the end of the winter season. The cooling circuit has to be refilled at the beginning of the next winter season.

76-400-142	1,5 lt. can	pcs.
------------	-------------	------



Base Repair

Polyethylene Wire 1,5 kg Standard

Baseman uses 55-560-160 or 55-560-161.

Basejet, Polyjet 80/100/120/130

55-560-106	Ø 3mm, 1,5 kg, clear, soft	pcs.
55-560-107	Ø 3mm, 1,5 kg, black, soft	pcs.
55-560-109	Ø 3 mm, 1,5 kg, graphite, soft	pcs.



Polyethylene Wire 1,5 kg with Lemon Scent

This polyethylene wire with smell lemon contributes to a pleasant climate in workshops. Exclusively available at WINTERSTEIGER!

Basejet, Polyjet 80/100/120/130

55-560-150	Ø 3mm, 1,5 kg, clear, soft	pcs.
55-560-151	Ø 3mm, 1,5 kg, black, soft	pcs.
55-560-152	Ø 3mm, 1,5 kg, graphite, soft	pcs.



Polyethylene Wire 0,25 kg with Lemon Scent

This polyethylene wire with smell lemon contributes to a pleasant climate in workshops. Exclusively available at WINTERSTEIGER!

Baseman

55-560-160	Ø 3 mm, 250 g, clear	pcs.
55-560-161	Ø 3 mm, 250 g, black	pcs.

Polyethylene Wire 0,4 kg

The most desired, high quality, low density, pure polyethylene base repair on the market today. Specifically designed for use in Wintersteiger, Skid, Montana and Monty Jr. extruders. For Baseman use only 55-560-160 or -161.

Polyman

55-560-100	Ø=3mm, clear, hard	pcs.
55-560-104	Ø=3mm, clear, soft	pcs.
55-560-110	Ø=3mm, black, hard	pcs.
55-560-115	Ø=3mm, graphite, hard	pcs.
55-560-116	Ø=3mm, black, soft	pcs.

Polyethylene Wire 3,5 kg for MONTANA Machines

MONTANA MRS2000+GSA2000

55-560-340	Ø 5 mm, 3,5 kg, clear	pcs.
55-560-341	Ø 5 mm, 3,5 kg, graphite	pcs.



Grinding Belts



WINTERSTEIGER: Best Belt Quality.

Red Tuning Belt.

The tuning belt's properties mean it can be used for a wide range of applications. For pregrinding, the belt only needs to be broken slightly, which enables a very good and fast removal of polymaterial without sticking by using a high belt speed (rpm). If the belt is broken more, it is ideal for use as a tuning belt at low speed and with low grinding pressure. This means only the peak structures are touched and fiber-free grinding can be achieved. Another advantage of the tuning belt – which consists of a mixed ceramic and corundum grit – is its high dimensional stability and long lifetime. The integrated connecting foil, which is patented, does not protrude at the joint and thus ensures an even finish.

Tip: Depending on the application, break less for pre-grinding and more for tuning.

Note: Sufficient water cooling required.

Blue Grinding Belt.

This zirconium corundum grinding belt has a very high quality and flexible return idler, as well as synthetic abrasive grain with controlled breaking behaviour. This breaking behaviour means that the abrasive grain repeatedly produces new grinding edges on the grain. The belt has a long lifetime and the grinding result is very good on the base, as well as on the edge (base and side edge). The belt needs to be slightly broken before first use. The last part of the item number corresponds to the belt grain: XX-XXX-080,-100,-120,-150,-180

Tip: Fast band speed increases the material removal.

Caution: Ensure adequate cooling.

Trizact™ Grinding Belt.

The pyramid shaped arrangement of the abrasive grain gives the Trizact grinding belt a longer lifetime and enables an even and fibre free result (structural grind), as well as very fine edge tuning. However the material removal is less than with the red tuning belt. This belt is ideal for snowboards, which, due to their shape (concave or convex), cannot be ground on the stone perfectly. The belt needs to be broken lightly before first use.

Tip: Only slight contact pressure and good cooling required.

Scotchbrite Belt (Waxing and Deburring Belt).

This belt is suitable for wet and dry operation and can be used for deburring, polishing and cold waxing (only dry process) in one work step. The belt has a low belt extension due to the reinforced nonwoven fibrous web and is particularly resistant to tearing and thus has an enormous lifetime. **Caution:** For dimensions 350 x 1300 mm and 350 x 2000 mm on machines with selfcentering idler wheel (from year of manufacture 2000), we recommend the use of a top quality belt type (with reinforced belt back).

Tip: Slow belt speed.

Moonflex Diamond Belt.

The special Moonflex grit enables an enormous lifetime of these side edge belts (more than 2000 pairs). Usage: grain 400 and 600 as tuning belt for very fine edge tuning, grain 060 and 120 as pregrinding belt for the discovery P-module.

Cork Finishing Belt.

For use after edge tuning. Fine hairs on the base are removed by using a lot of water, little pressure and low belt speed. A smooth and fibre free base is produced. This belt is mainly used for finishing and needs to be broken accordingly.

Tip: Slow belt speed.

WINTERSTEIGER Side Edge Grinding Belts Blue

Machine Type	Width	Length	Grit	Art.No.	Unit
Norton Grinding Belts					
GRINDRITE 21hundred, GRINDRITE ST500, Microjet, SEG (Omega,Sigma,Micro,SNB), Sigma B, Sigma Eco, Trim 40, Trim B, Universal 350/Combi	20 mm	1200 mm	80	56-100-080	pcs.
	20 mm	1200 mm	100	56-100-100	pcs.
	20 mm	1200 mm	120	56-100-120	pcs.
MCR 800/1500	20 mm	1500 mm	80	56-105-080	pcs.
	20 mm	1500 mm	100	56-105-100	pcs.
	20 mm	1500 mm	120	56-105-120	pcs.

WINTERSTEIGER Side Edge Speciality Belts

Machine Type	Width	Length	Art.No.	Unit
Tuning Belts				
GRINDRITE 21hundred, GRINDRITE ST500, Microjet, SEG (Omega,Sigma,Micro,SNB), Sigma B, Sigma Eco, Trim 40, Trim B, Universal 350/Combi	20 mm	1200 mm	56-150-020	pcs.
MCR 800/1500	20 mm	1500 mm	56-150-030	pcs.
Moonflex Diamond Belts				
GRINDRITE 21hundred, Microjet, SEG (Omega,Sigma,Micro,SNB), Sigma B, Sigma Eco, Trim 40, Trim B, Universal 350/Combi	20 mm	1200 mm	56-101-400	pcs.
	20 mm	1200 mm	56-101-600	pcs.

GRINDRITE Belts

Machine Type	Width	Length	Art.No.	Unit
GRINDRITE Base Grinding Belts Blue				
GRINDRITE ST1800, GRINDRITE ST2000, GRINDRITE ST2600, GRINDRITE ST3200, GRINDRITE ST600	320 mm	1500 mm	55-311-080	pcs.
	320 mm	1500 mm	55-311-100	pcs.
	320 mm	1500 mm	55-311-120	pcs.
	320 mm	1500 mm	55-311-150	pcs.

WINTERSTEIGER Base Grinding Belts Blue

Machine Type	Width	Length	Grit	Art.No.	Unit
Norton Grinding Belts					
Micro 1/SB2, Micro PRO/Center	120 mm	2000 mm	80	56-108-080	pcs.
	120 mm	2000 mm	100	56-108-100	pcs.
	120 mm	2000 mm	120	56-108-120	pcs.
	120 mm	2000 mm	150	56-108-150	pcs.

MACHINE ACCESSORIES

Grinding Belts

WINTERSTEIGER Base Grinding Belts Blue

Machine Type	Width	Length	Grit	Art.No.	Unit
MCR 800/1500, Micro 80/81/100	150 mm	2000 mm	80	56-120-080	pcs.
	150 mm	2000 mm	100	56-120-100	pcs.
	150 mm	2000 mm	120	56-120-120	pcs.
	150 mm	2000 mm	150	56-120-150	pcs.
Micro 71, SNB 60	350 mm	1300 mm	80	56-133-080	pcs.
	350 mm	1300 mm	100	56-133-100	pcs.
	350 mm	1300 mm	120	56-133-120	pcs.
	350 mm	1300 mm	150	56-133-150	pcs.
Discovery 2, Jupiter, Mercury, Omega B, Omega SBI	350 mm	1600 mm	80	56-137-080	pcs.
	350 mm	1600 mm	100	56-137-100	pcs.
	350 mm	1600 mm	120	56-137-120	pcs.
Discovery 1, Evolutiv 20/25, Evolutiv 40, Universal 350/Combi	350 mm	1935 mm	80	56-560-080	pcs.
	350 mm	1935 mm	100	56-560-100	pcs.
	350 mm	1935 mm	120	56-560-120	pcs.
Microjet, Tunejet	400 mm	1600 mm	80	56-136-080	pcs.
	400 mm	1600 mm	100	56-136-100	pcs.
	400 mm	1600 mm	120	56-136-120	pcs.

WINTERSTEIGER/GRINDRITE Base Grinding Belts Blue

Machine Type	Width	Length	Grit	Art.No.	Unit
Norton Grinding Belts					
GRINDRITE 21hundred, GRINDRITE 61hundred, Micro 1/SB2, Micro 80/81/100, Micro 90/91, Sigma B, Sigma Eco, Sigma SBI, SNB 80	350 mm	2000 mm	80	56-135-080	pcs.
	350 mm	2000 mm	100	56-135-100	pcs.
Micro 1/SB2, Micro 80/81/100, Micro 90/91, Sigma B, Sigma Eco, Sigma SBI, SNB 80	350 mm	2000 mm	120	56-135-120	pcs.
GRINDRITE 21hundred, GRINDRITE 61hundred, Micro 1/SB2, Micro 80/81/100, Micro 90/91, Sigma B, Sigma Eco, Sigma SBI, SNB 80	350 mm	2000 mm	150	56-135-150	pcs.
	350 mm	2000 mm	180	56-135-180	pcs.

WINTERSTEIGER Base Edge Speciality Belts

Machine Type	Width	Length	Art.No.	Unit
Tuning Belts				
Micro 1/SB2, Micro PRO/Center	120 mm	2000 mm	56-150-120	pcs.

WINTERSTEIGER Base Edge Speciality Belts

Machine Type	Width	Length	Art.No.	Unit
Micro 71, SNB 60	350 mm	1300 mm	56-150-340	pcs.
Discovery 2, Jupiter, Mercury, Omega B, Omega SBI	350 mm	1600 mm	56-150-160	pcs.
Micro 1/SB2, Micro 80/81/100, Micro 90/91, Sigma B, Sigma Eco, Sigma SBI, SNB 80	350 mm	2000 mm	56-150-350	pcs.
Trizact Belts				
Micro 71, SNB 60	350 mm	1300 mm	56-182-340	pcs.
Discovery 2, Jupiter, Mercury, Omega B, Omega SBI	350 mm	1600 mm	56-182-360	pcs.
Micro 1/SB2, Micro 80/81/100, Micro 90/91, Sigma B, Sigma Eco, Sigma SBI, SNB 80	350 mm	2000 mm	56-182-350	pcs.
Cork Finish Belts				
Discovery 2, Mercury, Omega B, Omega SBI	350 mm	1600 mm	56-181-360	pcs.
Micro 1/SB2, Micro 80/81/100, Micro 90/91, Sigma B, Sigma Eco, Sigma SBI, SNB 80	350 mm	2000 mm	56-181-350	pcs.
Waxing and Polishing Belts				
Micro 71, SNB 60	350 mm	1300 mm	56-180-401	pcs.

WINTERSTEIGER Base Belts Scotchbrite

Machine Type	Width	Length	Techn. Data	Art.No.	Unit
Scotchbrite Waxing and Deburring Belts					
MCR 800/1500, Micro 80/81/100	150 mm	2000 mm		56-180-310	pcs.
Micro 71, SNB 60	350 mm	1300 mm	Standard quality	56-180-315	pcs.
Micro 1/SB2, Micro 80/81/100, Micro 90/91, Sigma B, Sigma Eco, Sigma SBI, SNB 80	350 mm	2000 mm	Standard quality	56-180-320	pcs.
Discovery 2, Mercury, Omega B, Omega SBI	350 mm	1600 mm	Top quality	56-180-365	pcs.
Micro 1/SB2, Micro 80/81/100, Micro 90/91, Sigma B, Sigma Eco, Sigma SBI, SNB 80	350 mm	2000 mm	Top quality	56-180-335	pcs.



GUMI STIK Temp Sub 1 3/8 x 4 1/4

No need to discard old belts-GUMISTIK is here! Cleans abrasive belts clogged with fiberglass, plastic, and metals. Quick and easy to use, it cleans while the sander is running.

57-202-020 8.5" x 1.5" x 1.5" pcs.

MACHINE ACCESSORIES

Grinding Stones



Belt Cleaning Brush

The most economical tools we have for cleaning belts, works great.

55-100-403

pcs.



Belt Dresser Stone 50 x 20 x 150 mm

Make several passes across the entire width of the belt to break it in.

55-240-155

150 x 50 x 20 mm

pcs.

Belt Breaking Stone

Jupiter

55-240-152

355 x 35 x 20 mm

pcs.

Discovery P (> 2008), Tunejet

55-240-157

400 x 50 x 25 mm

pcs.

Discovery 2, Mercury

55-240-153

350 x 35 x 20 mm

pcs.



Grinding Stones

Structure your Success with first-class WINTERSTEIGER grinding stones

To achieve the desired grinding result, some important factors have to be considered: Abrasive grain type, grain size, binding material, pore former and a homogeneous pressing process. Furthermore, the slow heating and cooling during the firing process and the subsequent balancing of the grinding stones ensure constant grinding results over the entire lifetime of the grinding stone. The following classification of the various grinding stones makes it easier to pre-select according to your machine type and the desired grinding results.



Discovery II / Mercury:
Explanatory video for stone and diamond change

Consistency:

Soft	↔	Hard
A softer binding material is necessary to achieve a perfect structure		A harder binding material increases edge contact resistance; Structuring possibilities are limited

Material removal performance:

Low	↔	High
The removal performance is low with fine abrasive grain and a harder binding material.		The coarser the abrasive grain and softer the binding material, the higher the material removal

Structure Pattern:

Fine	↔	Coarse
Fine abrasive grain and soft binding material allow for fine structures		Rounder abrasive grain and robust binding material allow for wider and coarser structures

Grinding stone / blue, W = 200 mm, Ø 300 mm Art.No.: 8579-0221-V04



	Consistency		Recommendation				
Soft	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> </tr> </table>					Hard	<ul style="list-style-type: none"> ● Pregrinding ● Alpine ● Structuring ● Cross-country
	Material removal performance						
Low	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					High	All-purpose grinding stone
	Structure Pattern						
Fine	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					Coarse	

Grinding stone / brown, W = 200 mm, Ø 300 mm Art.No.: 8579-0221-V01



	Consistency		Recommendation				
Soft	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> </tr> </table>					Hard	<ul style="list-style-type: none"> ○ Pregrinding ● Alpine ● Structuring ● Cross-country
	Material removal performance						
Low	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					High	For fine structures
	Structure Pattern						
Fine	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					Coarse	

Grinding stone / brown, W = 200 mm, Ø 300 mm Art.No.: 8579-0221-V06



	Consistency		Recommendation				
Soft	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					Hard	<ul style="list-style-type: none"> ○ Pregrinding ● Alpine ● Structuring ● Cross-country
	Material removal performance						
Low	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					High	For fine structures Especially for racing purpose
	Structure Pattern						
Fine	<table border="1" style="width: 100%; height: 15px;"> <tr> <td style="width: 25%; background-color: #90EE90;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					Coarse	



MACHINE ACCESSORIES

Grinding Stones

Grinding stone / blue, W = 350 mm, Ø 350 mm

Art.No.: 8580-0221-V04



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Coarse

Recommendation	
● Pregrinding	● Alpine
● Structuring	● Cross-country
All-purpose grinding stone	

Grinding stone / blue, W = 350 mm, Ø 350 mm

Art.No.: 8580-0221-V04-V1



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Coarse

Recommendation	
● Pregrinding	● Alpine
○ Structuring	○ Cross-country
Only for machines with two or more grinding stones. Best results with linear structures	

Grinding stone / white yellow, W = 350 mm, Ø 350 mm

Art.No.: 8580-0221-V09



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Coarse

Recommendation	
○ Pregrinding	● Alpine
● Structuring	○ Cross-country
Recommended for machines with two or more grinding stones. Very good for fine, smooth structures	

Grinding stone / brown, W = 350 mm, Ø 350 mm

Art.No.: 8580-0221-V06



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Coarse

Recommendation	
○ Pregrinding	● Alpine
● Structuring	● Cross-country
Only for machines with two or more grinding stones. Especially for racing purposes	

Grinding stone / blue, W = 350 mm, Ø 300 mm

Art.No.: 8570-0221-V04 / 7689-0221-V04



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Coarse

Recommendation	
● Pregrinding	● Alpine
● Structuring	○ Cross-country
All-purpose grinding stone	

Grinding stone / blue, W = 350 mm, Ø 300 mm

Art.No.: 8570-0221-V04-V1



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"> </div>	Coarse

Recommendation	
● Pregrinding	● Alpine
○ Structuring	○ Cross-country
Only for manual machines Proven grinding stone for good structuring	

Grinding stone / white yellow, W = 350 mm, Ø 300 mm

Art.No.: 8570-0221-V09 / 7689-0221-V09



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 30%; background-color: #90EE90;"></div></div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 20%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
<input checked="" type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country
Recommended for machines with two or more grinding stones. Very good for fine, smooth structures	

Grinding stone / pink, W = 350 mm, Ø 300 mm

Art.No.: 8570-0221-V05 / 7689-0221-V05



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 20%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 30%; background-color: #90EE90;"></div></div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 20%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
<input type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country
Principally for manual machines For fine structures	

Grinding stone / brown, W = 350 mm, Ø 300 mm

Art.No.: 8570-0221-V02 / 7689-0221-V02



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 20%; background-color: #90EE90;"></div></div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 20%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
<input checked="" type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input type="radio"/> Cross-country
Only for manual machines Proven grinding stone for good structuring	

Grinding stone / brown, W = 350 mm, Ø 300 mm

Art.No.: 8570-0221-V06



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 20%; background-color: #90EE90;"></div></div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 20%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
<input type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country
Only for machines with two or more grinding stones. Especially for racing purposes	

Grinding stone / pink, W = 150 mm, Ø 300 mm

Art.No.: 7600-0221-V01



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 30%; background-color: #90EE90;"></div></div>	High
	Structure Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; border: 1px solid #ccc;"><div style="width: 20%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
<input checked="" type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input type="radio"/> Cross-country
Only for manual machines Proven grinding stone for good structuring	

MACHINE ACCESSORIES

Grinding Stones



High Quality Grinding Stones

Machine Type	Diameter	Width	Color	Quality	Art.No.
Scout	300 mm	200 mm	blue	hard	8579-0221-V04
	300 mm	200 mm	brown	medium	8579-0221-V01
	300 mm	200 mm	greybrown	medium	8579-0221-V06
Jupiter	350 mm	350 mm	blue	hard	8580-0221-V04
	350 mm	350 mm	blue	hard	8580-0221-V04-V1
	350 mm	350 mm	greybrown	medium	8580-0221-V06
	350 mm	350 mm	whiteyellow	medium	8580-0221-V09
Discovery 2, Mercury, Omega 350, Omega SBI	300 mm	350 mm	blue	hard	8570-0221-V04
Discovery 2, Mercury	300 mm	350 mm	blue	hard	8570-0221-V04-V1
Discovery 2, Mercury, Omega 350, Omega SBI	300 mm	350 mm	whiteyellow	medium	8570-0221-V09
	300 mm	350 mm	pink	soft	8570-0221-V05
Discovery 2, Mercury	300 mm	350 mm	greybrown	medium	8570-0221-V06
Discovery 2, Mercury, Omega 350, Omega SBI	300 mm	350 mm	brown	medium	8570-0221-V02
Discovery 1, Micro 90/91, Sigma 350, Sigma SBI	300 mm	350 mm	blue	hard	7689-0221-V04
Discovery 1, Micro 90/91, Sigma S/RS 350, Sigma SBI	300 mm	350 mm	whiteyellow	medium	7689-0221-V09
Discovery 1, Micro 90/91, Sigma 350, Sigma SBI	300 mm	350 mm	pink	soft	7689-0221-V05
	300 mm	350 mm	brown	medium	7689-0221-V02
Micro 90/91, Sigma 350, Sigma SBI	300 mm	350 mm	pink	soft	7689-0221-V01
Microjet, Tunejet	300 mm	400 mm	orangered	soft	8700-0221-V11
	300 mm	400 mm	blue	hard	8700-0221-V14
Shuttle 200, Shuttle 3C	300 mm	200 mm	brown	medium	8500-0221-V01
Sigma S/RS 200	300 mm	200 mm	brown	soft	8060-0221-V02
	300 mm	200 mm	blue	hard	8060-0221-V01
GRINDRITE ST1800, GRINDRITE ST2000, Micro 71	250 mm	330 mm	pink	soft	8028-0221-V01
	250 mm	330 mm	brown	medium	8028-0221-V02
GRINDRITE ST800	5.25"	10"	grey	medium	57-181-104

NEW



Material Lift and Stone Lifting Device

Aids lifting of the 50 kg Jupiter Stone from the box to be installed in the machine. Lifts the stone directly from the shipping container and swivels 90° where the stone is then pushed directly onto the Jupiter stone shaft. Device consists of 2 separate components which are delivered separately and assembled on site.

Jupiter

70-140-210	Material Lift: 150 kg (cyan)	pcs.
8580-1111-M20	Stone Lifting Device (grey)	pcs.



Stone Cleaning Bar

This bar works to dislodge those small bits of stone that can get stuck during dressing. Leaves the stone clean for perfect patterns.

57-500-150		pcs.
------------	--	------



Stone Cleaning Bar, Combi, L = 345 mm

With this new type of a stone cleaning plate, as an alternative to the standard stone cleaning plate Art.No. 8570-0224-V02, a plastic block is used for the first time together with a brass brush.

This increases the cleaning performance after dressing the stone especially for Art. No. 8580-0221-V06 (greybrown) and 8580-0221-V09 (whiteyellow).

Jupiter

8580-0224-V02	L = 345 mm	pcs.
---------------	------------	------



Stone Cleaning Plate

Scout

8579-0224-V02	L = 195 mm	pcs.
---------------	------------	------

Discovery 2, Jupiter, Mercury

8570-0224-V02	L = 345 mm	pcs.
---------------	------------	------

Microjet, Tunejet

8700-0224-V02	L = 400 mm	pcs.
---------------	------------	------

Discovery 1

8550-0224-V02	L = 400 mm	pcs.
---------------	------------	------

MACHINE ACCESSORIES

Diamond Technology

Diamond Technology

The dressing diamond is used to cut the desired structure into the grinding stone. Don't dress dry with synthetic diamonds - Risk of glowing out! (Glowing out: Diamond needles may splinter due to overheating) To get the perfect diamond set up for your needs, feel free to contact our experts from WINTERSTEIGER customer service.

Explanations


Relevance of the "Total bearing surface": The total bearing surface is the sum of the diamond cross sections. The higher the total bearing surface is, the more resistant the diamond. This also increases the lifetime.

Differences of Structures

	Fine	Coarse	Sharp		Flat		Narrow grooves		Wide grooves	
Recommendation summary for diamonds	56-200-169	56-200-169-P	56-200-169-RC	56-200-168	56-200-161-9	56-200-161-RC	56-200-159	56-200-079	56-200-162	
									Alpine	Cross-country
Scout sd / Scout sdP	●	●	●	○	●	●	○	○	○	○
Jupiter	●	●	●	●	○	●	●	●	○	○
Discovery	●	●	●	●	○	●	●	●	○	○
Mercury	●	●	●	●	○	●	●	●	○	○
Tunejet, Microjet	●	●	●	●	○	●	●	○	○	○
Shuttle 200 / 3C	●	●	○	●	○	●	●	○	● Only width 150 / 200 mm	● Only width 150 / 200 mm
Race NC	●	●	●	○	●	●	●	●	● Only width 150 / 200 mm	● Only width 150 / 200 mm
Micro NC	●	●	●	○	●	●	●	●	●	●
Omega, Sigma S, SBI	●	●	●	●	●	●	●	○	●	●
Omega RS, Sigma RS	●	●	●	●	●	●	●	●	●	●
MCR 800 / 1500	●	●	●	●	●	●	●	○	●	●
Micro 1/SB2	●	●	○	●	●	●	●	○	●	●
Micro 60/80/81/100	●	●	○	●	●	●	●	○	●	●
Micro 71/90/91	●	●	○	●	○	●	●	○	●	●

Diamond dresser Square 5 x 0,6 x 0,6 mm, Total bearing surface 1,80 mm², r = 0,36 mm

Art.No.: 56-200-169



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
● Pregrinding	● Alpine
● Structuring	● Cross-country
Bestseller: Good structure cutting qualities	

Diamond dresser Square 5 x 0,6 x 0,6 mm Premium, Total bearing surface 1,80 mm², r = 0,36 mm

Art.No.: 56-200-169-P



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
● Pregrinding	● Alpine
● Structuring	● Cross-country
Longer lifetime	

Diamond dresser Square 5 x 0,6 x 0,6 mm RC, Total bearing surface 1,8 mm², r = 0,36 mm

Art.No.: 56-200-169-RC



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
● Pregrinding	● Alpine
● Structuring	● Cross-country
Highly precise Structuring. Constant base roughness, especially for racing service	

Diamond dresser Square 5 x 0,7 x 0,7 mm, Total bearing surface 2,45 mm², r = 0,42 mm

Art.No.: 56-200-168



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input checked="" type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input type="radio"/> Cross-country
Especially for pregrinding and flat structures Long lifetime	

Diamond dresser Rhomboid 5 x 0,5 x 0,5 mm, Total bearing surface 1,25 mm², r = 0,33 mm

Art.No.: 56-200-161-9




	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country
Longer lifetime due to 9 mm length of diamond needles Only up to width 200 mm	

Diamond dresser Rhomboid 5 x 0,5 x 0,5 mm RC, Total bearing surface 1,25 mm², r = 0,33 mm

Art.Nr.: 56-200-161-RC




	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country
Highly precise Structuring. Constant base roughness, especially for racing service	

Diamond dresser Rhomboid 5 x 0,6 x 0,6 mm, Total bearing surface 1,80 mm², r = 0,40 mm

Art.No.: 56-200-159




	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input checked="" type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input type="radio"/> Cross-country
Longer lifetime	

Diamond dresser 1 x 0,5 x 4,0 mm, Total bearing surface 2,00 mm², r = 0,30 mm

Art.No.: 56-200-079



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input type="radio"/> Cross-country
Homogeneous structure, Long lifetime	

Diamond dresser Rhomboid 3 x 0,4 x 0,4 mm, Total bearing surface 0,48 mm², r = 0,25 mm

Art.No.: 56-200-162



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input type="radio"/> Pregrinding	<input type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country
For very fine Race structures Only up to width 200 mm, Cross-country bestseller	

MACHINE ACCESSORIES

Diamond Technology



Rhomboïd Diamond 5 x 0,5 x 0,5 mm, L = 9mm

Discovery 1, Discovery 2, MCR 800/1500, Mercury, Micro 1/SB2, Micro 60, Micro 71, Micro 80/81/100, Micro 90/91, Micro NC, Microjet, Omega RS 150, Omega S 150, Omega S 350, Omega SBI, Race NC, Scout, Shuttle 200, Shuttle 3C, Sigma S/RS 200, Sigma S/RS 350, Sigma SBI

56-200-161-9 5 x 0,5 x 0,5 mm, R = 0,33 mm pcs.



Square Diamond 5 x 0,6 x 0,6 mm RC

Discovery 1, Discovery 2, Jupiter, MCR 800/1500, Mercury, Micro 1/SB2, Micro 71, Micro 80/81/100, Micro 90/91, Micro NC, Microjet, Omega RS 150, Omega RS 350, Omega S 150, Omega S 350, Omega SBI, Race NC, Scout, Shuttle 200, Shuttle 3C, Sigma B, Sigma S/RS 200, Sigma S/RS 350, Sigma SBI, Tunejet

56-200-169 5 x 0,6 x 0,6 mm, R = 0,36 mm pcs.

Square Diamond 5 x 0,6 x 0,6 mm Premium

Discovery 1, Discovery 2, Jupiter, Micro 90/91, Microjet, Omega RS 350, Omega S 350, Omega SBI, Scout, Shuttle 200, Shuttle 3C, Sigma S/RS 200, Sigma S/RS 350, Sigma SBI, Tunejet


56-200-169-P 5x0,6x0,6mm Premium, R=0,36 mm pcs.



Square Diamond 5 x 0,6 x 0,6 mm RC

Discovery 1, Discovery 2, Jupiter, Mercury, Omega RS 150, Omega RS 350, Race NC, Scout

56-200-169-RC 5x0,6x0,6 mm Race, R = 0,36 mm pcs.



Rhomboïd Diamond 5 x 0,6 x 0,6 mm

Discovery 1, Discovery 2, Jupiter, MCR 800/1500, Mercury, Micro 1/SB2, Micro 71, Micro 80/81/100, Micro 90/91, Micro NC, Microjet, Omega RS 150, Omega S 150, Omega S 350, Omega SBI, Race NC, Shuttle 200, Shuttle 3C, Sigma B, Sigma S/RS 200, Sigma S/RS 350, Sigma SBI, Tunejet

56-200-159 5 x 0,6 x 0,6 mm, R = 0,40 mm pcs.



Square Diamond 5 x 0,7 x 0,7 mm

Discovery 1, Discovery 2, Jupiter, MCR 800/1500, Mercury, Micro 1/SB2, Micro 71, Micro 80/81/100, Micro 90/91, Micro NC, Microjet, Omega RS 150, Omega S 150, Omega S 350, Omega SBI, Race NC, Shuttle 200, Shuttle 3C, Sigma S/RS 200, Sigma S/RS 350, Sigma SBI, Tunejet

56-200-168 5 x 0,7 x 0,7 mm, R = 0,42 mm pcs.



Square Diamond 3x1,0x1,0mm RC

Discovery 1, Discovery 2, Jupiter, Mercury, Micro 71, Microjet, Omega S 350, Omega SBI, Shuttle 200, Shuttle 3C, Sigma S/RS 350, Sigma SBI, Tunejet

56-200-163 3 x 1,0 x 1,0 mm, R = 0,60 mm pcs.



Rhomboid Diamond 3 x 0,4 x 0,4 mm

Micro NC, Omega RS 150, Omega S 150, Race NC, Sigma S/RS 200

56-200-162 3 x 0,4 x 0,4 mm, R = 0,25 mm pcs.



GRINDRITE Diamonds Single Cone Point

GRINDRITE ST1800, GRINDRITE ST2000, GRINDRITE ST3200, GRINDRITE ST800

57-180-101 pcs.



GRINDRITE Diamonds Blade Diamond

GRINDRITE ST2000

57-180-102 pcs.

Diamond Dressers Racing

	Alpine			Nordic		
Recommendation summary for diamonds	56-200-086-RC	56-200-060-RC	56-200-163	56-200-090	56-200-095	56-200-065
Race NC / Micro NC	●	●	●	●	●	●
Omega RS 150/ Sigma RS 200	●	●	●	●	●	●
Omega RS 350 / Sigma RS 350	●	●	●	○	○	○

Diamond dresser Rhomboid 8 x 0,4 x 0,4 mm, Total bearing surface 1,28 mm², r = 0,25 mm

Art.No. 56-200-086-RC



	Structure Pattern		
Fine	■	■	Coarse
	Structure Charakter		
Sharp	■	■	Flat
	Structure Cutting		
Narrow	■	■	Wide

Recommendation	
○ Pregrinding	● Alpine
● Structuring	● Cross-country
Very fine, precise and uniform structuring	

Diamond dresser Square 8 x 0,4 x 0,4 mm, Total bearing surface 1,28 mm², r = 0,25 mm

Art.No. 56-200-060-RC



	Structure Pattern		
Fine	■	■	Coarse
	Structure Charakter		
Sharp	■	■	Flat
	Structure Cutting		
Narrow	■	■	Wide

Recommendation	
○ Pregrinding	● Alpine
● Structuring	● Cross-country
Properties similar to 56-200-086-RC, but creates slightly rounder structures	

MACHINE ACCESSORIES

Diamond Dressers Racing

Diamond dresser Square 3 x 1,0 x 1,0 x 5 mm, Total bearing surface 3,0 mm², r = 0,60 mm

Art.No. 56-200-163



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input checked="" type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input type="radio"/> Cross-country

For very deep structures, especially for jumping skis

Diamond dresser Square 1 x 0,4 x 2,0 mm, Total bearing surface 0,80 mm², r = 0,21 mm

Art.No. 56-200-090



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country

Properties similar to 56-200-162, but creates slightly rounder structures

Diamond dresser Square 6 x 0,3 x 0,3 mm, Total bearing surface 0,54 mm², r = 0,18 mm

Art.No. 56-200-095



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country

Properties similar to 56-200-162, but creates slightly finer structures

Rectangular diamond dresser 2 x 0,3 x 1,5 mm, Total bearing surface 0,9 m², r = 0,14 mm

Art.No. 56-200-065



	Structure Pattern	
Fine		Coarse
	Structure Charakter	
Sharp		Flat
	Structure Cutting	
Narrow		Wide

Recommendation	
<input type="radio"/> Pregrinding	<input checked="" type="radio"/> Alpine
<input checked="" type="radio"/> Structuring	<input checked="" type="radio"/> Cross-country

Properties similar to 56-200-095, but a little more stable



NEW

Rhomboid Diamond 8 x 0,4 x 0,4 mm RC

Thanks to its eight high-precision needles, this rhomboid diamond offers extremely consistent structuring and roughness thanks to the high- quality production. The needles are arranged in a rhomboid and produce aggressive and spiky structures. The small needle cross-section is compensated for by the increased number of needles – eight in this case – and enables very fine, precise, and consistent structure cuts to be produced. The 56-200-086-RC diamond is increasingly being used on manual machines with a narrow grinding stone (up to 200 mm) for downhill racing skis.

Micro NC, Omega RS 150, Omega RS 350, Race NC, Sigma RS 200, Sigma RS 350

56-200-086-RC 8 x 0,4 x 0,4 mm pcs.



NEW

Square Diamond 8 x 0,4 x 0,4 mm RC

This diamond, with it's eight high-precision needles, offers extremely consistent structuring and roughness thanks to the high-quality production, in line with type 56-200-086-RC. The straight needles produce fine, yet somewhat rounder structures. The small needle cross-section is compensated for by the increased number of needles – eight in this case – and enables very fine, precise, and consistent structure cuts to be produced. The 56-200-060 RC diamond is increasingly being used on manual machines with a narrow grinding stone (up to 200 mm) for downhill racing skis.

Micro NC, Omega RS 150, Omega RS 350, Race NC, Sigma RS 200, Sigma RS 350

56-200-060-RC 8 x 0,4 x 0,4 mm pcs.



Square Diamond 3x1,0x1,0mm RC

Discovery 1, Discovery 2, Jupiter, Mercury, Micro 71, Microjet, Omega S 350, Omega SBI, Shuttle 200, Shuttle 3C, Sigma S/RS 350, Sigma SBI, Tunejet

56-200-163 3 x 1,0 x 1,0 mm, R = 0,60 mm pcs.



Rectangular Diamond 1 x 0,4 x 2,0 mm

Due to the rectangular diamond plate, this diamond has a higher bearing surface than the 56-200-162. This means it can also be used with harder grinding stones and for deeper structures.

Micro NC, Omega RS 150, Race NC, Sigma RS 200

56-200-090 1 x 0,4 x 2,0 mm, R = 0,21 mm pcs.



Square Diamond 6 x 0,3 x 0,3 mm

With 6 extra fine needles, this diamond creates very fine XC-structures, finer than the diamond 56-200-162. Despite the fine needles, this diamond has a similar life time like the diamond 56-200-162 due to the double quantity of needles.

Micro NC, Omega RS 150, Race NC, Sigma RS 200

56-200-095 6 x 0,3 x 0,3 mm, R = 0,18 mm pcs.



Rectangular Diamond 2 x 0,3 x 1,5 mm

Plate diamond for very fine cross-country structures. The two plates arranged one behind the other give this diamond a high contact surface, making it more stable compared to the 56-200-095.

Micro NC, Omega RS 150, Race NC, Sigma RS 200

56-200-065 2 x 0,3 x 1,5 mm pcs.

Racing Accessories

You can make the race – Race NC, Omega RS and Sigma RS

Race Service Stone Grinding Machines for Alpine, Cross-Country and Jump Skis.


The race service stone grinding machines prove once again WINTERSTEIGER's commitment to market and technology leadership. They offer a full set of features for both alpine and nordic skiing.

Unbeatable variety of structures.

On the following pages you will find a huge selection of dressing diamonds and grinding stones for race service. Therefore, offering an unbeatable variety of structures.

Dressing diamonds for individual structure patterns.

The structure pattern depends on the diameter and arrangement and number of the diamond needles. The finer the needles, the finer the structure; the larger the needles, the coarser the structure. A rhomboid needle arrangement will produce sharper and more aggressive structures, whereas a square needle arrangement will produce smoother structures with a larger distance between the structure rows (= larger contact area). This is because the diamonds have different degrees of wear when the grinding stone is being dressed.



Omega RS

For all service professionals and racing specialists.



The Omega RS allows you to set your sights on the highest race grinding standards. After all, its development was inspired by the Race NC.

Your benefits summed up:

- Professional stone grinding at an entry-level price
- Ergonomic, rugged and compact design
- Touchscreen display with "Easy Go" quick selection buttons
- Easy to operate
- Easy handling through supported feed lift options
- Optimum support for cross country skis
- Customizable to suit your individual needs
- Centering unit for custom racing structures

Grinding Stones Racing



Grinding Stones for Race NC

Machine Type	Diameter	Width	Color	Quality	Art.No.
Race NC	350 mm	70 mm	blue	medium	56-200-361
	350 mm	70 mm	turquoise	medium	56-200-362
	350 mm	70 mm	greybrown	medium	56-200-363
	350 mm	70 mm	white	hard	56-200-364
	350 mm	150 mm	blue	medium	56-200-371
	350 mm	150 mm	turquoise	medium	56-200-372
	350 mm	150 mm	greybrown	medium	56-200-373
	350 mm	150 mm	white	hard	56-200-374

Grinding Stones for Omega RS 150 / Micro NC

Machine Type	Diameter	Width	Color	Quality	Art.No.
Omega RS 150	350 mm	150 mm	pink	soft	8100-0221-V05
	350 mm	150 mm	greybrown	medium	8100-0221-V06
	350 mm	150 mm	blue	medium	8100-0221-V74
Micro NC	350 mm	150 mm	pink	soft	8031-0211-V05
	350 mm	150 mm	greybrown	medium	8031-0211-V06

MACHINE ACCESSORIES

Ceramic Disc Finish

Ceramic Disc Finish

The unique Ceramic Disc Finish technology grinds high precision edges – from the first ski to the last. Perfected by WINTERSTEIGER for 25 years, it is now firmly established and „state of the art“ in ski production, racing, and ski service.

Your benefits summed up:

- Precise edge geometry, exact edge angles, flat surface, high repeatability – all this from the tip to the tail of the ski.
- Self-sharpening grinding disks for uniform material removal and a consistent grinding pattern throughout the entire service life.

Ceramic Disc without Flange Ø 154 x 40 mm

Art.No.: 56-220-054



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	High
	Grinding Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
● Universal	● Pregrinding
	● Structuring
Our bestseller for all machines! Standard for Jupiter, Discovery 2, Trimjet 2	

Ceramic Disc without Flange Ø 154 x 40 mm

Art.No.: 56-220-052



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	High
	Grinding Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
● Universal	● Pregrinding
	● Structuring
For older machines with outside disc cooling and lower grinding rpm. Standard for Discovery 1, Shuttle, Trim 90/91	

Ceramic Disc without Flange Ø 154 x 40 mm

Art.No.: 56-220-053



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	High
	Grinding Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
● Universal	● Pregrinding
	● Structuring
Wear-resistant Sidewall removal necessary	

Ceramic Disc without Flange Ø 154 x 40 mm

Art.No.: 56-220-048



	Consistency	
Soft	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	High
	Grinding Pattern	
Fine	<div style="display: flex; width: 100%; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Coarse

Recommendation	
● Universal	● Pregrinding
	● Structuring
Standard for Trimjet 1	

5

Ceramic Discs without Flange

Machine Type	Diameter	Width	Techn. Data	Art.No.	Unit
Discovery 2, Jupiter, Mercury, Scout, Trimjet	154 mm	40 mm	medium	56-220-054	pair
Discovery 1, Discovery 2, Jupiter, Mercury	154 mm	40 mm	medium	56-220-052	pair
Discovery 2, Jupiter, Mercury	154 mm	40 mm	hard	56-220-053	pair
Shuttle 200, Shuttle 3C, Trim 90/91, Trimjet	154 mm	40 mm	universal	56-220-048	pair
Trim 71	154 mm	40 mm	soft	56-220-060	pcs.
Microjet	175 mm	40 mm	universal	56-220-070	pair



Mounting Screws

For ceramic discs.

Shuttle 200, Shuttle 3C, Trim 71, Trim 90/91

02-195-230 screw M5x30(6 pcs. per module) pcs.

Discovery 1, Discovery 2, Mercury, Scout, Trimjet

02-191-225 Screw M5x25 (6pcs. per module) pcs.

Microjet, Tunejet

02-386-225 Screw M5x25(6pcs./machine) pcs.



Abrasive stone Jupiter Ø 16 x 55 mm

For cleaning and truing of the ceramic discs with the dressing function of the Jupiter machine.

Jupiter

55-240-148 Ø 16 mm x 55 mm pair



Insert - beveled - Jupiter Trim Cut

The automatic ski service machine „Jupiter“ from WINTERSTEIGER features the new automatic sidewall removal device "Trim Cut". The chamfered inserts used for this purpose can be turned by 180° after wear has occurred. If both sides are worn, the insert can be easily replaced by the operator. In that case, both inserts of the Trim Cut device should be replaced.

Jupiter

56-250-010 1 pair pair

Torx screw M5 X 12 (for art.no. 56-250-010)

Replacement screw for the chamfered insert (56-250-010) of the "Trim Cut" sidewall planer. For one pair of inserts, 2 pieces of this screw are needed.

Jupiter

56-251-010 1 pc. pcs.

MACHINE ACCESSORIES

Ceramic Disc Finish



Multigrain Diamond $\varnothing = 15$ mm, Trimjet 2

Doublesided diamond bit to clean the ceramic discs at Trimjet 2 with central support. 2 pcs. needed per machine.

Trimjet 2

56-200-146

\varnothing 15 mm

pcs.



Sidewall Planer Ergo Razor

To remove sidewall material. The ERGO RAZOR sidewall planer is essential to prep for side edge filing as it is common for a file to be compromised by cutting into the sidewall of a ski. It is very important to remove the sidewall material to avoid loading files with plastic and to keep the sidewall from interfering with the bevel on the edge. The razor has an ergonomic design that fits into the palm of the hand. It is adjustable and can be used with both the right and left hands. It comes with a round cutting blade (packaged for retail).

57-401-100

Sidewall Planer

pcs.

5



Produce an edge that is perfectly polished!

Precisely tailored to the disc module, the polishing module gives the base edge the final finish. The result is a visibly and physically perfect edge without any need for additional finishing.

Your benefits summed up:

- Final polish for the perfect base edge, the ideal complement to the disc module
- Perfectly polished from tip to tail
- Partial or complete polishing
- Visually outstanding result, leaves nothing to be desired

Polishing Disc Ø 250, W = 50 mm

Art.No.: 56-200-504



	Consistency	
Soft	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 40%; background-color: #90EE90;"></div></div>	High
	Grinding Pattern	
Fine	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 20%; background-color: #90EE90;"></div></div>	Coarse

Recommendation

Our Bestseller!
All-purpose Polishing Disc
Standard for Jupiter, Discovery 2 and Mercury

Polishing Disc Ø 250, W = 50 mm

Art.No.: 56-200-505



	Consistency	
Soft	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 40%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 20%; background-color: #90EE90;"></div></div>	High
	Grinding Pattern	
Fine	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 15%; background-color: #90EE90;"></div></div>	Coarse

Recommendation

Longer lifetime
Ideal for fine-tuning

Polishing Disc abrasive Ø 250, W = 50 mm

Art.No.: 56-200-507



	Consistency	
Soft	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 60%; background-color: #90EE90;"></div></div>	High
	Grinding Pattern	
Fine	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 40%; background-color: #90EE90;"></div></div>	Coarse

Recommendation

Very constant, but matt grinding pattern
Higher Material removal performance
Can also be used without disc pregrinding

Polishing Disc Ø 250, W = 65 mm

Art.No.: 56-200-514



	Consistency	
Soft	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 30%; background-color: #90EE90;"></div></div>	Hard
	Material removal performance	
Low	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 40%; background-color: #90EE90;"></div></div>	High
	Grinding Pattern	
Fine	<div style="display: flex; width: 100px; height: 10px; background-color: #ccc; position: relative;"><div style="width: 20%; background-color: #90EE90;"></div></div>	Coarse

Recommendation

All-purpose Polishing Disc
Standard for Scout sdp

MACHINE ACCESSORIES

Ceramic Disc Finish



Polishing Discs for Polishing Module

To polish the tip and tail areas for an optically perfect base edge.

Discovery 2, Jupiter, Mercury

56-200-504	Ø 250 mm, W = 50 mm, soft	pair
56-200-505	Ø 250 mm, W = 50 mm, hard	pair



Polishing wheel, abrasive Ø 250 mm, W = 50 mm,

Compared to type Art.No. 56-200-504, this polishing disc allows more removal of the edge material. In case of reduced quality requirements, the base edge can be processed with only one polishing grind (without previous disc grind). This increases the throughput capacity.

Jupiter

56-200-507	Ø 250 mm, B = 50 mm, abrasive	pair
------------	-------------------------------	------



Polishing wheel soft Ø 250mm, W=65mm

To polish the tip and tail areas for a optically perfect base edge.

Scout sdp

56-200-514	Ø 250 mm, W = 65 mm, universal	pair
------------	--------------------------------	------



Diamond dresser square 1x0.6x0.6x4mm

For dressing the polishing discs. Allows a little more material removal with the polishing discs compared to the diamond bit 56-200-152.

Discovery 2, Jupiter, Mercury, Scout sdp

56-200-220	1 x 0,6 x 0,6 x 4 mm	pcs.
------------	----------------------	------



Multigrain Diamond L=10 mm, Mercury/Discovery 2

For dressing the polishing discs. Ensures an increased polishing effect (even finer edge surface) compared to the type 56-200-220.

Discovery 2, Mercury

56-200-152	W = 10 mm, multigrain	pcs.
------------	-----------------------	------

Dynamic Bridge

Carbon binding bridge: super light, takes care of your back.

Weighting in at only a few grams, the Dynamic Bridge weighs less than half that of a conventional binding bridge. This means less wear and tear on your shoulders and back. Compared to using conventional bridges, you lift one or two tons less per day (calculation based on 6 passes per single ski, considering 30 – 50 pairs of skis).

Complete product range.

The complete product range with 5 models – three sizes for alpine ski, one model for cross-country and one for racing skis used with a binding plate – makes the Dynamic Bridge a universal tool: Bridges suitable for every kind of ski.

Your benefits summed up:

- Light weight makes work easier
- Quick and extremely simple to handle
- Continuous contact pressure for precise grinding results
- High stability of the binding bridge at the ski thanks to large contact surface



Adult skis (Art.No.: 56-190-200)

For skis with a minimum length of 145 cm.
Weight: 860 g



Medium (Art.No.: 56-190-280)

For skis with a minimum length of 110 cm.
Weight: 665 g



Child skis (Art.No.: 56-190-220)

For skis with a minimum length of 100 cm.
Weight: 590 g



Race (Art.No.: 56-190-290)

For racing skis without mounted ski binding. Suitable for every binding plate with rubber cushion and velcro strip fixation.
Weight: 650 g



XC (Art.No.: 56-190-240)

For cross-country skis. Easy fixation of the bridge at the binding.
Weight: 410 g

MACHINE ACCESSORIES

Binding Bridges

Binding Bridges



Binding Bridge Carbon Universal, Super Light

Extremely light binding bridge with 860 g weight to use without dummy sole. Suitable for alpine and telemark skis with a minimum length of approx. 145 cm.

56-190-200 L = 1330 mm pcs.



Binding Bridge Carbon Medium, Super Light

Extremely light binding bridge with a weight of only 665 g. For medium skis with a minimum length of approx. 110 cm.

56-190-280 L = 1070 mm pcs.



Carbon Binding Bridge f. Children Skis, Super Light

Extremely light binding bridge with a weight of only 590 g. For junior skis with a minimum length of approx. 100 cm.

56-190-220 L = 930 mm pcs.



Binding Bridge Carbon Race, Super Light

For racing skis without mounted ski binding. With rubber cushion and velcro strip fixation, suitable for every binding plate.

56-190-290 L = 1200 mm pcs.



XC Bridge Carbon, Super Light

Extremely light weighted binding bridge with 410 g weight, with metal bar to attach to the binding. NEW: also suitable to bindings with Rottefella MOVE™ System.

56-190-240 L = 1060 mm pcs.



Accessories for Carbon Binding Bridges

56-190-260	Spare Central Support	pcs.
56-190-330	Spare Pin and Washers	pcs.
56-190-310	Spare Non Slip Tape L = 3 m	pcs.
56-190-300	Rubber Wedges (2 pcs.)	pair




Binding Bridge Alu, universal, super light

ALU binding bridge to use without dummy sole for manual machines. Suitable for alpine and telemark skis with a minimum length of approx. 130 cm.

7220-0111-V01	L = 1140 mm	pcs.
---------------	-------------	------

Replacement Bail

58-600-155		pcs.
------------	--	------



Adaptor/ Non Slip Tape for Alu Binding Bridge

56-190-130	W = 80 mm, closed	pcs.
56-190-125	W = 80 mm, w.rounded groove	pcs.
56-190-135	W = 120 mm, closed	pcs.
56-126-218	Non Slip Tape, L = 936 mm	pcs.



Binding Bridge Alu for XC-skis

With metal bar to fix on the binding.

7226-07	L = 705 mm	pcs.
---------	------------	------

Spare Non-Slip Tape L = 716 mm for XC-bridge 7226-07

For binding bridge for cross-country skis (7226-07).

56-126-219	L = 716 mm	pcs.
------------	------------	------

MACHINE ACCESSORIES

Binding Bridges



Binding Bridge with Hinge

7217-4111-V01	Binding Bridge L = 1200 mm	pcs.
64-140-437	Spare Hinge L=120 mm	pcs.
56-190-110	Spare Adaptor W=59 mm	pcs.
56-126-210	Spare Non-Slip Tape L=1070 mm	pcs.



Binding Bridge for Extreme Carver Skis

Binding bridge height adjustable for extreme carver skis.

7219-4011-V02	L = 1044 mm	pcs.
---------------	-------------	------

Spare Non-Slip Tape L = 943 mm for Extreme Carver Bridge

For binding bridge for carving skis (7219-4011-V02).

56-126-217	L = 943 mm	pcs.
------------	------------	------

Spare Hinge for Extreme Carver Bridge

Adjustable height, for binding bridge for carving skis (7219-4011-V02).

7219-4012-001	L = 100 mm	pcs.
---------------	------------	------



Binding Bridge for Children Skis

For child skis with a minimum length of approx. 90 cm, vertically adjustable.

7228-0111-V12	L = 848 mm	pcs.
---------------	------------	------

Spare Non-Slip Tape L = 922 mm

For junior bridge 7228-0111-V12, as from July 2005.

56-126-216	L = 922 mm	pcs.
------------	------------	------



Dummy Soles, Grey, 1 pair

For Boot Sole length 240 - 360 mm.

7219-42111-V1		pair
---------------	--	------

5



Dummy Sole for Touring Bindings, 1 pair

Also suitable for Dynafit touring bindings.

7219-42111-V2

pair



Bridge Adaptor for MARKER Freeride Bindings

In combination with the binding bridge for extreme carvers (7219-4011-V02) this adaptor can be mounted under the dummy sole and reduces the angle as well as the height of the heel area of the binding.

7219-0211-V01

pcs.



Adaptor for Rotary Plate Bindings

To mount on the dummy soles and to use only in combination with the binding bridge for carving skis (7219-4011-V02).

7219-0211-001

pcs.



Dummy Soles for Children Skis (1 pair)

For boot sole length 200 - 290 mm

7228-02111-V1

pair



Snowboard Power-Grip Handle

57-100-799

Horizontal Handle

pcs.

MACHINE ACCESSORIES

Wearing Parts

Wearing Parts



Support Rollers SEG

SEG (Omega, Sigma, Micro, SNB)

7633-V2	Alpine, Ø 50 mm, L = 85 mm	pcs.
7634-V2	SNB-extension, Ø 50 mm	pcs.
40-100-351	Spare O-Ring 40 x 4 mm	pcs.



Panel Keys

Keys for Stone Housings

70-150-110	For various aggregate housings	pcs.
------------	--------------------------------	------

Panel Key T-End

43-195-352	For Omega panels	pcs.
70-150-100	For electro-panels	pcs.



GRINDRITE ST500 Bevel Tongue

BVTONGI9		pcs.
----------	--	------



Lifter Cable, Control Cable

Micro 1/SB2, Micro 80/81/100, Micro 90/91

47-116-125	Lifter cable stone + belt > 99	pcs.
47-116-126	Lifter cable belt side < 1999	pcs.

Omega B, Sigma Eco, Sigma S 200/350

47-180-400	Lifter cable	pcs.
------------	--------------	------

Sigma SBI

47-180-410	Lifter cable belt side	pcs.
------------	------------------------	------

Micro 71

47-116-128	Lifter cable	pcs.
------------	--------------	------



Touch Pen with Holding

For all machines with touch screen.

7000-0811-V01		pcs.
---------------	--	------



Spare Rubber for Splash Guard

For the stone module.

Jupiter

67-207-264 L = 480 mm pcs.

Discovery 2, Mercury

67-207-262 L = 420 mm pcs.

Discovery 1, Omega S 350, Omega SBI

67-207-265 L = 350 mm pcs.

Omega S 150, Race NC

67-207-267 L = 212 mm pcs.

Omega RS 150, Scout

67-207-268 L = 230 mm pcs.

Omega RS 350

67-207-263 L = 420 mm pcs.



Feed Wheel Rubber

Trim 71

56-400-045 2 pcs. per machine pcs.

Trimjet

56-400-060 4 pcs. per machine pcs.



Holding magnet Ø = 55mm, rubberized

This magnetic holder with a very strong magnet and rubberized lower side for placing air pistols or other accessories at the machine housing is a useful helper during daily work at the service workshop.

7019-0111-010 Ø = 55mm pcs.



Spare Feed Wheel

Needs 6 for complete replacement of each 350 mm feed wheel or 4 for 200 / 150 mm feed wheel assembly. All feed wheel rubbers should be replaced at the same time. Updated design for better life and performance and ease of replacement. Sold individually as each machine can have 2 or 3 feed wheels.

Omega B, Omega RS 150, Omega RS 350, Omega S 150, Omega S 350, Omega SBI, Sigma B, Sigma S 200/350, Sigma S/RS 200, Sigma S/RS 350, Sigma SBI

56-400-131 W = 57 mm x Ø = 205 mm pcs.



Ski Retainer

Discovery 1, Discovery 2

64-140-886 Spare retainer, green pcs.

8550-0911-062 Switch Cam pcs.

02-195-116 Screw M4 x 16 pcs.

Jupiter

64-140-889 Spare retainer, green pcs.

MACHINE ACCESSORIES

General Workshop Accessories

General Workshop Accessories



Non-Aerosol Silicone Spray

Non-Aerosol Lubricant, Type Food Grade Silicone, same usage as 57-202-599 but without hazardous charges.

57-202-598	16 oz.	pcs.
------------	--------	------



SSL Silicone Release Spray

Slide Silicone Spray is the best on the market and is ideal for use on ski bindings, boots and any application around the shop where lubrication is needed. Ground ship only!

57-202-599	Large 16 fl. oz. can	pcs.
------------	----------------------	------



Snowboard Squeegee

Used for cleaning ski or snowboard bases as they come off the grinder. Choose from 7" blade for skis or 12" blade for snowboards.

57-202-101	7" blade	pcs.
57-202-102	12" blade	pcs.



Base Cleaning Cloth

We started using this microfiber cloth from 3M at the shows to clean and dry the machines. It works really well and we didn't have to use any cleaning agents that may contaminate the grinding fluid. One of our technicians started using it to dry the skis/boards after grinding and found it removes the small microfibers left by the stone. It is really amazing to see the job it does in trapping even the smallest polyethylene fibers. It is machine washable and can be used over and over again.

57-202-010	12" x 14"	pcs.
------------	-----------	------



One Hand Grease Gun

The construction allows a single hand operated lubrication for an easy work in restricted areas.

70-140-156	Grease Gun with hose	pcs.
76-320-141	Heavy Duty Grease 400 g	pcs.



Grease Gun + Grease for TRIMCUT-Module JUPITER

The Trimcut-module of the JUPITER grinding machine has to be lubricated regularly (weekly). A special grease gun and another lubricating grease type is required for this module. The connector means the extension tube at the front end the grease gun and is not included at art. No. 70-140-158.

76-320-139	Lubricating Grease 180 g	pcs.
70-140-158	One hand grease gun 130 ccm	pcs.
12-700-219	Connector grease gun	pcs.

Fluid Management

For a healthy workplace and environment.

The fluid management system from WINTERSTEIGER supplies complete information for testing water and waterbased lubricating coolants. Offering a wide range of services for optimal testing, especially important for WINTERSTEIGER emulsion (lubricants, cleaning solutions, etc.).

Thus the industrial safety and industrial laws are followed. Providing a healthier environment for everyone. This modular system offers one custom made solution for all ski and snowboard service workshops, and is first of this kind on the market.

WINTERSTEIGER health-tips

Since lubricating coolants contain many different chemicals, the following preventive measures are recommended:

- Using suitable protective clothing
- Using suitable protective gloves
- Using suitable skin protection
- Do not rub or touch nose, mouth or eye area with dirty hands
- When skin comes in contact with lubricating coolants it should be immediately rinsed
- Thorough cleaning of the hands before meals, toilet attendance, before work breaks and after completion of the activity
- Be sure to clean all parts of the body that have come in contact with lubricating coolants at the end of the work day with warm water and mild, non-scrubbing detergents
- Afterwards apply skin creme to washed areas, as skin tends to dry out easily after being in contact with so many chemicals

Recommendation: Aeration and ventilation of workshops with Grinding Machines due to the resulting emulsion vapor During operation of the grinding machines an emulsion vapor (cooling lubricant vapor) is created during the process. On manual grinding machines the removal of the vapor mist can be accomplished by proper ventilation and filtering of workshop air. On automated grinding machines the removal of the vapor mist is can accomplished by proper ventilation and filtering of workshop air or by extraction of the coolant vapor from the grinding machine using a vapor and air purifier filter.

The operator of a workshop has the responsibility that workshop and operation is in compliance with all valid legal regulations in regards to accident prevention, workplace and environmental rules (and other applicable regulations). Thus we recommend that planning, dimensioning and installation of an aeration, de-aeration and ventilation system is performed by a local qualified ventilation company. For the material selection of the aeration system the recommendation of the OSHA Metalworking Fluids Standards Advisory Committee have to be obeyed. More information can be found at the following website www.osha.gov/dhs/reports/metalworking/MWFSAAC-FinalReportSummary.html

Technical information on the installed grinding machines in the backshop room like air flow per hour can be provided by WINTERSTEIGER in order to ensure the appropriate sizing of the exhaustion.



Spare Filter for Vapor Filter

For Emulsion Vapor. Should be changed once or twice a year.

20-116-544 For Discovery PS/SS, Microjet pcs.



Emulsion Pro-Tec B550

Fully synthetic abrasive coolant with extended long term stability for automated machines.

Please note:

- Mixingratio: 3 - 4 %
- Calculation factor for the refractometer: 2.7 Concentration in % = refractometer value (°brix) x 1.7; e.g. with areading value of 2.0 on the refractometer the mixing ratio is 3,4 %;

55-645-304 10 kg can pcs.
55-645-294 50 kg barrel pcs.

MACHINE ACCESSORIES

Fluid Management



Premium Synthetic Emulsion

New premium synthetic emulsion developed for the aviation industry. It's excellent grinding properties and inhibits rust and corrosion. A nonstaining, low foaming formula with no nitrated additives. Works well in hard water.

57-202-615	Mix Rat. 1%, 1 Gal, H ₂ O Soluble	pcs.
57-202-616	Ratio 1%, 55 Gal., H ₂ O Soluble	pcs.



Biodegradable Emulsion

Biodegradable grinding coolant for use with all manual stone and belt grinders. Non-foaming. No oily residue. Non-flammable. Fights rust. Less heat build up. Removes oil and grease. Dilute 40-1 with water. Do not mix with other grinding solutions. Concentrated and economical!

57-202-610	Mixing Ratio 1:40, 1 Gallon	pcs.
57-202-611	Mixing Ratio 1:40, 55 Gallons	pcs.

5

Grinding Fluid Disposal

With ever more awareness of our lasting effect on our planet, it is imperative that used grinding fluid is disposed of properly. Depending on the type of emulsion used and the area in which you live the method of disposal varies. One fact still remains; it is not an acceptable practice to just dump it out the back door. In some areas of the country, depending on your local water municipality, the disposal of the biodegradable emulsion may be as easy as separating the solids out and diluting the mixture further with fresh water and pouring down the drain. To find out if this is the case in your area, simply take two samples, one straight from the tank and another diluted with a known quantity of water, along with a copy of the MSDS to your local municipality to be tested. Make sure there are no solids or anything floating in the mixture. After the test they will let you know what steps you should take. In the case of the mineral oil, synthetic, or silicone based emulsion the used fluid will need to be stored in a containment vessel such as a 55 gallon drum to be picked up by a licensed waste disposal company.

There are several things you can do to prolong the life of your grinding fluid such as:

1. Making sure the emulsion is incorporated into the water properly by using a mixer and refractometer.
2. Keep the grinding fluid clean by keeping the filter medium clean.
3. Top off the tank with premixed fluid instead of fresh water to keep the ratio correct.
4. Maintain the grinding fluid using the Pro-Tec Analysis Kit.
5. If the machine isn't going to be used daily turn it on and let it run for 30 minutes with the gate valves open to aerate the water, this will prevent the mixture from "souring".



Emulsion Mixer DOSATRON with Wall Socket

With this new mixer, an inserted piston motor ensures a continuous mixture of the emulsion with the beginning water, independently of possible throughput and pressure fluctuations in the water net of the inlet. Additionally the mixer can be adjusted within the range of 1 % to 5 % to the necessary mixing ratio.

The accessories of this mixer contain:

- 1 wall support
- 1 transparent hose with filter and ballast weight (to place into the emulsion barrel)
- 1 connection hose (length 2m) to the water tank

7019-1011-V02	pcs.
---------------	------



Manual Drum Pump for emulsion barrels

Suitable to the metal emulsion barrel with a 2" internally threaded hole: 55-645-294 / Pro-Tec B550. With a costless adaptor the pump is also useable with the barrel 55-645-274 / Pro-Tec B370.

- Flow Rate: 25 lt. / min
- Length of the immersion tube: 880 mm

55-645-385 H = 1050 mm pcs.



Barrel-Opener, galvanized

For 3/4" and 2" caps at emulsion barrels.

8570-0811-100 300 x 45 x 38 mm pcs.



Refractometer

To check the mixing ratio of the emulsion in the water tank. Important in each workshop.

55-645-245 pcs.



Pro-Tec B358 Analysis Kit with Refractometer

Enables the scrutiny and measurement of lubricating coolants as well as the documentation of the results of your measurement. This kit consists of: 1 pc. hard case, 1 set of 55-645-342 Pro-Tec B 360 combi test strips (100 pcs.) for the determination of ph-value, nitrite-value and water hardness, 1 pc. refractometer 55-645-245, 1 set of paper tissues, 1 pc. pipette, 1 pc. waterproof marker, 2 pcs. measurement charts, 1 handling and measuring instruction.

55-645-316 pcs.



Machine Cleaning Agent

Special anticorrosive cleaning agent. Cleans and protects all machine parts made of coated sheet metal or iron, or of aluminium, chrome, or plastic.

7019-1011-V01 1 lt. pcs.



Simple Green Industrial Cleaner

Crystal Simple Green Industrial Cleaner and Degreaser is a powerful, industrial-strength cleaner and degreaser formulated for critical cleaning applications that demand high performance from a fragrance and color-free solution. This highly-trusted cleaner utilizes a non-flammable and biodegradable formula, making it the ideal cleaning solution for a variety of industries where sanitation and safety are of equal concern. Great for cleaning the painted surfaces of your machine, water tanks, pumps, and as an all-around shop cleaner.

57-225-130 24 oz Simple Crystal Cleaner pcs.
57-225-131 1 gal Simple Crystal Cleaner pcs.

MACHINE ACCESSORIES

Fluid Management



Pro-Tec G 254 System Cleaner 1 lt.

For the disinfection of the machine caused by spoiled emulsion. Recommended concentration: 1 – 3 % (10 - 30 g/lt.). Thereafter, the cleaner should remain in the system for 4 – 8 hours. During this time, work may be continued as usual. Foam may build up on some machine types. When no service is being performed with the machine, the abrasive coolant, which has been enriched with the system cleaner, should be constantly kept in motion.

55-645-368 1 lt. pcs.

Note the following recommendation for the correct application of the system cleaner Pro-Tec G254 depending on the water tank capacity of your machine.

Machine	Volume of Water Tank	Quantity of System Cleaner
Trimjet	60 lt.	0,9 lt.
Sigma, Omega	80 lt.	1,2 lt.
Race NC / Micro NC	150 lt.	2,3 lt.
Scout	225 lt.	3 lt.
Jupiter with Water Tank 300 lt.	300 lt.	4,5 lt.
Jupiter with Water Tank 400 lt.	400 lt.	6 lt.
Jupiter with Water Tank 600 lt.	600 lt.	9 lt.
Mercury	225 lt.	3,0 lt.
Discovery 2 with Water Tank 225 lt.	225 lt.	3,0 lt.
Discovery 2 with Water Tank 350 lt.	350 lt.	5,3 lt.
Discovery 2 with Water Tank 550 lt.	550 lt.	8 lt.
Tunejet	225 lt.	3,4 lt.
Discovery S / SF	225 lt.	3,4 lt.
Discovery PS / SS / PSF / SSF / SSSF / PSSF	450 lt.	6,8 lt.



Retractable Tank Magnets

Place a few of these magnets in your grinding solution tank for collecting metal particles. Reduces down time for cleaning and helps eliminate rust. Can be placed in zip-top bag for easy cleaning

57-500-650 pcs.



Tank Brush

Make the job of cleaning out emulsion tanks an easy task. Bristles protrude off the brush head at a 30° angle making corner cleaning no problem.

57-202-630 pcs.



Belt Filter

For optional use with the automatic service station Mercury and Discovery. By permanent separating of the sharpening arrears the cleaning intervals of the machine as well as the life time of the water will be extended. At Mercury or Discovery 2 machines with one base processing module, the small gravity filter(500mm wide filter fleece) has to be used. At Discovery 2 machines with 2 or more base processing modules the large gravity filter (700 mm wide filter fleece), has to be used.

Gravity Filter, small Discovery 2, Mercury, Scout

8570-0851-V10 3x400V/3x220V, 50/60Hz, 0,12kW pcs.

Gravity Filter, large Discovery 2

8570-0851-V11 3x400V/3x220V, 50/60Hz, 0,12kW pcs.



Filter Fleece for Belt Filter

Filter Fleece with good filter performance Discovery 1, Discovery 2, Mercury, Scout

37-600-113 500 mm x 250 m roll

Discovery 2

37-600-114 700 mm x 250 m roll

Filter Fleece with medium filter performance Discovery 2, Jupiter, Mercury, Scout

37-600-164 500 mm x 150 m roll

Discovery 2

37-600-165 700 mm x 150 m roll

3D-Fleece with maximum filter performance Discovery 2, Mercury, Scout

37-600-160 500 mm x 50 m roll

Discovery 2

37-600-161 710 mm x 50 m roll



High Performance Fleece 3D, 500 mm x 75 m

Optimal filter fleece for Jupiter - machines to increase the filter performance and at the same time lowest filter costs per pair of skis / per snowboard.

Jupiter

37-600-162 500 mm x 75 m, 3D Fleece roll

MACHINE ACCESSORIES

Filter Accessories

Filter Accessories



Filter Bags

Machine Type	Art.No.	Techn. Data
Micro 71	55-635-160	ø 230 x 555 mm with metal ring
Discovery 1, Discovery 2, Jupiter, Mercury, Scout, Shuttle 3C, Tunejet	55-635-165	ø 320 x 1500 mm, washable
Micro 80/81/100, Micro NC, Microjet, Shuttle 3C, SNB 80, Trim 90/91, Trimjet	55-635-170	ø 250 x 560 mm
Omega, Omega B, Omega RS 150, Omega RS 350, Omega S 150, Omega S 350, Omega SBI, Sigma, Trim NC	55-635-175	ø 140 x 500 mm, washable
GRINDRITE ST2000	PFLTRBG2000	
GRINDRITE ST1600, GRINDRITE ST1800, GRINDRITE ST600, GRINDRITE ST800	PFLTRBG1800	
GRINDRITE ST500	PFLTRBG500	

Filter Socks

Machine Type	Art.No.	Techn. Data
Discovery 1, Discovery 2, Jupiter, Mercury, Omega, Race NC, Scout, Sigma, Trim B, Trimjet	55-635-185	Endless filter sock, L = 50 m
	55-635-180	Filter sock, L = 100 cm

Filter Mats

Machine Type	Art.No.	Techn. Data
Scout	50-400-195	1200 x 600 x 20 mm
Discovery 1, Discovery 2, Mercury, Shuttle 200	50-400-180	1400 x 600 x 20 mm
Micro 80/81/100, Micro 90/91, Micro NC, Race NC, SNB 80	50-400-185	830 x 365 x 20 mm
Trimjet 2	50-400-190	350 x 330 x 20 mm

Filter Mats

Machine Type	Art.No.	Techn. Data
Jupiter, Shuttle 3C	50-400-175	1155 x 840 x 20 mm
Microjet	50-400-176	1050 x 820 x 20 mm

Filter Fleece

Machine Type	Art.No.	Techn. Data
Micro 80/81/100, Micro 90/91, Micro NC, Race NC, SNB 80	37-600-121	700 x 1170 mm, 10 pcs.
Microjet, Shuttle 3C	37-600-123	1200 x 1500 mm, 10 pcs.
	37-600-119	Roll 1200 mm x 100 m
Micro 80/81/100, Micro 90/91, Micro NC, Race NC, SNB 80	37-600-116	Roll 695 mm x 50 m
Other Machines	57-202-620	Roll 50 cm x 180 m

Filter Cartridges

Machine Type	Art.No.	Techn. Data
Discovery 2, Jupiter, Mercury	37-600-142	L = 250 mm, 300 µm
Omega	37-600-146	L = 125 mm, 250 µm
Race NC	37-600-140	L = 250 mm, 150 µm

Brass Screen Filter

Machine Type	Art.No.	Techn. Data
GRINDRITE 21hundred, Micro 80/81/100, Micro 90/91, Micro NC, Omega, Sigma, Trim 71, Trim 90/91, Trimjet	64-140-900	288 x 233 mm



Endless Filter Sock Strap

Strap to fix the endless filter sock at your machine.

Discovery 1, Discovery 2, Jupiter, Mercury, Omega, Scout, Sigma

75-150-012

L = 50 cm, W = 25 mm

pcs.

MACHINE ACCESSORIES

Accessories for Waxing Machines

Accessories for Waxing Machines


Deburring Wheels

Machine Type	Diameter	Width	Usage	Art.No.
Waxjet 80/90 SNB, Waxjet Pro/91/92	165 mm	45 mm	Deburring Wheel	55-420-116
Discovery 1	155 mm	350 mm	Deburring Wheel	55-420-125



Waxing Wheels - Heated

Machine Type	Diameter	Width	Usage	Art.No.
Discovery 1, Waxjet 80/90 SNB, Waxjet 93, Waxjet Pro/91/92	155 mm	350 mm	Waxing Wheel	1-9-0135
Discovery 2, Jupiter, Mercury	100 mm	350 mm	Waxing Wheel	55-642-050
Waxjet 80/90 SNB, Waxjet 93, Waxjet Pro/91/92	155 mm	350 mm	Waxing Wheel	55-642-040



Polishing Wheels (Texturing Brushes) - Non-Heated

Machine Type	Diameter	Width	Usage	Art.No.
Speedbrush, Waxjet 80/90, Waxjet 93, Waxjet Pro/91/92	155 mm	350 mm	Double Brush/Polishing Brush	55-642-045
Discovery 2, Jupiter, Mercury	100 mm	350 mm	Polishing Wheel	55-642-055
	100 mm	350 mm	Scotchbrite Texturing Wheel	55-642-060
	100 mm	350 mm	Nylon Texturing Wheel	55-642-065

Polishing Wheels (Texturing Brushes) - Non-Heated

Machine Type	Diameter	Width	Usage	Art.No.
Discovery 1, Speedbrush, Waxjet 80/90 SNB, Waxjet 93, Waxjet Pro/91/92	155 mm	350 mm	Polishing Wheel	55-642-041
Waxjet 80/90 SNB, Waxjet 93, Waxjet Pro/91/92	155 mm	350 mm	Polishing Wheel	55-642-006
Discovery 1, Waxjet 80/90 SNB, Waxjet 93, Waxjet Pro/91/92	155 mm	350 mm	Waxing Wheel	1-9-0135



Waxing Belts

Fine Abrasive belts must be broken in with a belt breaking stone like a grinding belt. Lightly pass the belt breaking stone across the belt and making runs across the belt with a old ski or snowboard until it leaves and acceptable fine.

SWM, Waxjet 80/90

55-640-180 100 x 800 mm pcs.

Waxjet 80/90 SNB, Waxjet 81

55-640-185 350 x 450 mm pcs.

GRINDRITE ST390

57-173-100 4" x 31 3/4" pcs.

GRINDRITE ST490

57-173-101 13" x 31 3/4" pcs.

Accessories for Binding Adjusting Machines



Thermopaper

With 10 years readability. Type 15-798-305 and 15-798-290 for receipt printer, type 15-798-286 für thermo printer.

Drivetronic

15-798-290 W = 57 mm, L = 10 m roll

Safetronic

15-798-305 W = 57 mm, L = 25 m roll



Printing Forms for Binding Testers

Drivetronic, Safetronic

55-700-996 English, 500 pc. pk.

Skitronic Plus, Speedtronic, Speedtronic Pro

55-700-860 English, 500 pc. pk.

MACHINE ACCESSORIES

Accessories for Binding Adjusting Machines



Printer Ribbon Speedtronic, Safetronic, Drivetronic, Skitronic Plus

Drivetronic, Safetronic, Skitronic Plus, Speedtronic, Speedtronic Pro

16-900-501

pcs.



Speedtronic, Speedtronic Pro and Drivetronic Replacement Battery

15-480-105

pcs.



Spare Heel Release Belts

Speedtronic Pro

67-760-151 L = 300 mm

pcs.

Drivetronic, Safetronic

67-760-152 L = 320 mm

pcs.

Speedtronic

67-760-150 L = 250 mm

pcs.

Skitronic Plus

7700-04211-19 L = 360 mm

pcs.

7700-04211-20 L = 330 mm f. platform bindings

pcs.



Bent Lever Clamping Kit Speedtronic/Drivetronic

Complete clamping kit Speedtronic Pro as conversion kit for Drivetronic/Speedtronic.

Drivetronic, Speedtronic

7726-10

pcs.



Thermotransfer Cartridge

Resin premium, suitable to Zebra printer TLP2844, GK420.

15-798-855	Premium resin, W=110mm, L=74m	pcs.
------------	-------------------------------	------



Service Labels Easyrent

On release paper, removable, waterproof. For the use with service and assembly orders; with multiple number labels and detachable customer label. Suitable to Zebra printer TLP 2844/ GK 420.

15-798-275	65x135 mm, 500 pcs., white	roll
15-798-375	65x135 mm, 500 pcs., yellow	roll
15-798-376	65x135 mm, 500 pcs., orange	roll
15-798-377	65x135 mm, 500 pcs., pink	roll
15-798-378	65x135 mm, 500 pcs., light blue	roll
15-798-379	65x135 mm, 500 pcs., light green	roll

Barcode- / QR-Code - Labels

Ski recognition without Easyrent connection.

- Each ski is labeled with a durable QR code sticker, with a unique code for each of the 3 categories Comfort, Sport, or Race.
- The Jupiter reads the QR code and the edges are perfectly ground depending on the category.



QR-Code Labels V-Edge

Jupiter

78-220-630	COMFORT, 21 x 42 mm, 100 pcs.	pk.
78-220-640	SPORT, 21 x 42 mm, 100 pcs.	pk.
78-220-650	RACE, 21 x 42 mm, 100 pcs.	pk.

ACCESSORIES FOR EASYRENT RENTAL SOFTWARE

Barcode- / QR-Code - Labels



V-Edge Label without QR-Code, 100 pcs.

For marking the skis with V-Edge.

Jupiter

78-220-620 21 x 19,7 mm, 100 pcs. pk.



Barcode Labels Easyrent (pairwise)

High-quality labels on rolls, with consecutive numbering (pairwise). Weather resistant.

78-220-575	White, 30x17mm, 500 pair	roll
78-220-585	Red, 30x17mm, 500 pair	roll
78-220-586	Blue, 30x17mm, 500 pair	roll
78-220-587	Yellow, 30x17mm, 500 pair	roll
78-220-588	Green, 30x17mm, 500 pair	roll
78-220-589	Orange, 30x17mm, 500 pair	roll



Barcode Labels Easyrent (single)

High-quality labels on rolls, with consecutive numbering (single). Weather resistance.

78-220-596 30 x 17 mm, 500 pcs. roll


6



MOHN Racks

MOHN Racks are some of the most popular ski and snowboard storagesystems on the market today. All MOHN storage racks are sturdy,durable and maintenance free.

57-225-244	4 pr. of skis, max 140 mm wide	pcs.
57-225-245	16 pr. of skis,max 140 mm wide	pcs.
57-225-250	Long rails for ski/board racks	pcs.
57-225-251	Short rails f. ski/board racks	pcs.



57-225-244
5" high, 27" long, 12" wide



57-225-245
12" high, 32" long, 27" wide



Dry & Protect

Drying & Hygiene Disinfection, drying and cleaning.



Dry & Protect from WINTERSTEIGER stands for innovative, high-quality drying technology and indoor air disinfection that delivers first-class results. Since 1953, we have been offering reliable, efficient solutions to our customers from a wide range of industries – such as the public sector, fishing and shipbuilding, tourism, agriculture and forestry.



Tantum Boot 20



Tantum Set 4



Tantum Var 4+4



Primus Set 8 Standard



Econ Set 8 Premium Helmet

Your partner with 360° service



Drying guarantee: material-friendly, space-saving, quick and flexible



Reliable air disinfection using innovative plasma technology



Reduction of odors, e.g. perspiration odor



Austrian quality standard



Everything from a single source – from engineering to customer service



Wide range with optimum drying and hygiene solutions for every requirement



A reliable partner with many years of experience in producing metal lockers as well as developing and producing drying systems and air purifiers



Innovation and market leader in the field of drying systems and indoor air disinfection



Dry & Protect

Drying and hygiene technologies.



Revolutionäre Innovation für moderne Trocknungssysteme.

Developed for disinfection and odor reduction, Sterex plasma technology is the new standard for modern drying and disinfection solutions. The innovative process is reliable and completely maintenance free.

Energy-efficient drying technology with air circulation system.

Energy-saving, economical, flexible: the GreenDry condensation process enables energy-efficient drying without affecting the indoor climate. The integrated recirculation drying only circulates the hot air within the drying system and does not release it externally.

Quick drying with high-performance blowers.


The SpeedDry drying technology combines efficient high-performance fans with smart heating.

A material-friendly drying technology that's also energy-efficient.

Gentle air drying and supreme comfort for the wearer? Yes please! With xDry air circulation drying, all your equipment is quickly ready to use again.

Home series Talentum

Our home series Talentum can be perfectly adapted to the space conditions in chalets, cottages and modern apartments through individual design options. Very energy-saving from 45 watts.



wintersteiger.com/talentum

Easystore Flex

Custom-made solutions – the right choice for everyone.

WINTERSTEIGER's Easystore Flex systems for rental, depot and drying are extremely flexible and stable – they also offer a modern design as well as many new solutions that make them highly functional. The Flex Modules can be combined for customized solutions. Easystore Flex is the result of: the feedback and needs of our global customers, the further development of the tried-and-tested Easystore systems and the collaboration with renowned design agencies.


Experience the successful difference of Easystore Flex!



Compelling details.

Two types of Easystore Flex storage systems are available:

- Wagen in sendzimirverzinktem Blech – ideal für den Backshop-Bereich
- Wagen in sendzimirverzinktem Blech mit zusätzlicher Pulverbeschichtung – die optisch perfekte Lösung
- Für eine individuelle Gestaltung können die Steher der Wagen vorne und hinten entweder mit Narren oder Wideen Frontblenden verkleidet werden. Wir unterstützen Sie gerne bei der Planung und mit Grafikvorschlägen.






Easystore Flex – flexibly combining modules.

The individual storage and drying modules can be combined and arranged into individual storage systems – even within the same rack.




Summer season, winter season, or simply a new look? Easy to replace front panels




- Functional: The entry-level model in trendy white
- Optimal: A selection of wood designs
- Maximal: Panels printed with your logo and professional design or fabric covering

From planning to implementation.

WINTERSTEIGER supports you from the planning phase all the way to implementation of your perfect rental and depot facility. An optimal organization – from the arrival of the customer to the issuing of the sports equipment – provides faster turnaround times and makes the work easier.



2D planning



3D planning



Implementation



Easystore Shop Furniture

An ingenious combination of design, ergonomics and flexibility.

Thanks to their reduced, modern design, Easystore Shop furniture can be perfectly integrated into any store concept – thanks to their well thought-out concept, they adapt individually to customer wishes and the environment. In addition, they are perfectly tailored to needs and processes in terms of material and function.

With Easystore Shop furniture, there are no limits to your wishes in terms of appearance and material; they create a harmonious environment for you and your customers.





Easystore Depot

Tailor-made storage solutions – the right choice for everyone.

Easystore locker systems by WINTERSTEIGER make an impression with state-of-the-art design, maximum flexibility and stability, and maximum storage capacity on a minimal footprint. Customized features allow you to choose your own colors, logos, visuals and labeling to customize the locker design. Thanks to our partnership with Steurer Systems in the field of storage lockers, our range of rental, storage and drying systems has become even more versatile. We plan storage lockers individually based on your requirements, taking maximum space utilization, drying and disinfection into account and at the same time catering to your access system needs. Our Easyrent rental, storage and POS software makes storage management unbelievably fast and easy. It also features a simple module for managing and lock control for the Easystore locker systems.



Benefit from our experience.

WINTERSTEIGER supports you from the planning phase all the way to implementation of your perfect storage facility. Read the following pages to discover in detail what WINTERSTEIGER offers you.



RENTAL, STORAGE AND DRYING SYSTEMS

Accessories for Easystore

Accessories for Easystore



Grooved rubber mat, black, W = 280 mm x L = 10 m

Grooved rubber mat for Easystore Flex boot racks and Optima boot dryers. The 280 mm wide mat protects the shelves from damage and soiling and can be cut individually to the length of the shelves.

Easystore Flex

56-300-130	W = 280 mm x L = 10 m	roll
------------	-----------------------	------



Accessories for Easystore Flex (as from 2014)

Easystore Flex

64-140-601	Easyclip	pcs.
64-140-801	Tube Holder Easystore Flex	pcs.
64-140-806	Dryer Nozzle Easystore Flex	pcs.



Accessories for Easystore (till 2013)

Easystore (<= 2013)

64-140-839	Skiclip 30°, 1 pair	pk.
EO198016ABS	Nozzle Holder	pcs.
TUB270	Dryer Nozzle 270 mm	pcs.

Clothing



WINTERSTEIGER Mechanics Shirt

Now your shop techs can have a professional WINTERSTEIGER mechanics shirt.

57-450-001	M	pcs.
57-450-002	L	pcs.
57-450-003	XL	pcs.
57-450-004	XXL	pcs.



WINTERSTEIGER Lined Hoodie

This hoodie is the perfect jacket for techs coming and going to work, shuttling equipment outside, on snow demos and just looking good!

57-451-061	S	pcs.
57-451-062	M	pcs.
57-451-063	L	pcs.
57-451-064	XL	pcs.



NEW

WINTERSTEIGER Hoodie

Lighter weight Hoodie that can be worn as everyday clothing during the cooler months.

57-451-091	S	pcs.
57-451-092	M	pcs.
57-451-093	L	pcs.
57-451-094	XL	pcs.
57-451-095	XXL	pcs.

PROMOTIONAL MATERIAL

Clothing



WINTERSTEIGER Work Pant

Built for maximum performance, these relaxed fit, hardworking pants will take a beating in the shop or on the mountain. Color: Gray

57-451-071	32 x 30	pcs.
57-451-072	32 x 32	pcs.
57-451-073	34 x 30	pcs.
57-451-074	34 x 32	pcs.
57-451-078	34 x 34	pcs.
57-451-079	34 x 36	pcs.
57-451-075	36 x 30	pcs.
57-451-076	36 x 32	pcs.



WINTERSTEIGER Mountain Kinco Lined Gloves

WINTERSTEIGER logoed suede cowhide gloves helps protect hands while working outside at on show demos or out on the hill. Golden full suede cowhide provides good durability from wear and tear, while shielding the hand from punctures and abrasions.

57-100-040	WINTERSTEIGER Glove M	pair
57-100-041	WINTERSTEIGER Glove L	pair
57-100-042	WINTERSTEIGER Glove XL	pair



Workshop Apron Premium WINTERSTEIGER

Top Quality waterproof waxed canvas apron with tons of requested features. Designed to hang off the shoulders instead of around neck, tons of pockets including zippered phone pocket, 2 flap covered pockets and a kangaroo pocket. Fully adjustable fit with padded shoulder pads and quick release buckle on side. This will become your favorite apron.

57-450-010	pcs.
------------	------



Workshop Apron WINTERSTEIGER

78-300-585

pcs.



WINTERSTEIGER Baseball Cap

78-350-582

pcs.



WINTERSTEIGER Beanie

78-350-586

pcs.



WINTERSTEIGER Buff® (multifunctional tubular headwear)

The original Buff® is a high-stretch and seamless multifunctional tubular made of 100% microfiber. Can be used as scarf, hat, balaclava or headband. Offers excellent breathability and moisture control.

- 100% Polyester Microfiber
- Machine washable up to 40° C, no iron

78-350-587

pcs.

PROMOTIONAL MATERIAL

Accessoires



Softshell Vest

78-350-492	S	pcs.
78-350-493	M	pcs.
78-350-494	L	pcs.
78-350-495	XL	pcs.
78-350-496	XXL	pcs.
78-350-497	XXXL	pcs.

Accessoires



WINTERSTEIGER 32 oz water bottle

57-450-020	32 oz = 910 ml	pcs.
------------	----------------	------



WINTERSTEIGER 30 oz tumbler

57-450-021	30 oz = 850 ml	pcs.
------------	----------------	------

10



WINTERSTEIGER Black Banner

57-450-188	18" x 36"	pcs.
------------	-----------	------



WINTERSTEIGER Shop Sticker with Arrow

78-300-717	600 x 170 mm	pcs.
------------	--------------	------



WINTERSTEIGER "Speed Matters." Sticker

57-450-193

pcs.



WINTERSTEIGER Fist Sticker

57-450-194

pcs.



PRODUCT INDEX

2-Part Adhesives	36, 37, 38, 107	Eyelets	99	Screwdriver	26, 27, 43
Air Filter System	47, 48	Feed-Wheel Ring	149	Screwdriver Bit	28
Analysis Kit	153	File	8, 11, 50, 53, 54, 55, 85	Screwdriver Bit long	28, 29
Balancer 1-2 kg	14	File Brush	9, 55	Side-Edge Grinding Belt	121
Barcode Labels	162	File Guide	7, 8, 52, 53	Sidewall Planer	7, 52, 140
Bar Wax	66	Filter Bags	156	Silicone Pater	43
Baseball cap	173	Filter Cartridge	157	Ski-Clip	81, 82
Base Cleaner	39	Filter Fleece	155, 157	Ski Exit Tray Omega	117
Base Cleaning Cloth	150	Filter Mat	156, 157	Ski Pole Accessories	89, 90
Base Grinding Belt	121, 122, 123	Foot Sizing Device	104	Ski Rack	170
Base Material	43	Grease Gun	150	Ski Rest Professional Basejet	117
Base Planer	50	Grinding Stone	128, 137	Ski Retainer Discovery	149
Base Repair Pistol	10, 47, 48, 49	Gummi Stone	12, 57	Ski Retainer Jupiter	149
Base Repair Sticks	9, 10	Hammer	42	Ski Storage	163
Base Repair Tools	40, 42, 44	Hearing Protection	23	Ski Vise	6, 16, 17, 18, 19, 21, 22
Base Scraper	50	Heating Plate	40, 41	Softshell gilet	174
Batteries	160	High Speed CleanerZelupBlaster	96	Spare Clambs f.Binding Testers	160
Belt Cleaning	123, 124	Holding Magnet	149	Spare Heel Release belt	160
Belt Dresser Stone	124	Hole Plugs	30, 31	Spare Non-Slip Tape	145, 146
Belt Filter	155	Hollow Drill Bit	33	Spare Pre-Filter	151
Bench Brush	14	Hollow Key	148	Spray Bottle	111, 113
Bike-Accessories	80, 81	Hood	173	Spray Guard	149
Binding Bridge	144, 145, 146, 147	Hygiene and Protection	22, 23, 24	Squeegee	150
Binding Drill	27, 28, 32, 35	Knife	43	Stickers	30
Binding Glue	34, 36	Labels	161	Stone Cleaning Plate	129
Binding Screws	31, 34, 35	Lubricating Grease	150	Stone Lifting Device	129
Bloc Wax	67	Lubricating Spray	150	Structure Brush Machine	62
Boot, Glove and Helmet Dryer	170	Machine Cleaning Agent	153, 154	Support Roller	148
Boot Disinfection Liquid	110, 111, 112	Machine Upgrades	117	Switch Cam	149
Boot Fitting Aids	105, 106, 107, 108, 109, 110	Magnet Filter	154	System Cleaner	154
Boot Repair	97, 98	Magnet Tool Holder	15	Taps	32, 33, 35
Boot Repair Kit	98	Magnifying Glass	58	Thermo Jomax	83
Boot Repair Screws	98	Masking tape	82	Thermometer	82
Boot Repair Tools	102, 103, 104, 105	Measures	33, 34	Thermo Paper	159
Bowden cable	148	Metal-Grip	45	Thermotransfer Cartridge	161
Brake Retainer	7, 30	Metal Scraper	10, 11, 50, 51, 79, 84	Tool Box	15, 86
Brass Inserts	32	Mixing Cups	38	Torch	49
Brass Sreen Filter	156, 157	Mixing Sticks	38	Touch Pen	148
Breathing Protection	23	Moonflex-File	56	Towels	40
Buffing Pad	12, 85, 85, 85	Mounting Screws f.ceramic disc	139	Tray Extension Trimjet	117
Buffing Wheel	142, 142, 142, 142	Mounting Vise	16	Trim Cut	139
Buff Tubular	173	Multi-Inserts	35	True Bar	7, 51, 52
Ceramic Disc	139	Nordic Base Tools	58	Tumbler	174
Chisel	42, 43	Nylon Texturing Wheel	158	Tuning Belt	121, 122, 123
Clamps	44	Paper Tape	82	Ultracam Boot Press	91, 92, 93, 94
Clothing	171, 172	Pigment	39	V-Edge Label	161, 162
Cordless Screwdriver	29	Plastic Inserts	31	Washers	34
Cork Finish Belt	123	Pocket Stone	9, 57	Water Bottle	174
Deburring Wheel	158	Polishing Belt	123	Water Cooler	118
Deodorizer	78, 113	Polishing Stone	56, 57	Wax	10,
Diamond Bit	132, 133, 135, 139, 140, 142	Polishing Wheel	158, 159	11, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80	
Diamond File	9, 55, 56	Polyethylene Wire	45, 48, 49, 119	Wax Belt	159
Discman	57, 58	Printer Ribbon	160	Wax Bloc Jupiter/Disco/Mercury	67
Disinfection Device Easyfresh	112	Printing forms	159	Wax Brush	12, 85, 86
Double Brush/Polishing Brush	62, 158	Promotional	174, 175	Wax Future	60, 61
Drill	29, 30	Protective Goggles	25	Wax Granular	67
Drill Bits	27	Punch	41	Waxing Machine	59, 64, 65
Dummy Sole	146, 147	Punch Plate	41	Waxing Wheel	158, 159
Eco-friendly wax bar	66	Refractometer	153	Wax Iron	10, 59
Edge Grinder	54	Repair-Pins	49	Wax Remover	9, 39, 76, 81
Edge Replacement	43	Rivets	99	Wearing Parts	145, 148
Edge Screws	43	Roto Brush	86, 87, 88, 89	Welders	44
Emulsion	151, 152, 153	Rubber Mat	15, 170	Work Bench	15
Emulsion Mixer	152	Safety Can	25, 40	Working Gloves	24, 38, 172
Endless Filter Sock	156, 157	Scotchbrite Belt	123	Workshop Apron	172, 173
Exhaustion for Waxjet	66	Scotchbrite Texturing Wheel	158	Workshop Service Sticker	26
Extractor	33	Scraper Sharpener	11, 12, 84	Workshop Tickets	25



WINTERSTEIGER
Thinking about tomorrow.

